

DAFTAR PUSTAKA

- Abosadiya, H. M., Hasbullah, S. A., Mackeen, M. M., Low, S. C., Ibrahim, N., Koketsu, M., & Yamin, B. M. (2013). Synthesis, Characterization, X-ray Structure and Biological Activities of C-5-bromo-2-hydroxyphenylcalix[4]-2-methyl resorcinarene. *Molecules*. 18(1):13369-13384.
- Alberty, R. A., & Daniel, F. (1987). Kimia Fisika Jilid I. *Terjemahan oleh Dr. NM Surdia*. Jakarta: Penerbit Erlangga.
- Aliabadi, M., Morshedzadeh, K., & Soheyli, H. (2006). Removal of Hexavalent Chromium from Aqueous Solution by Lignocellulosic Solid Wastes. *International Journal of Environmental Science & Technology*, 3(3), 321-325.
- Altun, T., & Kar, Y. (2016). Removal of Cr (VI) from Aqueous Solution by Pyrolytic Charcoals. *New Carbon Materials*, 31(5), 501-509.
- Amri, Y. (2018). Reaksi Kondensasi Aldol Ramah Lingkungan Sebagai Bahan Kajian dalam Pembelajaran IPA di Laboratorium. *Jurnal Jeumpa*, 5(1), 6-13.
- Analytical, P., (2020). BET (Brunauer, Emmett and Teller). *Particle Analytical*. Diakses dari: <https://particle.dk/methods-analytical-laboratory/surface-area-bet-2/> [diakses pada 3 April 2021].
- Aprilia, D. N. A. (2019). Optimasi Waktu Sintesis dan Uji Aktivitas Antioksidan Senyawa C-Fenikaliks[4]resorsinarena serta Uji Toksisitas Terhadap *Artemia salina Leach*. Skripsi. Purwokerto: Universitas Jenderal Soedirman.
- Atkins, P. W. (1999). Kimia Fisika Jilid 2. Jakarta: Erlangga.
- Bhatt, R., Sreedhar, B., & Padmaja, P. (2015). Adsorption of Chromium from Aqueous Solutions using Crosslinked Chitosan-diethylenetriaminepentaacetic Acid. *International Journal of Biological Macromolecules*, 74, 458-466.
- Bhatt, R., Sreedhar, B., & Padmaja, P. (2017). Chitosan Supramolecularly Cross Linked with Trimesic Acid-facile Synthesis, Characterization and Evaluation of Adsorption Potential for Chromium (VI). *International Journal of Biological Macromolecules*, 104, 1254-1266.
- Bhattacharya, A. K., Naiya, T. K., Mandal, S. N., & Das, S. K. (2008). Adsorption, Kinetics and Equilibrium Studies on Removal of Cr (VI) from Aqueous Solutions using Different Low-cost Adsorbents. *Chemical Engineering Journal*, 137(3), 529-541.
- Britz-Mckibbin, P. & Chen, D. D. Y. (1998). A Water-Soluble Tetraethyl Sulfonate Derivative of 2-Methylresorcinareme as an Additive for Capillary Electrophoresis. *Analitical Chemistry*. 70:907-912.

- BSNI. (2009). *SNI Air dan Air Limbah-Bagian 71: Cara Uji Krom Heaksavalen (Cr-VI) Dalam Contoh Uji Secara Spektofotometri*. BSNI.
- Budiana, I.G.M., Jumina, & C. Anwar., (2016). Synthesis and Application of C-Phenylcalix[4]resorsinarene in Adsorption of Cr(III) and Pb(II). *Journal Applied Chemistry Science*. 3:289-298.
- Budimarwanti, C., & Handayani, S. (2010). Efektivitas Katalis Asam Basa pada Sintesis 2-hidroksikalkon, Senyawa yang Berpotensi sebagai Zat Warna. In *Prosiding Seminar Nasional Kimia dan Pendidikan Kimia 2010*.
- Casas-Hinestrosa, J. L., Suazo, M. Á. V., & Villamil, M. M. (2020). Experimental Comparative Study of Dynamic Behavior in Solution Phase of C-Tetra (phenyl) resorcin [4] arene and C-Tetra (phenyl) pyrogallol [4] arene. *Molecules*, 25(10), 2275.
- Chawla, H. M., Pant, N., Kumar, S., Mrig, S., Srivasta, B., Kumar, N., & Black, D. S. (2011). Synthesis and Evaluation of Novel Tetrapropoxycalix[4]arene Enones and Cinnamates for Protection from Ultraviolet Radiation. *Journal of Photochem Photobiol B*. 105(1):25-33.
- Davis, R., & Mauer, L. J. (2010). Fourier Transform Infrared (FT-IR) Spectroscopy: A Rapid Tool for Detection and Analysis of Foodborne Pathogenic Bacteria. *Formatex J*. 1582-1594.
- Deng, Y., Kano, N., & Imaizumi, H. (2016). Removal of Chromium from Aqueous Solution using Hybrid Membrane of Chitosan and Silicon Dioxide. *Journal of Chemistry and Chemical Engineering*, 10(5), 199-206.
- Deng, Y., Kano, N., & Imaizumi, H. (2017). Adsorption of Cr (VI) onto Hybrid Membrane of Carboxymethyl Chitosan and Silicon Dioxide. *Journal of Chemistry*, 2017.
- Duruibe, J.O., Ogwuegbu, M.O.C., & Egwuruguju, J.N. (2007). Heavy Metal Pollution and Human Biotoxic Effects. *International Journal of Physical Sciences*. 2(5):112-118.
- Ewing, G. W. (1997). *Analytical Instrumentation Handbook 2nd edition*. USA: CRC Press.
- Eyüpoglu, V., Surucu, A., & Kunduracioglu, A. (2015). Synergistic Extraction of Cr (VI) from Ni (II) and Co (II) by Flat Sheet Supported Liquid Membranes using TIOA and TBP as Carriers. *Polish Journal of Chemical Technology*, 17(2), 34-42.
- Fessenden, R. J. & Fessenden., J. S. (1986). *Kimia Organik. Edisi Ketiga. Jilid 2*. Jakarta: Erlangga.
- Freundlich, H. (2009). Adsorption in solution. *Phys. Chem. Soc*, 40, 1361-1368.
- González-López, M. E., Laureano-Anzaldo, C. M., Pérez-Fonseca, A. A., Arellano, M., & Robledo-Ortíz, J. R. (2020). Chemically Modified

- Polysaccharides for Hexavalent Chromium Adsorption. *Separation & Purification Reviews*, 1-30.
- Goswami, S., & Ghosh, U. C. (2005). Studies on Adsorption Behaviour of Cr (VI) onto Synthetic Hydrous Stannic Oxide. *water SA*, 31(4), 597-602.
- Gritter, R.J, Bobbitt, J.N., dan Schwarting, A.E. (1991). *Pengantar Kromatografi*. diterjemahkan oleh Kosasih Padmawinata. Edisi II. Bandung: ITB Press Bandung.
- Gutsche, C. D. (1989). *Calixarenes Revisited, Monographs in Supramolecular Chemistry*. Cambridge: Royal Society of Chemistry.
- Gutsche, C. D. (1998). *Calixarenes Revisited*. Cambridge: Royal Society of Chemistry.
- Hamilton, K. (2003). Synthesis, Characterization, and Application of Water-Soluble Chiral Calix[4]arene Derivatives in Spectroscopy and Capillary Electrokinetic Chromatography. *Dissertation*. Louisiana: The Department of Chemistry, Louisiana State University.
- Handayani, R. I., Dewi, N. K., & Priyono, B. (2014). Akumulasi Kromium (Cr) Pada Daging Ikan Nila Merah (*Oreochromis Sp.*) Dalam Karamba Jaring Apung Di Sungai Winongo Yogyakarta. *Jurnal Mipa*. 37(2):123-129.
- Handayani, S. N., Ekowati, H., Irmanto, Aprilia, D. N. A., & Utami, S. (2020). Synthesis of Phenylcalix[4]resorcinarene Sulfonate and It's Application as an Antioxidant. In *AIP Conference Proceedings*. 2237(1): 020067). AIP Publishing LLC.
- Handayani, S. N., Irmanto, & Indriyani, N. N. (2020). Removal of Rhodamine B using 4-hydroxy-3-methoxyphenyl-calix [4] resorcinarene. In *Journal of Physics: Conference Series*. 1494: 012022.
- Handayani, S. N., Jumina, M., & Swasono, R. T. (2016). Antioxidant Assay of C-2-Hydroxyphenylcalix[4]resorcinarene With DPPH Methods. *International Journal of ChemTech Research*. 9(2):278-283.
- Hart, H., Craine, L., & Hart, D. (2003). *Kimia Organik, Suatu Kuliah Singkat Edisi Kesebelas*. Jakarta: Erlangga.
- Ho, Y. S. (2006). Review of Second-order Models for Adsorption Systems. *Journal of hazardous materials*, 136(3), 681-689.
- Hua, C., Zhang, R., Bai, F., Lu, P., & Liang, X. (2017). Removal of Chromium (VI) from Aqueous Solutions using Quaternized Chitosan Microspheres. *Chinese journal of chemical engineering*, 25(2), 153-158.
- Huang, Z. N., Wang, X. L., & Yang, D. S. (2015). Adsorption of Cr (VI) in Wastewater using Magnetic Multi-wall Carbon Nanotubes. *Water Science and Engineering*, 8(3), 226-232.

- Husni, H., & Rosnelly, C. M. (2007). Studi Kinetika Adsorpsi Larutan Logam Timbal (Pb) Menggunakan Karbon Aktif dari Batang Pisang. *Jurnal Hasil Penelitian Industri*. 20(1):1-10.
- Jain, V. K., Pillai, S. G., Pandya, R. A., Agrawal, Y. K., & Srivastav, P. S. (2005). Selective Extraction, Preconcentration, and Transport Studies of Thorium(IV) Using Octa-Functionalized Calix[4]resorcinarene Hydroxamic Acid. *Analytical Sciences*. 21(2):129-135.
- Jumina, Priastomo, Y., Setiawan, H. R., Kurniawan, Y. S., & Ohto, K. (2020). Simultaneous Removal of Lead (II), Chromium (III), and Copper (II) Heavy Metal Ions Through an Adsorption Process using C-Phenylcalix [4] pyrogallolarene Material. *Journal of Environmental Chemical Engineering*, 103971.
- Jung, C., Heo, J., Han, J., Her, N., Lee, S. J., Oh, & Yoon, Y. (2013). Hexavalent Chromium Removal by Various Adsorbents: Powdered Activated Carbon, Chitosan, and Single/multi-walled Carbon Nanotubes. *Separation and Purification Technology*, 106, 63-71.
- Kep-51/MENLH/10/1995, Tentang Baku Mutu Limbah Cair Bagi Kegiatan Industri.
- Khopkar, S.M. (1990). *Konsep Dasar Kimia Analitik*. Jakarta: Universitas Indonesia Press.
- Kotaś, J., & Stasicka, Z. J. E. P. (2000). Chromium Occurrence in The Environment and Methods of its Speciation. *Environmental pollution*, 107(3), 263-283.
- Kulkarni, P. S., Deshmukh, P. G., Jakhade, A. P., Kulkarni, S. D., & Chikate, R. C. (2017). 1,5 Diphenyl Carbazide Immobilized Cross-linked Chitosan Films: An Integrated Approach Towards Enhanced Removal of Cr (VI). *Journal of Molecular Liquids*, 247, 254-261.
- Kumar, A. S. K., Gupta, T., Kakan, S. S., Kalidhasan, S., Rajesh, V., & Rajesh, N. (2012). Effective Adsorption of Hexavalent Chromium Through a Three Center (3c) Co-operative Interaction with an Ionic Liquid and Biopolymer. *Journal of Hazardous Materials*, 239, 213-224.
- Langmuir, I. (1918). The adsorption of Gases on Plane Surfaces of Glass, Mica and Platinum. *Journal of the American Chemical society*, 40(9), 1361-1403.
- Larashati, S. (2004). Reduksi Krom (Cr) Secara In Vitro Oleh Kultur Campuran Bakteri yang Di isolasi dari Lindi Tempat Pembuangan Akhir Sampah (TPA). *Thesis*: ITB.
- Linane, P., & Shinkai, S. (1994). Calixarenes : Adaptable Hosts Par Excellence. *Chemistry and Industry*. (20):811-14.
- MENLH. (2004). Baku Mutu Air Laut Untuk Biota Laut. Deputi MENLH Bidang Kebijakan dan Kelembagaan Lingkungan Hidup. Jakarta.

- Mocerino, M., Mishima, K., Nishioka, H., Yoneda, A., & Ouchi, M. (2002). Solvent Extraction of Metal Picrates with Calix[4]arene Derivatives. In *Analytical Sciences/Supplements Proceedings of IUPAC International Congress on Analytical Sciences 2001*. The Japan Society for Analytical Chemistry. 223-224.
- Moon, B. S., Kim, S. K., Kang, B. G., Lee, J. H., Yoon, J., & Lee, K. D. (2003). *Synthesis and Binding Study of New Aminopyridinyl Cavitand Receptors for the Recognition of Cationic Guests*. Bull. Korean Chem. Soc.. 24(1):133-136.
- Moussout, H., Ahlafi, H., Aazza, M., & El Akili, C. (2018). Performances of Local Chitosan and Its Nanocomposite 5% Bentonite/Chitosan in The Removal of Chromium Ions (Cr (VI)) from Wastewater. *International journal of biological macromolecules*, 108, 1063-1073.
- Nurhidayat, A. (2016). Isolasi dan Identifikasi Senyawa Metabolit Sekunder dari Kulit Batang Tumbuhan Turi (*Sesbania grandiflora* (L.) Pers.) Serta Uji Aktivitas Antibakteri *Escherichia coli* Resisten Terhadap Kloramfenikol.
- Nurlaili. (2018). Penyerapan Ion logam Pb^{2+} dan Cd^{2+} dari Larutan Menggunakan C-SinamatKaliks[4]Resorsinarena yang disintesis dari Minyak Kayu Manis (*Cinnamomum burmanii*). Skripsi. Padang : Universitas Negeri Padang.
- Oxtoby, D. (1990). *Prinsip-prinsip Kimia Modern*. Erlangga. Jakarta. Hal. 285-290.
- Peraturan Pemerintah Republik Indonesia Nomor 82 Tahun 2001. Tentang Pengelolaan Kualitas Air dan Pengendalian Pencemaran Air.
- Pramuwati, E. (2005). Studi Adsorpsi terhadap Logam Pb(II), Cu(II), dan Cr(III) menggunakan p-ter-butil-kaliks[4]arena. Skripsi. Yogyakarta: Universitas Gajah Mada.
- Rahman, M.U., Gul S., Ulhaq, M.Z. (2007). Reduction of Chromium (VI) by Locally Isolated *Pseudomonas sp.* C171. *Turkey Journal Biol.* 31: 161-166.
- Ren, H., Jiang, J., Wu, D., Gao, Z., Sun, Y., & Luo, C. (2016). Selective Adsorption of Pb (II) and Cr (VI) by Surfactant-modified and Unmodified Natural Zeolites: A Comparative Study on Kinetics, Equilibrium, and Mechanism. *Water, Air, & Soil Pollution*, 227(4), 101.
- Ren, G., Wang, X., Huang, P., Zhong, B., Zhang, Z., Yang, L., & Yang, X. (2017). Chromium (VI) Adsorption from Wastewater using Porous Magnetite Nanoparticles Prepared from Titanium Residue by a Novel Solid-phase Reduction Method. *Science of The Total Environment*, 607, 900-910.
- Sankararamakrishnan, N., Dixit, A., Iyengar, L., & Sanghi, R. (2006). Removal of Hexavalent Chromium using a Novel Cross Linked Xanthated Chitosan. *Bioresource Technology*, 97(18), 2377-2382.

- Santoso, U. T., Herdiansyah, H., Trisunaryanti, W., & Santosa, S. J. (2004). Study on The Rate of Reduction of Cr (VI) to Cr (III) by Humic Acid Using Continuum Multicomponent Model. *Indonesian Journal of Chemistry*. 4(1): 12-25.
- Saputro, S., Yoshimura, K., Matsuoka, S., Takehara, K., Aizawa, J., & Tennichi, Y. (2014). Speciation of Dissolved Chromium and the Mechanisms Controlling its Concentration in Natural Water. *International Journal of Chemical Geology* 364: 33-41.
- Sardjono, R. E., Jumina, N., AW, T., Sastrohamidjojo, H., & Santoso, S. J. (2008). Adsorption Characteristics of Pb (II) onto C-4-Hydroxy-3-methoxyphenyl calix[4]resorcinarene in Batch and Fixed Bed Column Systems. In *Proceeding of The International Seminar on Chemistry 2008*. 419-425.
- Sardjono, R. E., Dwiyanti, G. E. B. I., Aisyah, S. I. T. I., & Khoerunnisa, F. I. T. R. I. (2009). The Synthesis of Calix[4]resorcinarene from Cassia Oil and Its Application for Solid Phase Extraction of Heavy Metal Hg (II) and Pb (II). In *Prosiding Seminar Kimia Bersama UKM-ITB VIII*.
- Sasongko, D. & W. Panji Tresna. (2010). Identifikasi Unsur dan Kadar Logam Berat pada Limbah Pewarna Batik dengan Metode Analisis Pengaktifan Neutron. *Jurnal Ilmu Pengetahuan dan Teknologi Telaah*. 2(1): 22-27.
- Schiavon, M. E. A. H. Pilon. Smits, M. Wirtz, R. Hell & M. Malagoli. (2008). Interactions Between Chromium and Sulfur Metabolism in Brassica juncea. *Journal of Environmental Quality*. 37: 1536-1545.
- Senkovska, I., Cychoz, K. A., Llewellyn, P., Thommes, M., & Kaskel, S. (2016). Adsorption methodology. *The Chemistry of Metal-Organic Frameworks: Synthesis, Characterization, and Applications*, 2, 575-605.
- Seo, J. G., Kim, I. H., Jang, S. H., Kim, B. O., Ryu, J. U., & Park, J. H. (2001). Separation of Positional Isomers in a Calix [4] arene-methylsiloxane Polymer as Stationary Phase in Capillary GC. *Bulletin of the Korean Chemical Society*. 22(4): 409-412.
- Settle, F. (1997). *Handbook of Instrumental Techniques for Analytical Chemistry*. New Jersey: Prentice-Hall Inc.
- Setyawan, T. (2013). Sintesis Senyawa Tabir Surya Turunan Kaliks[4]Resorsinarena Benzofenon dari Vanilin. *Tesis*. Yogyakarta: Universitas Gadjah Mada.
- Sharma, O. P., Bhat, T. K., & Singh, B. (1998). Thin-layer Chromatography of Gallic Acid, Methyl Gallate, Pyrogallol, Phloroglucinol, Catechol, Resorcinol, Hydroquinone, Catechin, Epicatechin, Cinnamic Acid, p-coumaric Acid, Ferulic Acid and Tannic Acid. *Journal of Chromatography A*, 822(1), 167-171.

- Sihotang, R. D. M. S., Sitorus, S., & Gunawan, R. (2017). Analisis Kadar Ion Logam Timbal (Pb^{2+}) pada Air, Ikan Patin (*Pangasius pangasius*), Ikan Mas (*Cyprinus carpio L.*) dan Ikan Nila (*Oreochromis sp.*) di Danau Bekas Galian Tambang Batubara Kecamatan Tenggarong Seberang. In *PROSIDING SEMINAR KIMIA* (pp. 255-259).
- Sitanggang, P. Y. (2017). Pengolahan Limbah Tekstil dan Batik di Indonesia. *Departemen Teknik Kimia Institut Teknologi Bandung, Bandung*. Halaman, 2-3.
- Skoog, A. D., West, M. D, Holler, J. F., & Crouch R. S. (2013). *Fundamentals of Analytical Chemistry*. Canada: Brooks/Cole.
- Sonoda, M., Nishida, M., Ishii, D., & Yoshida, I. (1999). Super Uranophile, Water-Soluble Calixarenes: Their Metal Complexes, Stability Constants and Selective Reactivity to Uranyl Ion. *Analytical Sciences*. 15(12): 1207-1213.
- Sreenivas, K. M., Inarkar, M. B., Gokhale, S. V., & Lele, S. S. (2014). Re-utilization of Ash Gourd (*Benincasa hispida*) Peel Waste for Chromium (VI) Biosorption: Equilibrium and Column Studies. *Journal of Environmental Chemical Engineering*, 2(1), 455-462.
- Sunardi, Nuraini E. & Supriyatni E. (2001). Analisis Unsur yang Terkandung Dalam Air Buangan P3TM Dengan Neutron Cepat 14 MeV dari Generator Neutron Sames J-2. *Prosiding*. Yogyakarta. P3TM-BATAN.
- Wade, L. G. (2006). Structure and Stereochemistry of Alkanes. *Organic Chemistry*. 6: 103-122.
- Zawierucha, I., Nowik-Zajac, A., & Kozlowski, C. (2020). Application of Cr (VI) Transport Across The Polymer Inclusion Membrane with Calixresorcin [4] Arene Derivative as Ion Carrier. *Separation Science and Technology*, 55(12), 2204-2210.
- Zhou, X., Xue, X., & Jiang, W. (2011). Study on Adsorption of Heavy Metal Ion in Metallurgical Wastewater by Sepiolite. In *2011 2nd International Conference on Environmental Science and Development IPCBEE* (Vol. 4).