

## DAFTAR PUSTAKA

- A. Alahmadi, M. 2014. High-intensity Interval Training and Obesity. *Journal of Novel Physiotherapies*, 04(03).
- De Almeida Brondani, L., De Souza, B.M., Assmann, T.S., Bouças, A.P., Bauer, A.C., Canani, L.H. & Crispim, D. 2014. Association of the UCP polymorphisms with susceptibility to obesity: Case-control study and meta-analysis. *Molecular Biology Reports*, 41(8): 5053–5067.
- Diana, R., Yuliana, I., Yasmin, G. & Hardinsyah, D. 2013. Faktor Risiko Kegemukan pada Wanita dewasa Indonesia (Risk Factors of Overweight among Indonesian Women). *Jurnal Gizi dan Pangan*, 8(1): 1–8. <http://jesl.journal.ipb.ac.id/index.php/jgizipangan/article/viewFile/7226/5647>.
- Dinkes Jateng. 2017. Profil Kesehatan Provinsi Jawa Tengah 2017. , 3511351(24): 1–62.
- Dirgantoro, E.W., Shadiqin, A. & Aisyah, S. 2018. Pengaruh Bike Interval Training Terhadap Peningkatan Daya Tahan Jantung Paru Anggota Club Cycle Bajai. *Multilateral Jurnal Pendidikan Jasmani dan Olahraga*, 17(1): 13–17.
- De Feo, P. 2013. Is high-intensity exercise better than moderate-intensity exercise for weight loss? *Nutrition, Metabolism and Cardiovascular Diseases*, 23(11): 1037–1042. <http://dx.doi.org/10.1016/j.numecd.2013.06.002>.
- Gillen, J.B. & Gibala, M.J. 2013. Is high intensity interval training a time efficient exercise strategy to improve health and fitness? *Appl. Physiol. Nutr. Metab*, 39(1): 409–412.
- Gotera, W., Suastika, K., Santoso, A. & Kuswardhani, T. 2006. Hubungan Antara Obesitas Sentral Dengan Adiponektin Pada Pasien Geritari Dengan Penyakit Jantung Koroner. *Journal of Internal Medicine*, 7(2).
- Hashemi, M., Rezaei, H., Kaykhaei, M.A. & Taheri, M. 2014. A 45-bp insertion/deletion polymorphism of UCP2 gene is associated with metabolic syndrome. *Journal of Diabetes and Metabolic Disorders*, 13(1): 1–5.
- Khammassi, M., Ouerghi, N., Hadj-Taieb, S., Feki, M., Thivel, D. & Bouassida, A. 2018. Impact of a 12-week high-intensity interval training without caloric restriction on body composition and lipid profile in sedentary healthy overweight/obese youth of the Metabolic Adaptations to Exercise under Physiological and Pathological Conditions (AM. *Journal of Exercise Rehabilitation*, 14(1): 118–125. <http://www.e-jer.org>.

- Kong, Z., Fan, X., Sun, S., Song, L., Shi, Q. & Nie, J. 2016. Comparison of high-intensity interval training and moderate-to-vigorous continuous training for cardiometabolic health and exercise enjoyment in obese young women: A randomized controlled trial. *PLoS ONE*, 11(7): 1–11.
- Li, J., Jiang, R., Cong, X. & Zhao, Y. 2019. UCP2 gene polymorphisms in obesity and diabetes, and the role of UCP2 in cancer. *FEBS Letters*, 593(18): 2525–2534.
- Liu, Xiaoqiu, Zhang, B., Liu, Xin, Shen, Y., Li, J., Zhao, N., Ma, L., Du, Q., Liu, L., Zhao, J. & Wang, X. 2012. A 45-bp insertion/deletion polymorphism in uncoupling protein 2 is not associated with obesity in a Chinese population. *Biochemical Genetics*, 50(9–10): 784–796.
- Mallol, M., Mejuto, G., Bentley, D., Norton, L., Torres-Unda, J., Arrieta, H. & Otxoteko, I. 2017. Effects of 4 Weeks High-Intensity Training on Running and Cycling Performance in Well-Trained Triathletes. *Sports and Exercise Medicine - Open Journal*, 3(1): 1–7.
- Masrul, M. 2018. Epidemi obesitas dan dampaknya terhadap status kesehatan masyarakat serta sosial ekonomi bangsa. *Majalah Kedokteran Andalas*, 41(3): 152.
- Nugraha, A.R. & Berawi, K.N. 2017. Pengaruh High Intensity Interval Training (HIIT) terhadap Kebugaran Kardiorespirasi. *Jurnal Majority*, 6(1): 1–5. <http://juke.kedokteran.unila.ac.id/index.php/majority/article/view/1521>.
- Oguzkan-Balci, S., Col-Araz, N., Nacak, M., Araz, M., Sabanci, H., Balat, A. & Pehlivan, S. 2013. Mitochondrial uncoupling protein 2 (UCP2) gene polymorphisms are associated with childhood obesity and related metabolic disorders. *Journal of Pediatric Endocrinology and Metabolism*, 26(3–4): 277–283.
- Papazoglou, D., Papathanasiou, P., Papanas, N., Papatheodorou, K., Chatziangeli, E., Nikitidis, I., Kotsiou, S. & Maltezos, E. 2012. Uncoupling protein-2 45-base pair insertion/deletion polymorphism: Is there an association with severe obesity and weight loss in morbidly obese subjects? *Metabolic Syndrome and Related Disorders*, 10(4): 307–311.
- Permatasari, D., Purnawati, S., Satriyasa, B.K., Made, L., Sri, I. & Adiputra, H. 2017. Pelatihan Interval Intensitas Tinggi Lebih Efektif Menurunkan Persentase Lemak Tubuh Dibandingkan Pelatihan Kontinyu Submaksimal Pada Siswa Sman 4. *Sport and Fitness Journal*, 5(2): 10–20.
- Riskesdas, K. 2018. Hasil Utama Riset Kesehata Dasar (RISKESDAS). *Journal of Physics A: Mathematical and Theoretical*, 44(8): 1–200. <http://arxiv.org/abs/1011.1669><http://dx.doi.org/10.1088/1751-8113/44/8/085201><http://stacks.iop.org/1751->

8121/44/i=8/a=085201?key=crossref.abc74c979a75846b3de48a5587bf708f.

- Roriz, A.K.C., Passos, L.C.S., De Oliveira, C.C., Eickemberg, M., Moreira, P.D.A. & Sampaio, L.R. 2014. Evaluation of the accuracy of anthropometric clinical indicators of visceral fat in adults and elderly. *PLoS ONE*, 9(7): 5–10.
- Say, Y.H., Ban, Z.L., Arumugam, Y., Kaur, T., Tan, M.L., Chia, P.P. & Fan, S.H. 2014. Uncoupling protein 2 gene (UCP2) 45-bp I/D polymorphism is associated with adiposity among Malaysian women. *Journal of Biosciences*, 39(5): 867–875.
- Shehata, A. & Mahmoud, I. 2018. Effect of High Intensity Interval Training (Hiit) Onweight, Body Mass Index and Body Fat Percentage for Adults. *Romania The journal is indexed in: Ebsco, SPORTDiscus, INDEX COPERNICUS JOURNAL MASTER LIST*, XVIII(2): 125–130.
- Sherwood L. 2014. *Fisiologi Manusia dari Sel ke Sistem*. 8th ed. Jakarta: EGC Buku Kedokteran.
- Surniyantoro, H.N.E., Sadewa, A.H. & Hastuti, P. 2018. Uncoupling Protein 2 (UCP2) as Genetic Risk Factor for Obesity in Indonesia is Different in Gender Stratification. *The Kobe journal of medical sciences*, 64(2): E64–E72.
- Sutrisno. 2019. Pengaruh faktor genetik dan pola makan terhadap kejadian obesitas pada remaja kelas VII, VIII, IX di SMP Negeri 2 Ngaringan. *Journal of Chemical Information and Modeling*, 4(2): 19–23.
- Tchernof, A. & Després, J.P. 2013. Pathophysiology of human visceral obesity: An update. *Physiological Reviews*, 93(1): 359–404.
- Weston, K.S., Wisløff, U. & Coombes, J.S. 2014. High-intensity interval training in patients with lifestyle-induced cardiometabolic disease: A systematic review and meta-analysis. *British Journal of Sports Medicine*, 48(16): 1227–1234.
- World Health Organisation (WHO). 2008. WHO | Waist Circumference and Waist–Hip Ratio. Report of a WHO Expert Consultation. Geneva, 8-11 December 2008. , (December): 8–11. <http://www.who.int>.