

## DAFTAR PUSTAKA

- Aleixo, K. P., Menezes, C., Fonseca, V. L. I., & Silva, C. I. D., 2017. Seasonal Availability of Floral Resources and Ambient Temperature Shape Stingless Bee Foraging Behavior ( *Scaptotrigona aff. depilis* ). *Springer Verlag*, 48(1), 117–127. <https://doi.org/10.1007/s13592-016-0456-4>
- Altmann, J., 2014. Observational Study of Behavior : Sampling Methods Author. *JSTOR*, 49(3), 227–267.
- Ariyanti, D., Budiono, J. D., & Rachmadiarti, F., 2001. Analisis Struktur Daun Sawi Hijau ( *Brassica rapa* var . *Parachinensis* ) yang Dipapar dengan Logam Berat Pb ( Timbal ) Analysis of Leaf Anatomy of *Brassica rapa* var . *Parachinensis* Exposed by Lead. *Lentera Bio*, 3(1), 37–42.
- Atmowidi, T., Prawasti, T. S., & Raffiudin, R., 2018. Flight Activities and Pollen Load of Three Species of Stingless Bees ( Apidae : Melliponinae ) Flight Activities and Pollen Load of Three Species of Stingless Bees ( Apidae : Melliponinae ). In *IOP Conf. Series: Earth and Environmental Science* (Vol. 197).
- Atmowidi, T. R. I., Buchori, D., Manuwoto, S., Suryobroto, B., & Hidayat, P., 2007. Diversity of Pollinator Insects in Relation to Seed Set of Mustard ( *Brassica rapa* L .: Cruciferae ). *Jurnal Hayati*, 14(4), 155–161.
- Azmi, W. A., Zulqurnain, N. S., & Ghazi, R., 2015. Melissopalynology And Foraging Activity Of Stingless Bees , *Lepidotrigona Terminata* (Hymenoptera: Apidae) From An Apiary In Besut , Terengganu. *Journal of Sustainability Science and Management*, 10(1), 27–35.
- Azuma, H., Toyota, M., Aswaka, Y., Takaso, T., & Tobe, H., 2002. Floral scent chemistry of mangrove plants. *The Botanical Society of Japan and Springer-Verlag Tokyo*, 115, 47–53.
- Budiwijono, T., 2012. Identifikasi Produktivitas Koloni Lebah Apis Mellifera Melalui Mortalitas Dan Luas Eraman Pupa Di Sarang Pada Daerah Dengan Ketinggian Berbeda. *Jurnal Gamma*, 7(2), 111–123.
- Efin, A., Atmowidi, T., & Prawasti, T. S., 2019. Short Communication : Morphological characteristics and morphometric of Stingless Bee ( Apidae : Hymenoptera ) from Banten Province , Indonesia. *Biodiversitas*, 20(6), 1693–1698. <https://doi.org/10.13057/biodiv/d200627>
- Erniwati., 2013. Kajian Biologi Lebah Tak Bersengat (Apidae : Trigona) Di Indonesia. *Fauna Indonesia*, 12(1), 29–34.
- Faheem, M., Aslam, M., & Razaq, M., 2004. Pollination Ecology with Special Reference to Insects-A Review . *Journal of Research (Science)*, 15(4), 395–409.

- Fauzia, S., Sukarsa, & Herawati, W., 2019. Karakteristik Morfologi Polen Sebagai Sumber Pakan Lebah Trigona sp . *BioEksakta: Jurnal Ilmiah Biologi Unsoed*, 1(2), 115–122.
- Figueiredo-Mecca, G., Bego, L., & Nascimento, F., 2013. Foraging Behavior of Scaptotrigona depilis (Hymenoptera, Apidae, Meliponini) and its Relationship with Temporal and Abiotic Factors. *Sociobiology*, 60(3), 277–282. <https://doi.org/10.13102/sociobiology.v60i3.277-282>
- Gadhiya, V. K., & Prastagia, J. J., 2019. Time spent by stingless bees , Tetragonula laeviceps for nectar and pollen collection from musk melon flower. *Journal of Entomology and Zoology Studies*, 7(1), 498–500.
- Grüter, C., & Ratnieks, F. L. W., 2011. Flower Constancy In Insect Pollinators Adaptive Foraging Behavior or Cognitive Limitation. *Communicative & Integrative Biology*, 6(4), 633–636. <https://doi.org/10.4161/cib.4.6.16972>
- Gussuwana, I., Yoza, D., & Mardhiansyah, M., 2015. Karakteristik Pohon Sarang Lebah Dan Preferensi Lebah Bersarang Di Hutan Kepungan Sialang Desa Gunung Sahilan Kecamatan Gunung Sahilan Kabupaten Kampar Provinsi Riau. *JOM Faperta*, 2(2), 1–12.
- Hakim, M. N., & Abduh, M. Y., 2018. Produksi Propolis dari Lebah Tetragonula laeviceps Menggunakan Sarang Motive yang Dilengkapi dengan Sistem Instrumentasi Abstrak. In *Jurnal Otomasi, Kontrol & Instrumentasi* (Vol. 10). Banda Aceh.
- Hasan, P. A., & Atmowidi, T., 2017. Hubungan Jenis Serangga Penyerbuk dengan Morfologi Bunga Pada Tanaman Tomat dan Sawi ( Brassica Juncea Linn.). *Jurnal Saintifik*, 3(1), 77–82.
- Heard, T. A., 1999. The Role of Stingless Bees in Crop Pollination. *Annual Review of Entomology*, 44(1), 183–206. <https://doi.org/10.1146/annurev.ento.44.1.183>
- Hrncir, M., Silva, C. M., Souza, V. H. da S. T., & Fonseca, V. L. I., 2019. Stingless Bees and Their Adaptations to Extreme Environments. *Journal of Comparative Physiology A*, 205(3), 1–12. <https://doi.org/10.1007/s00359-019-01327-3>
- Kerisna, V., Diba, F., & Wulandari, R. S., 2019. Veronika Kerisna, Farah Diba, Reine Suci Wulandari. *Jurnal Tengkawang*, 9(2), 82–91.
- Khairiah, N., Dahelmi, & Syamsuardi., 2012. Jenis-Jenis Serangga Pengunjung Bunga Pacar Air ( Impatiens balsamina Linn . : Balsaminaceae ). *Jurnal Biologi Universitas Andalas*, 1(September), 9–14.
- Kurkina, Y. N., Thi, N., Kieu, Z., Kolesnikov, D. A., Maradudina, O. N., & Lazarev, A. V., 2020. Analysis of the ultrastructure of pollen grains and seeds

- to identify plant materials. *EurAsian Journal of BioScience*, 1494(May), 1489–1494.
- Liferdi., 2008. Lebah Polinator Utama pada Tanaman Hortikultura. *Balai Penelitian Tanaman Buah Tropika*, 1–5.
- Mandelik, Y., Winfree, R., Neeson, T., & Kremen, C., 2012. Complementary habitat use by wild bees in agro-natural landscapes. *Ecological Applications*, 22(5), 1535–1546. <https://doi.org/10.1890/11-1299.1>
- Michener, C. D., 2007. *The Bees Of The World*. Kansas: The Johns Hopkins University Press.
- Nudastra, K. E., Artawan, I. K., & Suryanti, I. A. P., 2016. Studi Preferensi Lebah Madu (Apis Cerana) Terhadap Bebagai Jenis Pakan Tambahan Ditinjau Dari Jumlah Kunjungan. *Jurnal Pendidikan Biologi UNDIKSHA*, 3(2), 2016.
- Pangestika, N. W., Atmowidi, T., & Kahono, S., 2017. Pollen Load and Flower Constancy of Three Species of Stingless Bees (Hymenoptera, Apidae, Meliponinae). *Tropical Life Sciences Research*, 28(2), 179–187.
- Pratiknyo, H., & Darsono., 2012. Populasi Tungau Parasit Varroa jacobsoni : Penyebab Kematian Pupa dan Korelasinya terhadap Produksi Madu Apis cerana pada Sisiran Sarang Membujur dan Melintang. *Biosfera*, 29(3), 127–135.
- Putra, R. E., Subagio, J., Kinashih, I., Permana, A. D., & Rosmiati, M., 2017. Pola kunjungan serangga liar dan efek penambahan koloni Trigona (Tetragonula laeviceps Smith pada penyerbukan kabocha (Cucurbita maxima). *Jurnal Entomologi Indonesia*, 14(2), 69–79. <https://doi.org/10.5994/jei.14.2.69>
- Ramalho, M., Giannini, T. C., Malagodi-braga, K. S., & Imperatriz-Fonseca, V. L., 1994. Pollen Harvest by Stingless Bee Foragers Pollen Harvest by Stingless Bee Foragers ( Hymenoptera, Apidae, Meliponinae). *Grana*, 33, 234–244. <https://doi.org/10.1080/00173139409429005>
- Ramalho, M., Kleinert-Giovannini, A., & Imperatriz-Fonseca, V., 1990. Important bee plants for stingless bees ( Melipona and Trigonini ) and Africanized honeybees ( Apis mellifera ) in neotropical habitats : a review. *Apidologie*, 21, 469–488.
- Reichle, C., Jarau, S., & Aguilar, I., 2010. Recruits Of The Stingless Bee Scaptotrigona Pectoralis Learn Food Odors From The Nest Atmosphere. *Naturwissenschaften*, 97, 519–524. <https://doi.org/10.1007/s00114-010-0662-2>
- Rifniningrum, Y., 2008. *Diversitas Struktur Morfologi Polen Dan Preferensi Lebah Madu (Apis Mellifera) Pada Beberapa Taksas Tumbuhan Di Peternakan Istana Lebah Madu Kecamatan Licinka Bupaten Banyuwangi, Jawa Timur*.

Universitas Muhammadiyah Malang.

- Ruslan, W., Afriani, Miswan, Elijannahdi, Nurdyah, Sataral, M., Fitralisan, Fahri., 2015. Frekuensi Kunjungan Lebah Apis cerana Dan Trigona sp . Sebagai Penyerbuk Pada Tanaman Brassica rapa. *Online Jurnal of Natural Science*, 4(1), 65–72.
- Sadeh, A., Shmida, A., & Keasar, T., 2007. The Carpenter Bee *Xylocopa pubescens* as an Agricultural Pollinator in Greenhouses. *Apidologie*, 38, 508–517.
- Sakagami, S. F., 1978. Instructions for use Tetragonula Stingless Bees of the Continental Asia and Sri Lanka (Hymenoptera, Apidae). In *Journal of the Faculty of Science* (Vol. 21).
- Salatnaya, H., Fuah, A. M., & Widodo, W. D., 2020. Aktivitas Tetragonula laeviceps (Hymenoptera : Apidae : Meliponini) pada Perkebunan Pala (Myristica fragrans Hout) Monokultur dan Polikultur di Jawa Barat. *Koli Journal*, 1(1), 14–20.
- Sanjaya, V., Astiani, D., & Sisillia, L., 2019. Studi Habitat dan Sumber Pakan Lebah Kelulut di Kawasan Cagar Alam Gunung Nyiut Desa Pisak Kabupaten Bengkayang. *Jurnal Hutan Lestari*, 7(2), 786–798.
- Sari, W. R., Widhiono, I., & Darsono., 2020. Efektivitas Penyerbukan Lebah Madu ( Apis mellifera ) pada Tanaman Stroberi ( Fragaria x ananassa var Duch .) di Desa Serang , Purbalingga. *BioEksakta: Jurnal Ilmiah Biologi Unsoed*, 2(1), 86–90.
- Situmorang, R. O. P., & Hasanudin, A., 2001. Panduan Manual Budidaya Lebah Madu. Aek Nauli: *Balai Penelitian Kehutanan Aek Nauli* (Vol. 1–44).
- Smith, M. L., Koenig, P. A., & Peters, J. M., 2017. The Cues of Colony Size : How Honey Bees Sense that Their Colony is Large Enough to Begin to Invest in Reproduction. *The Company of Biologists*, 220, 1597–1605. <https://doi.org/10.1242/jeb.150342>
- Sularso, A., Karyanto, P., & Sugiharto, B., 2015. Pengaruh Penggunaan Model Pembelajaran Inkuiiri Terbimbing Terhadap Kemampuan Berpikir Kritis Siswa Ditinjau Dari Gaya Belajar Siswa Kelas X Sma N Karangpandan Tahun Pelajaran 2012/2013. *Bio-Pedagogi*, 4(2), 1–4. Retrieved from <http://www.jurnal.fkip.uns.ac.id/index.php/pdg/article/view/7338> | <http://www.jurnal.fkip.uns.ac.id/index.php/pdg/article/viewFile/7338/5118>
- Syafrizal, Tarigan, D., & Yusuf, R., 2014. Keragaman dan Habitat Lebah Trigona pada Hutan Sekunder Tropis Basah di Hutan Pendidikan Lempake, Samarinda, Kalimantan Timur. *Jurnal Teknologi Pertanian*, 9(1), 34–38.
- Vijayakumar, K., & Jeyaraaj, R., 2016. Floral Sources for Stingless Bees (*Tetragonula iridipennis*) in Nellithurai Village , Tamilnadu , India. *Ambient*

*Science*, 3(2). <https://doi.org/10.21276/ambi.2016.03.2.ra04>

- Waluyo, N., & Djuariah, D., 2013. Varietas-Varietas Buncis ( *Phaseolus vulgaris L.* ) yang Telah Dilepas oleh Balai Penelitian Tanaman Sayuran. *Balai Penelitian Tanaman Sayuran*, pp. 1–9.
- Widhiono, I., 2016. *Strategi Konservasi Serangga Pollinator*. Purwokerto. Universitas Jenderal Soedirman
- Widhiono, I., & Sudiana, E., 2015a. Keragaman Serangga Penyerbuk dan Hubungannya dengan Warna Bunga pada Tanaman Pertanian di Lereng Utara Gunung Slamet , Jawa Tengah. *Biospecies*, 8(January), 43–50.
- Widhiono, I., & Sudiana, E., 2015b. Peran tumbuhan liar dalam konservasi keragaman serangga penyerbuk Ordo Hymenoptera. *Prosiding Seminar Nasional Biodiversitas Indonesia*, 1, 1586–1590. <https://doi.org/10.13057/psnmbi/m010708>
- Widhiono, I., Sudiana, E., Trisucianto, E., & Darsono., 2016. *Keragaman Serangga Penyerbuk di Lereng Gunung Slamet dan Sekitarnya*.
- Willey, A., Orozco, E., & Raabe, C., 1983. Polinización del chayote *Sechium edule* (Jacq.) Swartz en Costa Rica. *Revista De Biología Tropical*, 1(31), 145–154.
- Wroblewska, A., 1991. Attractiveness Of *Phaseolus L.* Flower For Pollinating Insect. *VI International Symposium on Pollination*, 321–325. <https://doi.org/10.17660/ActaHortic.1991.288.51>
- Wulandari, A. P., Atmowidi, T., & Kahono, S., 2017. Peranan Lebah *Trigona laeviceps* ( Hymenoptera : Apidae ) dalam Produksi Biji Kailan ( *Brassica oleracea* var . *alboglabra* ) The Role of *Trigona laeviceps* ( Hymenoptera : Apidae ) in Seed Production of Kale ( *Brassica oleracea* var . *alboglabra* ). *Jurnal Agron Indonesia*, 45(2), 197–204.
- Wulandari, D. D., 2017. Kualitas Madu (Keasaman, Kadar Air, dan Kadar Gula Pereduksi) Berdasarkan Perbedaan Suhu Penyimpanan. *Jurnal Kimia Riset*, 2(1).
- Yustia, I. P. J., Rauf, A., & Maryana, N., 2017. Ritme aktivitas penerbangan harian *Tetragonula laeviceps* ( Smith ) ( Hymenoptera : Apidae ) di Bogor. *Jurnal Entomologi Indonesia*, 14(3), 61–69. <https://doi.org/10.5994/jei.14.3.6>.