

DAFTAR PUSTAKA

- Agarwal, M., Shrivastava, N., & Padh, H. 2008. Advances in molecular marker techniques and their applications in plant sciences. *Plant Cell Reporter*, 27: 617– 631.
- Ali, J., Mejaya, M. J., Praptana, R. H., Subekti, N. A., Aqil, M., Musaddad, A., Putri, F. 2016. *Deskripsi Varietas Unggul Tanaman Pangan 2010-2016*. Badan Penelitian dan Pengembangan Pertanian, Jakarta.
- Ali, M.A., Islam, M.S., Mandal, S.K., Nasrin, Z., Rahman, M.M., Kuddus, R.H. & Prodan, S.H. 2014. Genetic diversity among salt-tolerant rice (*Oryza sativa* L.) landraces cultivated in the coastal districts of Bangladesh. *Journal of Bioscience and Biotechnology*, 3 (1), 15–22.
- Ali, N., Yeasmin, L., Gantait, S., Goswami, R., & Chakraborty, S. 2014. Screening of rice landraces for salinity tolerance at seedling stage through morphological and molecular markers. *Journal of Physiological and Molecular Biology in Plants*, 20:411-423.
- Azarin, K. V., Usatov, A. V., Alabushec, A. V., Kostylev, P. I., Makarenko, M. S., & Kovalevich, A. A. 2016. Validation of ssr markers associated with submergence tolerance in rice (*Oryza sativa* L.). *American Journal of Agricultural and Biological Science*, 11(4):142-147.
- Azrai, M. 2005. Pemanfaatan markah molekuler dalam proses seleksi pemuliaan tanaman. *Jurnal Agrobiogen*, 1(1):26-37.
- Badan Penelitian dan Pengembangan Pertanian. 2008. *Unsoed Parimas*. <http://bbpadi.litbang.pertanian.go.id/index.php/varietas-padi/inbrida-padi-gogo-inpago/unsoed-parimas>, diakses 6 januari 2021.
- Badan Penelitian dan Pengembangan Pertanian. 2019. *Varietas Inpago Unsoed*. <http://www.litbang.pertanian.go.id/varietas/795/>, diakses 6 Januari 2021.
- Badan Penelitian dan Pengembangan Pertanian. 2019. *Varietas Inpari Unsoed 79 Agritan*. <http://www.litbang.pertanian.go.id/varietas/1082/>, diakses 22 November 2020.
- Bahagiawati, Septiningsih, E. M., Yunus, M., Prasetyono, J., Dadang, A., & Sutrisno. 2005. Aplikasi teknologi marka molekuler untuk verifikasi identitas genetik varietas sayuran komersial. *J. Hort.*, 15(3):153-159.
- Bahagiawati. 2011. *Peran Markah Molekuler dalam Pemuliaan Tanaman*. Sinar Tani Edisi 16–22 Maret 2011, No. 3397, Tahun XLI.

- Balai Besar Penelitian Tanaman Padi. 2020. *Sistem Informasi Plasma Nutfah Padi*. http://bbpadi.litbang.pertanian.go.id/plasma/index.php-main%3Ddisp_padi_unggulan%26noaksesi%3DAtomita%25202.html+%&cd=1&hl=id&ct=clnk&gl=id, diakses 22 November 2020.
- Bhowmik, S. K., Titov, S., Islam, M. M., Siddika, A., Sultana, S. & Haque, M. S. 2009. Phenotypic and genotypic screening of rice genotypes at seedling stage for salt tolerance. *Global Journal of Biotechnology*, 4(2):126-131.
- Bing, L., Zhao, B. C., Shen, Y. Z., Huang, Z. J., Ge, R. C. 2008. Progress of study on salt tolerance and salt tolerant related genes in plant. *Journal of Hebei Normal University Natural Science Edition*, 32(2): 243-248.
- Brar, D.S. 2002. *Molecular Marker Assisted Breeding*. In Jain, S.M., Brar, D.S., & Ahloowalia, B. S. (eds.) *Molecular Techniques in Crop Improvement*. Kluwer Academic Publishers, Dordrecht, Netherland.
- Carsono, N., Lukman, P. N., Damayanti, F., Susanto, U., & Sari, S. 2014. Identifikasi polimorfis marka-marka molekuler yang diduga berkaitan dengan karakter daya hasil tinggi pada 30 genotipe padi. *Chimica Et Natura Acta*, 2(1):91-95.
- Chaudari, P. R., Mishra, D. K., Koutu, G. K., Xalxo, S. S., Saxena, R. R., Singh, L., & Verulkar, S. B. 2018. Identification and mapping of QTLs for agronomic traits in recombinant inbred line population derived from japonica X Indica sub-species in rice. *Journal of Pharmacognosy and Phytochemistry*, 7(2):2701-2704.
- Chawla, H.S. 2002. *Introduction to Plant Biotechnology 2nd Edition*. Science Publishers, Inc. New Hampshire, US.
- Cheng, J., He, Y., Yang, B., Lai, Y., Wang, Z., & Zhang, H. 2015. Association mapping of seed germination and seedling growth at three conditions in indica rice (*Oryza sativa* L.). *Euphytica*, 206:1–13.
- Diyah, E. F. R., Yasin, H., & Rusgiyono, A. 2014. Analisis biplot komponen utama pada bank umum (*commercial bank*) yang beroperasi di jawa tengah. *Jurnal Gaussian*, 3(1):61-70.
- Djukri. 2009. Cekaman salinitas terhadap pertumbuhan tanaman. *Prosiding Seminar Nasional Penelitian*, 16 Mei, Yogyakarta.
- Dogar, U.F., Naila, N., Maira, A., Iqra, A., Maryam, I., Khalid, H., Khalid, N., Ejaz, H. S., & Khizar, H.B. 2012. Noxious effects of nacl salinity on plants. *Botany Res. Inter*, 5:20-23.

- Emon, R. M., Islam, M. M., Halder, J., & Fan, Y. 2015. Genetic diversity and association mapping for salinity tolerance in bangladeshi rice landraces. *The Crop Journal*, 3:440-444.
- Food and Agriculture Organization. 2019. The state of the world's biodiversity for food and agriculture: A call to action?. *Environ. Policy Law*, 49:110–112.
- Gomez, S. M., Boophati, N. M., & Kumar, S. S., Ramasubramanian, T., Chensong, Z., Jeyaprakash, P., Senthil, A., Babu, R. C. 2010. Molecular mapping and location of qtls for drought-resistance traits in indica rice (*Oryza sativa* L.) lines adapted to target environments. *Acta Physiol Plant*, 32:355–364.
- Grattan, Stephen, R., Zeng, L., Shannon, M.C., & Roberts, S.R. 2002. Rice is more sensitive to salinity than previously thought. *Research Article*, 189-195.
- Gregorio, G.B., Senadhira, D., Mendoza, R.D., Manigbas, N.L., Roxas, J.P., Guerta, C.Q. 2002. Progress in breeding for salinity tolerance and associated abiotic stresses in rice. *Field Crops Res*, 76:91–101.
- Hafizah, R. A., Adawiyah, R., Harahap, R. M., Hannum, S., & Santoso, P. J. 2018. Aplikasi marka ssr pada keanekaragaman genetik durian (*durio zibethinus* murr.) di kabupaten deli serdang, sumatra utara. *Journal of Biology*, 11(1):49-56.
- Hairinsyah. 2010. Pendugaan Parameter Genetik dan Analisa Keragaman Genetik Kelapa sawit (*Elaeis guineensis* Jacq) dengan Marka *Simple Sequence Repeat* (SSR). *Skripsi*. IPB, Bogor.
- Hairmansis, A., & Nafisah. 2020. Pengembangan varietas unggul padi untuk lahan terdampak salinitas. *Review*, Balai Besar Penelitian Tanaman Padi.
- Harahap, A. S. 2017. Uji kualitas dan kuantitas dna beberapa populasi pohon kapur sumatera. *Journal of Animan Science and Agronomy Panca Budi*, 2(02):1-6.
- Herlina, H., & Silitonga, T. S. 2011. Seleksi lapang ketahanan beberapa varietas padi terhadap infeksi hawar daun bakteri strain iv dan viii. *Buletin Plasma Nutfah*, 17(2):80-87.
- Hermanto. 2020. *Luas Panen dan Produksi Padi di Indonesia 2019*. Badan Pusat Statistik, Jakarta. No. 16/02/Th.XXIII.
- Hidayati, Saleh, E., & Aulawi, T. 2016. Identifikasi keragaman gen bmpr-1b pada ayam arab, ayam kampung dan ayam ras petelur menggunakan pcr-rflp. *Jurnal Peternakan*, 13(1):1-12.

- Huang, X. Y., Chao, D. Y., Gao, J. P., Zhu, M. Z, Shi, M., & Lin, H. X. 2009. A previously unknown zinc finger protein, *dst*, regulates grought and salt tolerance in rice via stomatal aperture control. *Genes Dev*, 23(15):1805-1817.
- Irawan, B. & Ariningsih, E. 2015. *Dinamika Kebijakan dan Ketersediaan Lahan Pertanian*. IAARD Press, Jakarta Selatan.
- Islam, M.M., Islam, S.N., Alam, M.S. 2015. Molecular characterization of selected landraces of rice for salt tolerance using *ssr* markers. *International Journal of Innovation and Scientific Research*, 17(1):206- 218.
- Ismail, A., Heuer, S., Thomson, M., Wissuwa, M. 2007. Genetic and genomic approaches to develop rice germplasm for problem soils. *Plant Molecular Biology*, 65(4):547-570.
- Izzah, N.K. 2014. Peran marka molekuler dalam perbaikan genetik tanaman kakao. *Bunga Rampai Inovasi Teknologi Bioindustri Kakao*. 47-56.
- Jain, N., Jain, S., Saini, N., & Jain, R. K. 2006. *Ssr* analysis of chromosome 8 regions associated with aroma and cooked kernel elongation in basmati rice. *Euphytica*, 152:259-273.
- Jalil, M., Sakdiah, H., Deviana, E., & Akbar, I. 2016. Pertumbuhan dan produksi beberapa varietas padi (*Oryza sativa* L.) pada berbagai tingkat salinitas. *Jurnal Agrotek Lestari*, 2(2):63-74.
- Juaeni, I. 2014. Dampak penerapan *principal component analysis* (*pca*) dalam *clustering* curah hujan di pulau jawa, bali, dan lombok. *Jurnal Sains Dirgantara*, 11(2):97-108.
- Kanawapee, N., Sanitchon, J., Srihaban, P. & Theerakulpisut, P. 2011. Genetic diversity analysis of rice cultivars (*Oryza sativa* L.) differing in salinity tolerance based on *rapd* and *ssr* markers. *Electronic Journal of Biotechnology*, 14 (6), 1–17.
- Kebriyae, D., Kordrostami, M., Rezaeost, M. A., & Lahiji, H. S. 2012. Qtl analysis of agronomic trait in rice using *ssr* and *adlp* markers. *Notulae Scientia Biologicae*, 4(2):116-123.
- Khatibani, L. B., Fakheri, B. A., Chaleshtori, M. H., Mahender, A., Mahdinejad, N., & Ali, J. 2019. Genetic mapping and validation of quantitative trait loci (*qtl*) for the grain appearance and quality traits in rice (*Oryza sativa* l.) by using recombinant inbred line (*ril*) population. *Int. J. Genomic*, 2019:1-13.

- Khush & Virk. 2005. *IR Varieties and Their Impact*. International Rice Research Institute, Los Banos.
- Koyama, M. L., Lavesley, A., Koebner, R. M. D., Flowres, T. J., & Yeo, A. R. 2001. Quantitative trait loci for component physiological traits determining salt tolerance in rice. *Plant Physiol*, 125(1):406-422.
- Lang, N. T., Phuoc, N. T., Ha, P. T. T., & Buu, B. C. 2017. Identifying qtls associated and marker assisted selection for salinity tolerance at the seedling, vegetative and reproductive stages in rice (*Oryza sativa* L.). *International Journal of Environment, Agriculture and Biotechnology (IJEAB)*, 2(6): 2927-2935.
- Li, L., Fang, Z., Zhou, J., Chen, H, Hu, Z., Gao, L., Chen, L., Ren, S., Ma, H., Lu, L., Zang, W., & Peng, H. 2017. An accurate and efficient method for large-scale ssr genotyping and applications. *Nucleic Acids Res*, 45(10).
- Linh, L. H., Linh, T. H., Xuan, T. D., Ham, L. H., Ismail, A. M. & Khanh, T. D. 2012. Molecular breeding to improve salt tolerance of rice (*Oryza sativa*) in the red river delta of vietnam. *International Journal of Plant Genomic*, 2012: 1-9.
- Liu, C., Chen, K., Zhao, X., Wang, X., Shen, C., Zhu, Y., Dai, M., Qiu, X., Yang, R., Xing, D., Pang, Y., Xu, J. 2019. Identification of genes for salt tolerance and yield-related traits in rice plants grown hydroponically and under saline field conditions by genome-wide association study. *Rice*, 12(88):1-13.
- Lucasz, T. W. 2015. Identifikasi Keragaman Genetik dan Alel Spesifik Koleksi Plasma Nutfah Sorgum (*Sorghum bicolor* L. Moench) Berbasis Marka SSRs (*Simple Sequence Repeats*). *Skripsi*. Fakultas Pertanian, Universitas Hasanuddin, Makassar.
- Ma, F., Zhu, X., Wang, H., Wang, S., Cui, G., Zhang, T., Yang, Z., He, G., Ling, Y., Wang, N., & Zhao, F. 2019. Identification of qtl for kernel number-related traits in a rice chromosome segment substitution line and fine mapping of qsp1. *The Crop Journal*, 494-503.
- Mardani, Z., Rabiei, B., Sabouri, H., & Sabouri, A. 2014. Identification of molecular markers linked to salt-tolerant genes at germination stage of rice. *Plant Breeding*, 133(2), 196–202.
- Marschner, P. 2012. *Mineral Nutrition of Higher Plants Third Edition*. Elsevier.
- Mizan, M. F. R., Rahman, M. M., Halder, J., Rehana, S., Begum, S., & Islam, M. M. 2015. Genetic diversity and ssr marker assisted salt screening of rice. *Biosci Bioeng Commun*, 1:29-37.

- Mondini, L., Noorani, A., & Pagnotta, M.A. 2009. Assessing plant genetic diversity by molecular tools. *Diversity*, 1: 19-3.
- Nafisah, Daradjat, A.A., & Sembiring, H. 2006. Keragaman genetic padi dan upaya pemanfaatannya dalam mendukung ketahanan pangan nasional. *Prosiding Lokakarya Nasional Pengelolaan dan Perlindungan Sumber Daya Genetik di Indonesia: Manfaat Ekonomi untuk Mewujudkan Ketahanan Nasional*. Bogor, 20:63-73.
- Nafisah, N., Hairmansis, A., & Sitaresmi, T. 2017. Daya hasil galur-galur elit padi di lahan sawah rawan salin di cilamaya wetan karawang. *Jurnal Lahan Suboptimal*, 6(1):23-32.
- Narwiyan, Rosmiati, & Bayu, E. S. 2016. Sebaran normal karakter pertumbuhan dan produksi hasil persilangan kedelai (*Glycine max* L. Merrill) varietas anjasmoro dengan genotipe kedelai tahan salin pada f2. *Jurnal Agroteknologi*, 4(4):2300-2307.
- Niones, J. M. 2004. Fine Mapping of The Salinity Tolerance Gene on Chromosome 1 of Rice (*Oryza sativa*) Using Near Isogenic Lines. *Dissertation*. University of the Philippines Los Banos, Laguna.
- Nugroho, K., Reclinur, Lestari, P., Rosdianti, I., Terryana, R. T., Kusmana, & Tasma, I. M. 2015. Keragaman genetika empat belas aksesi kentang (*Solanum tuberosum* L.) berdasarkan marka SSR dan STS. *Jurnal Agrobiogen*, 11(2):41-48.
- Nugroho, K., Terryana, R., & Lestari, P. 2017. Metode ekstraksi dna cabai (*Capsicum annum* l.) menggunakan modifikasi bufer ctab (*cethyl trimethyl ammonium bromide*) tanpa nitrogen cair. *Scripta Biologica*, 4(2):91-94.
- Oktaviani, F. 2019. Analisa Potensi Hasil dan Kialitas Biji Galur Padi Introduksi PAC Nagdong/IR36 pada Kondisi Cekaman Salin. *Skripsi*. Fakultas Pertanian, Universitas Jember, Jember.
- Prasad, S.R., Bagali, P.G., Hittalmani, S., Shashidhar, H.E. 2000. Molecular mapping of quantitative trait loci associated with seedling tolerance to salt stress in rice (*Oryza sativa* L). *Curr Sci*, 78:162-164.
- Puram, V. R. R., Ontoy, J., & Subudhi, P. K. 2018. Identification of qtls for salt tolerance traits and prevreeding lines with enhanced salt tolerance in an introgression line population of rice. *Plant Molecular Biology Reporter*, 36(2):3-18.

- Purnama, H. 2014. *Karakteristik Lahan untuk Pertanaman Padi Gogo*. Balai Pengkajian Teknologi Pertanian Jambi, Jambi.
- Purwaningrahayu, R. D. & Taufik, A. 2018. Pemulsaan dan ameliorasi tana salin untuk pertumbuhan dan hasil kedelai. *J. Agron Indonesia*, 46(2):182-188.
- Rana, P., Jain, S., Yadav, S., Saini, N., & Jain, R. K. 2009. Identification of ssr marker for salt tolerance in rice variety csr10 by selective genotyping. *J. Plant Biotechnology*, 18(1):87-91.
- Rizko, N., Kusumaningrum, H. P., Ferniah, R. S., Pujiyanto, S., Erfianti, T., Mawarni, S. N., Rahayu, H. T., & Khairunisa, D. 2020. Isolasi dna daun jeruk bali merah (*Citrus maxima* merr.) dengan modifikasi metode doyle and doyle. *Berkala Bioteknologi*, 3(2):1-7.
- Rusd, A.M.I. 2011. Pengujian Toleransi Padi (*Oryza sativa* L.) Terhadap Salinitas pada Fase Perkecambahan. *Skripsi*. Fakultas Pertanian, Institut Pertanian Bogor, Bogor.
- Saha, M., Shanthi, P., & Ravi, V. 2016. Marker based genetic diversity of rice genotypes for salinity tolerance at panicle initiation stage. *Vagetos*, 29(1):1-6.
- Salgotra, R. K. & Stewart, J. C. N. 2020. Functional markers for precision plant breeding. *Int. J. Mol. Sci.*, 21(13):1-33.
- Shams, F. D., Kuddus, M. M. A., Nasiruddin, K. M., Begum, S. N., & Islam, M. M. 2012. Genetic analysis of aromatic and quality rice germplasm using microsatellite markers. *Plant Tissue Culture and Biotechnology*, 22(1). 65-71.
- Surzycki, S. 2000. *Basic Techniques in Molecular Biology*. Springer-Verlag, Berlin.
- Soepandie, D. 2014. *Fisiologi Adaptasi Tanaman Terhadap Cekaman Abiotik pada Agroekositem Tropika*. IPB press, Bogor.
- Suhartini, T. & Harjosudarmo, T. Z. P. 2017. Toleransi plasma nutfah padi lokal terhadap salinitas. *Bul. Plasma Nutfah*, 23(1):51-58.
- Sulistiyawati, P. & Widyatmoko, A. Y. P. B. C. 2017. Keragaman genetik populasi kayu merah (*Pterocarpus indicus* Wild) menggunakan penanda random amplified polymorphism dna. *Jurnal Pemuliaan Tanaman Hutan*, 11(1):67-76.

- Suprayogi, Susanti, D., & Putranti, A. S. D. 2012. Keragaan agronomik galur-galur padi salin unsoed pada lahan non salin. Prosiding Seminar Nasional Pengembangan Sumber Daya Pedesaan dan Kearifan Lokal Berkelanjutan II, Purwokerto 27-28 Nopember 2012. 232-238.
- Suprihatno, B., Daradjat, A. A., Satoto, Baehaki, S. E., Widiarta, I. N., Setyono, A., Indrasari, S. D., Lesmana, O. S., & Sembiring, H. 2009. *Deskripsi Varietas Padi*. Balai Besar Penelitian Tanaman Padi, Subang.
- Tabuchi, H., Hayashi, K., Ashikawa, I., & Yoshida, H. 2016. Multiplex pcr with snp, sts, and ssr markers for discriminating 114 japanese rice cultivars. *Bull. NARO. Agric. Res. Cent.*, 26:23-27.
- Tasma, I. M. 2014. Skrining marka ssr untuk analisis diversitas genetic aksesori kelapa sawit. *B. Palma*, 15(1): 1-13.
- Ting, N. C., Zaki, N. M., Rosli, R., Low, E. T. L., Ithnin, M., Cheah, S. C., & Singh, R. 2010. SSR mining in oil palm EST database: application in oil palm germplasm diversity studies. *Journal of Genetics*, 89(2): 135-145.
- Tolib, R., Kusmiyati, F., & Lukiwati, D. R. 2017. Pengaruh sistem tanam dan pupuk organik terhadap karakter agronomi dan rumput benggala pada tanah salin. *J. Agro Complex*, 1(2):57-64.
- Uyoh, E. A., Ntui, V. O., Umego, C., Ita, E. E., & Opara, C. 2019. Morphological and molecular screening of rice accessions for salt tolerance. *African Journal of Biotechnology*, 18(27):612-621.
- Wang, Z., Wang, J., Bao, Y., Wu, Y., Zhang, H. 2011. Quantitative trait loci controlling rice seed germination under salt stress. *Euphytica*, 178:297-307.
- Weising, K., Nybom, H., Wolff, K., & Kahl, G. 2005. *DNA Fingerprinting In Plants: Principles, Methods, and Application*. 2nd Edition. Taylor & Francis Group, USA.
- Wicaksono, I. N. A. 2017. Analisis Keragaman Genetik Menggunakan Marka Molekuler SSR dan Karakterisasi Komponen Hasil Klon Kakao Koleksi BALITTRI. *Thesis*. IPB, Bogor.
- Yeta, L. W. Z. 2019. Keragaman Genetik Padi Lokal Indonesia Menggunakan Marka Molekuler Penanda Gen Ketahanan Terhadap Penyakit Hawar Daun Bakteri. *Skripsi*. Fakultas Teknobiologi, Universitas Teknologi Sumbawa.
- Yu, J. K. 2002. Simple Sequence Repeat Marker Development and Mapping In Cultivated Unflower, *Helianthus annuus L*. *Thesis*. Post Graduate Program, Oregon State University, Oregon.

Yue, B., Xiong, L., Xue, W., Xing, Y., Luo, L., Xu, C. 2005. Genetic analysis for drought resistance of rice at reproductive stage in field with different types of soil. *Theor Appl Genet*, 111: 1127-1136.

Yunita, R., Khumaida, N., Sopandie, D., & Mariska, I. 2018. Analisis cekaman salinitas terhadap padi mutan pada kondisi *in vitro*. *Penelitian Pertanian Tanaman Pangan*, 2(1):25-34.

Zarbaifi, S. S., Rabiei, B., Ebadi, A. A., & Ham, J. H. 2019. Association mapping of traits related to leaf blast disease in rice (*Oryza sativa L.*). *Australasian Plant Pathology*.

Zulfahmi. 2013. Penanda dna untuk analisis genetik tanaman. *Jurnal Agroteknologi*, 3(2):41-52.

