

DAFTAR PUSTAKA

- Akin C, Gotlib J. Advanced systemic mastocytosis: Management and prognosis. Post TW, ed. UpToDate. Waltham, MA: UpToDate Inc. <http://www.uptodate.com>. Diakses pada 5 Februari 2021
- Abramowitz, A., Miller, E. S., & Wisner, K. L. (2017). Treatment options for hyperemesis gravidarum. *Archives of Women's Mental Health*, 20(3), 363–372. <https://doi.org/10.1007/s00737-016-0707-4>
- Agnew, W., & Korman, R. (2014). Pharmacological appetite stimulation: rational choices in the inappetent cat. *Journal of feline medicine and surgery*, 16(9), 749–756. <https://doi.org/10.1177/1098612X14545273>
- Apiliogullari, S., Keles, B., Apiliogullari, B., Balasar, M., Yilmaz, H., & Duman, A. (2007). Comparison of diphenhydramine and lidocaine for prevention of pain after injection of propofol: a double-blind, placebo-controlled, randomized study. *European Journal of Anaesthesiology*, 24(3), 235–238. <https://doi.org/10.1017/S026502150600202X>
- Banerji, A., & Sheffer, A. L. (2009). The spectrum of chronic angioedema. *Allergy and Asthma Proceedings*, 30(1), 11–16. <https://doi.org/10.2500/aap.2009.30.3188>
- Barbateskovic, M., Marker, S., Granholm, A., Anthon, C. T., Krag, M., Jakobsen, J. C., ... Møller, M. H. (2019). Stress ulcer prophylaxis with proton pump inhibitors or histamin-2 receptor antagonists in adult intensive care patients: a systematic review with meta-analysis and trial sequential analysis. *Intensive Care Medicine*, 45(2), 143–158. <https://doi.org/10.1007/s00134-019-05526-z>
- Barbeau, H., Richards, C. L., & Bédard, P. J. (1982). Action of cyproheptadine in spastic paraparetic patients. *Journal of Neurology, Neurosurgery, and Psychiatry*, 45(10), 923–926. <https://doi.org/10.1136/jnnp.45.10.923>
- Basura, G. J., Adams, M. E., Monfared, A., Schwartz, S. R., Antonelli, P. J., Burkard, R., ... Buchanan, E. M. (2020). Clinical practice guideline: ménière's disease. *Otolaryngology--Head and Neck Surgery*, 162(2_suppl), S1–S55. <https://doi.org/10.1177/0194599820909438>
- Bina, B., Hersh, E. V., Hilario, M., Alvarez, K., & McLaughlin, B. (2018). True allergy to amide local anesthetics: A review and case presentation. *Anesthesia progress*, 65(2), 119–123. <https://doi.org/10.2344/anpr-65-03-06>
- Boelig, R. C., Barton, S. J., Saccone, G., Kelly, A. J., Edwards, S. J., & Berghella, V. (2016). Interventions for treating hyperemesis gravidarum. *Cochrane*

Database of Systematic Reviews, (5), CD010607.
<https://doi.org/10.1002/14651858.CD010607.pub2>

Braude, D., & Crandall, C. (2008). Ondansetron versus promethazine to treat acute undifferentiated nausea in the emergency department: a randomized, double-blind, noninferiority trial. *Academic Emergency Medicine*, 15(3), 209–215. <https://doi.org/10.1111/j.1553-2712.2008.00060.x>

BPOM (2015) *Materi Edukasi Tentang Peduli Obat Dan Pangan Aman*. Jakarta: Badan Pengawas Obat dan Makanan.

Buckey, J., Alvarenga, D., Cole, B., & Rigas, J. (2004). Chlorpheniramine for motion sickness.

Campbell, K., Rowe, H., Azzam, H., & Lane, C. A. (2016). The management of nausea and vomiting of pregnancy. *Journal of Obstetrics and Gynaecology Canada*, 38(12), 1127–1137. <https://doi.org/10.1016/j.jogc.2016.08.009>

Candani, Roberto Berni MD, PhDa, Pia Cirillo, MDa, Paola Roggero, MDb, Claudio Romano, MDc, Basilio Malamisura, MDd, Gianluca Terrin, MDa, Annalisa Passariello, MDa, Francesco Manguso, MD, PhDe, Lorenzo Morelli, MDf, Alfredo Guarino, MDa. (2006). Therapy With Gastric Acidity Inhibitors Increases the Risk of Acute Gastroenteritis and Community- Acquired Pneumonia in Children. *Pediatrics*. 117;e817, DOI: 10.1542/peds.2005-1655

Castells, M. C., Matulonis, U. A., & Horton, T. M. (2020). Infusion reactions to systemic chemotherapy.pdf. *UpToDate*.

Chen, M., Jensen, B., Zhai, L., Colding, H., Kharazmi, A., Kristiansen, J. E., & Andersen, L. P. (2002). Nizatidine and omeprazole enhance the effect of metronidazole on *Helicobacter pylori* in vitro. *International Journal of Antimicrobial Agents*, 19(3), 195–200. [https://doi.org/10.1016/s0924-8579\(01\)00489-7](https://doi.org/10.1016/s0924-8579(01)00489-7)

Chen, Y.-W., Tzeng, J.-I., Chen, T.-Y., Wang, J.-J., Chen, Y.-C., & Hung, C.-H. (2014). Diphenhydramine produces local cutaneous analgesia in response to dorsal skin noxious stimuli in the rat. *Fundamental & clinical pharmacology*, 28(4), 439–444. <https://doi.org/10.1111/fcp.12048>

Church, M. K., & Church, D. S. (2013). Pharmacology of antihistamines. *Indian journal of dermatology*, 58(3), 219–224. <https://doi.org/10.4103/0019-5154.110832>

Couluris, M. *et al.* (2008) ‘The effect of cyproheptadine hydrochloride (Periactin) and megestrol acetate (Megace) on weight in children with cancer/treatment-related cachexia’, *Journal of Pediatric*

Hematology/Oncology, 30(11), pp. 791–797. doi:
10.1097/MPH.0b013e3181864a5e.

Dasgupta, P., Sharma, S. D., Womack, C., Blackford, H. N., & Dennis, P. (2001). Cimetidine in painful bladder syndrome: a histopathological study. *BJU International*, 88(3), 183–186. doi:10.1046/j.1464-410x.2001.02258.x

Dauvilliers, Y. *et al.* (2013) ‘Pitolisant versus plasebo or modafinil in patients with narcolepsy: A double-blind, randomised trial’, *The Lancet Neurology*. Elsevier Ltd, 12(11), pp. 1068–1075. doi: 10.1016/S1474-4422(13)70225-4.

Dworkin, R. H. *et al.* (2010) ‘Recommendations for the pharmacological management of neuropathic pain: An overview and literature update’, *Mayo Clinic Proceedings*, 85(3 SUPPL.). doi: 10.4065/mcp.2009.0649.

Dyhrfjeld-Johnsen, J., & Attali, P. (2019). Management of peripheral vertigo with antihistamines: New options on the horizon. *British Journal of Clinical Pharmacology*, 85(10), 2255–2263. <https://doi.org/10.1111/bcp.14046>

Einarson, A., & Boskovic, R. (2009). Use and safety of antipsychotic drugs during pregnancy. *Journal of Psychiatric Practice*, 15(3), 183–192. <https://doi.org/10.1097/01.pra.0000351878.45260.94>

Fejzo, M. S., Magtira, A., Schoenberg, F. P., MacGibbon, K., Mullin, P., Romero, R., & Tabsh, K. (2013). Antihistamines and other prognostic factors for adverse outcome in hyperemesis gravidarum. *European Journal of Obstetrics, Gynecology, and Reproductive Biology*, 170(1), 71–76. <https://doi.org/10.1016/j.ejogrb.2013.04.017>

Finn, A. F., Kaplan, A. P., Fretwell, R., Qu, R., & Long, J. (1999). A double-blind, plasebo-controlled trial of fexofenadin HCl in the treatment of chronic idiopathic urticaria. *The Journal of Allergy and Clinical Immunology*, 104(5), 1071–1078. [https://doi.org/10.1016/s0091-6749\(99\)70091-6](https://doi.org/10.1016/s0091-6749(99)70091-6)

Furman, J. M., & Barton, J. J. S. (2021). Treatment of Vertigo. *UpToDate*. Retrieved from <https://www.uptodate.com/contents/treatment-of-vertigo>

Geha, R. S., & Meltzer, E. O. (2001). Desloratadine: A new, nonsedating, oral antihistamine. *The Journal of Allergy and Clinical Immunology*, 107(4), 751–762. <https://doi.org/10.1067/mai.2001.114239>

Goncalves, Marcelle Giacomini. Isabela Heineck. 2015. Frequency of prescriptions of off-label drugs and drugs not approved for pediatric use in primary health

care in a southern municipality of Brazil. *Rev Paul Pediatr.* 2016;34(1):11--17

Graudins, A., Stearman, A., & Chan, B. (1998). Treatment of the serotonin syndrome with cyproheptadine. *The Journal of Emergency Medicine*, 16(4), 615–619. [https://doi.org/10.1016/S0736-4679\(98\)00057-2](https://doi.org/10.1016/S0736-4679(98)00057-2)

Green, S. M. (1996). What is the role of diphenhydramine in local anesthesia? *Academic Emergency Medicine*, 3(3), 198–200. <https://doi.org/10.1111/j.1553-2712.1996.tb03419.x>

Green, Steven M., Steven G Rothrock, MD, Inlie Gorchynski, MD, MSc. (1994). Validation of Diphenhydramine as a Dermal Local Anestheti. *ANNALS OF EMERGENCY MEDICINE* 23:6 JUNE 1994.

Hain, T. C. and Uddin, M. (2003) ‘Pharmacological treatment of vertigo’, *CNS Drugs*, 17(2), pp. 85–100. doi: 10.2165/00023210-200317020-00002.

Hartwig C, Munder A, Glage S, Wedekind D, Schenk H, Seifert R, Neumann D (2015) The histamine H4-receptor (H4R) regulates eosinophilic inflammation in ovalbumin-induced experimental allergic asthma in mice. *Eur J Immunol* 45:1129–1140

Hogan, D. (1992). Double-Blinded Comparison of Diphenhydramine. *Annals of emergency medicine* 22:9

Homnick, D. N., Homnick, B. D., Reeves, A. J., Marks, J. H., Pimentel, R. S., & Bonnema, S. K. (2004). Cyproheptadine is an effective appetite stimulant in cystic fibrosis. *Pediatric Pulmonology*, 38(2), 129–134. <https://doi.org/10.1002/ppul.20043>

Hu, Y., Sieck, D. E., & Hsu, W. H. (2015). Why are second-generation H1-antihistamines minimally sedating? *European Journal of Pharmacology*, 765, 100–106. <https://doi.org/10.1016/j.ejphar.2015.08.016>

Ikawati, Z. (2018). *Farmakologi Molekuler Target Aksi Obat dan Mekanisme Molekularnya*. Yogyakarta: Gadjah Mada University Press.

Isomura, T., Kono, T., Hindmarch, I., Kikuchi, N., Murakami, A., Inuzuka, K., & Kawana, S. (2014). Central nervous system effects of the second-generation antihistamines marketed in Japan--review of inter-drug differences using the proportional impairment ratio (PIR)-. *Plos One*, 9(12), e114336. <https://doi.org/10.1371/journal.pone.0114336>

- J.S..Jahr, G.Burckarts,.S.Smithj,.Shapiro D.R.Cook. 1991. Effects Off farnotidine On Gastric Ph And Residual Volume In Pediatric Surgery. Arlo .Haesthesiol Scand 199 1 : 35: 45 7-460
- Kar, S., Krishnan, A., Preetha, K., & Mohankar, A. (2012). A review of antihistamines used during pregnancy. *Journal of pharmacology & pharmacotherapeutics*, 3(2), 105–108. <https://doi.org/10.4103/0976-500X.95503>
- Kardinal, C. G. *et al.* (1990) ‘A controlled trial of cyproheptadine in cancer patients with anorexia and/or cachexia’, *Cancer*, 65(12), pp. 2657–2662. doi: 10.1002/1097-0142(19900615)65:12<2657::AID-CNCR2820651210>3.0.CO;2-S
- Kastrup J, Hald T, Larsen S, Nielsen VG. (1983). Histamine content and mast cell count of detrusor muscle in patients with interstitial cystitis and other types of chronic cystitis. *Br J Urol* 1983; 55: 495±500
- Kaplan, A. P., Spector, S. L., Meeves, S., Liao, Y., Varghese, S. T., & Georges, G. (2005). Once-daily fexofenadin treatment for chronic idiopathic urticaria: a multicenter, randomized, double-blind, plasebo-controlled study. *Annals of Allergy, Asthma & Immunology*, 94(6), 662–669. [https://doi.org/10.1016/S1081-1206\(10\)61325-7](https://doi.org/10.1016/S1081-1206(10)61325-7)
- Kardinal, C. G., Loprinzi, C. L., Schaid, D. J., Hass, A. C., Dose, A. M., Athmann, L. M., ... Schray, M. F. (1990). A controlled trial of cyproheptadine in cancer patients with anorexia and/or cachexia. *Cancer*, 65(12), 2657–2662. [https://doi.org/10.1002/1097-0142\(19900615\)65:12<2657::aid-cncr2820651210>3.0.co;2-s](https://doi.org/10.1002/1097-0142(19900615)65:12<2657::aid-cncr2820651210>3.0.co;2-s)
- Kellner, C. (2014) ‘Technique for performing electroconvulsive therapy (ECT) in adults’, *Wolters Kluwer Health. UpToDate*, pp. 1–12.
- Kim, Y. S., Shin, Y. K., Lee, C., & Song, J. (2000). Block of sodium currents in rat dorsal root ganglion neurons by diphenhydramine. *Brain Research*, 881(2), 190–198. [https://doi.org/10.1016/s0006-8993\(00\)02860-2](https://doi.org/10.1016/s0006-8993(00)02860-2)
- Lam, J. R., Schneider, J. L., Zhao, W., & Corley, D. A. (2013). Proton pump inhibitor and histamine 2 receptor antagonist use and vitamin B12 deficiency. *The Journal of the American Medical Association*, 310(22), 2435–2442. <https://doi.org/10.1001/jama.2013.280490>
- Lamothe, P. H., Rao, E., Serra, A. J., Castellano, J., Woronick, C. L., McNicholas, K. W., & Lemole, G. M. (1991). Comparative efficacy of cimetidine, famotidin, ranitidine, and mylanta in postoperative stress ulcers. *Gastroenterology*, 100(6), 1515–1520. [https://doi.org/10.1016/0016-5085\(91\)90647-4](https://doi.org/10.1016/0016-5085(91)90647-4)
- Lamke, Thomas L. David A. Williams., Victoria F. Roche., W. Z. (2013) *Foye’s*

Principles of Medicinal Chemistry 7ed. Lippincott Williams and Wilkins.

Lenk, C. and Duttge, G. (2014) 'Ethical and legal framework and regulation for off-label use: European perspective', *Therapeutics and Clinical Risk Management*, 10(1), pp. 537–546. doi: 10.2147/TCRM.S40232.

Magalhães, J. *et al.* (2015) 'Use of off-label and unlicensed drugs in hospitalised paediatric patients: A systematic review', *European Journal of Clinical Pharmacology*, 71(1), pp. 1–13. doi: 10.1007/s00228-014-1768-9.

Magee, L. A., Mazzotta, P., & Koren, G. (2002). Evidence-based view of safety and effectiveness of pharmacologic therapy for nausea and vomiting of pregnancy (NVP). *American Journal of Obstetrics and Gynecology*, 186(5 Suppl Understanding), S256–61. <https://doi.org/10.1067/mob.2002.122596>

Malamed, S. F. (1973). Diphenhydramine hydrochloride; its use as a local anesthetic in dentistry. *Anesthesia progress*, 20(3), 76–82.

Martin, Louis F, MD., Frank V., Booth, MD., Robyn G., Karlstadt, MD., Jeffrey H., Silverstein, MD., Donald M., Jacobs, MD., James H Ampsey, MD., Steven C., Bowman, MD., Cynthia A. (1993). Continuous intravenous cimetidine decreases stress-related upper gastrointestinal hemorrhage without promoting pneumonia. *Critical Care Medicine*. Williams & Wilkins. Vol 21 No. 1
McDaniel, W. W. (2001). Serotonin syndrome: early management with cyproheptadine. *The Annals of Pharmacotherapy*, 35(7-8), 870–873. <https://doi.org/10.1345/aph.10203>

McDaniel, W. W. (2001). Serotonin syndrome: early management with cyproheptadine. *The Annals of Pharmacotherapy*, 35(7-8), 870–873. <https://doi.org/10.1345/aph.10203>

Meddah, B., Limas-Nzouzi, N., Mamadou, G., Miantezila, J., Soudy, I. D., & Eto, B. (2014). Antisecretory effect of prescribed appetite stimulator drug cyproheptadine in rat intestine. *Fundamental & clinical pharmacology*, 28(3), 303–309. <https://doi.org/10.1111/fcp.12029>

Mello, M. M., Studdert, D. M. and Brennan, T. A. (2009) 'Shifting Terrain in the Regulation of Off-Label Promotion of Pharmaceuticals', *New England Journal of Medicine*, 360(15), pp. 1557–1566. doi: 10.1056/nejmhle0807695.

- Menz GL, Hazell SL, Srinivasan S. (1995). Fumarate reductase: a target for therapeutic intervention against *Helicobacter pylori*. *Arch Biochem Biophys* 1995;321:153–9.
- Mohamad, N. F., Mhd Ali, A. and Mohamed Shah, N. (2015) ‘Respiratory drugs prescribed off-label among children in the outpatient clinics of a hospital in Malaysia’, *International Journal of Clinical Pharmacy*, 37(1), pp. 127–132. doi: 10.1007/s11096-014-0049-0.
- Morrow, Jason D., Gary R, MArgolies, MD., Jerry Rowland, B.S., and L. Jackson Robers, H, M.D. (1991). Evidence That Histamine Is The Causative Toxin Of Scombroid-Fish Poisoning. *The New England Journal Of Medicine* Vol. 324 No 11.
- Moss, M. J., Hendrickson, R. G., & Toxicology Investigators Consortium (Toxic). (2019). Serotonin toxicity: associated agents and clinical characteristics. *Journal of Clinical Psychopharmacology*, 39(6), 628–633. <https://doi.org/10.1097/JCP.0000000000001121>
- Nelson, H. S., Reynolds, R., & Mason, J. (2000). Fexofenadin HCl is safe and effective for treatment of chronic idiopathic urticaria. *Annals of Allergy, Asthma & Immunology*, 84(5), 517–522. [https://doi.org/10.1016/S1081-1206\(10\)62515-X](https://doi.org/10.1016/S1081-1206(10)62515-X)
- Nguyen, H., Pan, A., Smollin, C., Cantrell, L. F., & Kearney, T. (2019). An 11-year retrospective review of cyproheptadine use in serotonin syndrome cases reported to the California Poison Control System. *Journal of Clinical Pharmacy and Therapeutics*, 44(2), 327–334. <https://doi.org/10.1111/jcpt.12796>
- Panula, P., Chazot, P. L., Cowart, M., Gutzmer, R., Leurs, R., Liu, W. L. S., ... Haas, H. L. (2015). International union of basic and clinical pharmacology. XCVIII. histamine receptors. *Pharmacological Reviews*, 67(3), 601–655. <https://doi.org/10.1124/pr.114.010249>
- Pandolfini, C. and Bonati, M. (2005) ‘A literature review on off-label drug use in children’, *European Journal of Pediatrics*, 164(9), pp. 552–558. doi: 10.1007/s00431-005-1698-8.
- Purba, A, V. (2007) ‘PENGUNAAN OBAT OFF-LABEL PADA PASIEN ANAK Anny Victor ~ u r b a ’ USING OFF-LABEL MEDICINES ON PEDIATRICS’, 35, pp. 90–97.

- Pratiwi, Ami A., Miski A. Khairinnisa, Sofa D. Alfian, Akhmad Priyadi, Ivan S. Pradipta, Rizky Abdulah. 2013. Pereseapan Obat-obat Off-Label pada Pasien Anak Usia 0 Hingga 2 Tahun di Apotek Kota Bandung. Volume 2, Nomor 2. *Jurnal Farmasi Klinik Indonesia*.
- Li, Q., Mitchell, A. A., Werler, M. M., Yau, W. P., & Hernández-Díaz, S. (2013). Assessment of antihistamine use in early pregnancy and birth defects. *The journal of allergy and clinical immunology. In practice*, 1(6), 666–74.e1. <https://doi.org/10.1016/j.jaip.2013.07.008>
- Razzaghdoust, A., Mozdarani, H., & Mofid, B. (2014). Famotidin as a radioprotector for rectal mucosa in prostate cancer patients treated with radiotherapy: phase I/II randomized plasebo-controlled trial. *Strahlentherapie und Onkologie*, 190(8), 739–744. <https://doi.org/10.1007/s00066-014-0602-8>
- Reynolds, P. M. and MacLaren, R. (2019) ‘Re-evaluating the Utility of Stress Ulcer Prophylaxis in the Critically Ill Patient: A Clinical Scenario-Based Meta-Analysis’, *Pharmacotherapy*, 39(3), pp. 408–420. doi: 10.1002/phar.2172.
- Richelson, E. and Souder, T. (2000) ‘Binding of antipsychotic drugs to human brain receptors focus on newer generation compounds’, *Life Sciences*, 68(1), pp. 29–39. doi: 10.1016/S0024-3205(00)00911-5.
- Safari, Hamid R. MD, Michael J. Fassett, MD, Irene C. Souter, MD, Owaidah M. Alsulyman, MD, and T. Murphy Goodwin, MD (1998). The efficacy of methylprednisolone in the treatment of hyperemesis gravidarum: A randomized, double-blind, controlled study. *Am J Obstet Gynecol*
- Sant’Anna, A. M. G. A., Hammes, P. S., Porporino, M., Martel, C., Zygmuntowicz, C., & Ramsay, M. (2014). Use of cyproheptadine in young children with feeding difficulties and poor growth in a pediatric feeding program. *Journal of Pediatric Gastroenterology and Nutrition*, 59(5), 674–678. <https://doi.org/10.1097/MPG.0000000000000467>
- Schneider, E. H., Neumann, D. and Seifert, R. (2014) ‘Modulation of behavior by the histaminergic system: Lessons from H1R-and H2R-deficient mice’, *Neuroscience and Biobehavioral Reviews*. Elsevier Ltd, 42, pp. 252–266. doi: 10.1016/j.neubiorev.2014.03.009.

- Schubert, M. L. and Peura, D. A. (2008) 'Control of Gastric Acid Secretion in Health and Disease', *Gastroenterology*, 134(7), pp. 1842–1860. doi: 10.1053/j.gastro.2008.05.021.
- Seshadri, P., Emerson, L., & Morales, A. (1994). Clmetidine In The Treatment Of Interstitial Cystitis.
- Sicari, V., & Zabbo, C. P. (2021). Diphenhydramine. In *StatPearls*. Treasure Island (FL): StatPearls Publishing.
- Simons, F. E. R., & Simons, K. J. (2008). H1 antihistamines: current status and future directions. *The World Allergy Organization journal*, 1(9), 145–155. <https://doi.org/10.1186/s40413-018-0188-1>
- Simons, F. E. R., & Simons, K. J. (2011). Histamine and H1-antihistamines: celebrating a century of progress. *The Journal of Allergy and Clinical Immunology*, 128(6), 1139–1150.e4. <https://doi.org/10.1016/j.jaci.2011.09.005>
- Summerbell, C. D., Youle, M., McDonald, V., Catalan, J., & Gazzard, B. G. (1992). Megestrol acetate vs cyproheptadine in the treatment of weight loss associated with HIV infection. *International Journal of STD & AIDS*, 3(4), 278–280. <https://doi.org/10.1177/095646249200300409>
- Talley, N. J., Chang, F. Y., Wyatt, J. M., Adams, S., Lau, A., Borody, T., ... Talley, N. A. (1998). Nizatidine in combination with amoxicillin and clarithromycin in the treatment of Helicobacter pylori infection. *Alimentary Pharmacology & Therapeutics*, 12(6), 527–532. <https://doi.org/10.1046/j.1365-2036.1998.00326.x>
- Tan, P. C., Khine, P. P., Vallikkannu, N., & Omar, S. Z. (2010). Promethazine compared with metoclopramide for hyperemesis gravidarum: a randomized controlled trial. *Obstetrics and Gynecology*, 115(5), 975–981. <https://doi.org/10.1097/AOG.0b013e3181d99290>
- Tan RW, Mohamed Shah N. Antihistamines prescribed off-label among paediatric patients at a tertiary care hospital setting in Malaysia. *Int J Clin Pharm*. (2016) Oct;38(5):1277-85. doi: 10.1007/s11096-016-0364-8. Epub 2016 Aug 1. PMID: 27480982.
- Tashiro, Manabu. Motohisa, Kato. Masayasu, Miyake. Shoichi, Watanuki. Yoshihito, Funaki. Yoichi, Ishikawa. Ren, Iwata. and Kazuhiko, Y. (2009) 'Dose dependency of brain histamine H1 receptor occupancy following oral administration of cetirizine hydrochloride measured using PET with [11C]doxepin', *Hum. Psychopharmacol Clin*, 55(2), pp. 391–393. doi: 10.1002/hup.

- Taylor, S. L., Stratton, J. E., & Nordlee, J. A. (1989). Histamine poisoning (scombroid fish poisoning): an allergy-like intoxication. *Journal of toxicology. Clinical toxicology*, 27(4-5), 225–240. <https://doi.org/10.3109/15563658908994420>
- Thormann, M., Amthauer, H., Adolf, D., Wollrab, A., Ricke, J., & Speck, O. (2013). Efficacy of diphenhydramine in the prevention of vertigo and nausea at 7 T MRI. *European Journal of Radiology*, 82(5), 768–772. <https://doi.org/10.1016/j.ejrad.2011.08.001>
- Tiligada, E., & Ennis, M. (2020). Histamine pharmacology: from Sir Henry Dale to the 21st century. *British Journal of Pharmacology*, 177(3), 469–489. <https://doi.org/10.1111/bph.14524>
- Trautmann, A., Anders, D., & Stoevesandt, J. (2016). H1-Antihistamine Premedication in NSAID-Associated Urticaria. *The journal of allergy and clinical immunology. In practice*, 4(6), 1205–1212. <https://doi.org/10.1016/j.jaip.2016.05.018>
- Uckan, Sina DDS, a Nurhan Ouler, DDS,b Mahmut Sumer, DDS,b and Mete Ungor, c Konya. (1998). Local anesthetic efficacy for oral surgery Comparison of diphenhydramine and prilocaine. *Oral Surgery Oral Medicine Oral Pathology* Volume 86, Number i
- Valuck, R. J., & Ruscin, J. M. (2004). A case-control study on adverse effects: H2 blocker or proton pump inhibitor use and risk of vitamin B12 deficiency in older adults. *Journal of Clinical Epidemiology*, 57(4), 422–428. <https://doi.org/10.1016/j.jclinepi.2003.08.015>
- Vila, Consultant, Espachs, Echevarria, & Garcia. (1994). Acid aspiration prophylaxis in elective biliary surgery A comparison.
- Wainberg, M., Barbeau, H., & Gauthier, S. (1990). The effects of cyproheptadine on locomotion and on spasticity in patients with spinal cord injuries. *Journal of Neurology, Neurosurgery, and Psychiatry*, 53(9), 754–763. <https://doi.org/10.1136/jnnp.53.9.754>