

DAFTAR PUSTAKA

- Abodunde, O. A., LevakaVeera, R. R., Desai, R., Nweke, N., & Berrou, M. (2013). Kolkisin toxicity precipitated by interaction with sunitinib. *Journal of Clinical Pharmacy and Therapeutics*, 38(3), 243–245. <https://doi.org/10.1111/jcpt.12047>
- Abo-Salem., E., Fowler., J., C., Attari., M., Cox., C., D., Perez-Verdila., A., Panikkath., R., Nugent., K. (2014). Antibiotic-Induced Cardiac Arrhythmia. *Review*. Vol 32: 19-25
- Al-Azzam, S. I. et al. (2016). ‘Drug-related problems in a sample of outpatients with chronic diseases: A cross-sectional study from Jordan’, *Therapeutics and Clinical Risk Management*, 12, pp. 233–239. doi: 10.2147/TCRM.S98165.
- Alfaridz, F. dan Musfiroh, I.(2020). ‘Interaksi Antara Zat Aktif dan Eksipien dalam Sediaan Farmasi’, *Majalah Farmasetika*, 5(1), pp. 23–31. doi: 10.24198/mfarmasetika.v5i1.25755.
- Ali, H. M. (1985). Reduced ampicillin bioavailability following oral coadministration with chloroquine. *The Journal of Antimicrobial Chemotherapy*, 15(6), 781–784. <https://doi.org/10.1093/jac/15.6.781>
- Andrea Scott dan Gayle Nicholas Scott. (2013). ‘Mechanism Of Drug Interactions’, *Pharmacy Tech Topics*, 18(1–24).
- Ansari, JA. (2010). Drug Interactions and Pharmacist. *J Young Pharm.* Vol 2 (3). pp:326-331
- Antoniou, T., Gomes, T., Mamdani, M. M., & Juurlink, D. N. (2011a). Ciprofloxacin-induced theophylline toxicity: a population-based study. *European Journal of Clinical Pharmacology*, 67(5), 521–526. <https://doi.org/10.1007/s00228-010-0985-0>
- Antoniou, T., Gomes, T., Mamdani, M. M., & Juurlink, D. N. (2011b). Trimethoprim/sulfamethoxazole-induced phenytoin toxicity in the elderly:

- a population-based study. *British Journal of Clinical Pharmacology*, 71(4), 544–549. <https://doi.org/10.1111/j.1365-2125.2010.03866.x>
- Avci, Z., Koktener, A., Uras, N., Catal, F., Karadag, A., Tekin, O., ... Baskin, E. (2004). Nephrolithiasis associated with ceftriaxone therapy: a prospective study in 51 children. *Archives of Disease in Childhood*, 89(11), 1069–1072. <https://doi.org/10.1136/adc.2003.044156>
- Bax., R., P, Bastain., W., Featherstone., A., Wilkinson., D., M., Hutchison., M., Haworth., S., J. (1989). The Pharmacokinetics of Meropenem in Volunteers. *Journal of Antimicrobial Chemotherapy*. 24: 311-320
- Baxter, K. (2010). ‘Stockley’s Drug Interactions Ed 9’, *Pharmaceutical Press*, p. 1801.
- Basyigit., I., Kahraman., G., Ilgazali., A., Yildiz., F., Boyaci., H. (2005). The Effect of Levofloxacin on ECG Parameters and Late Potentials. *American Journal of Therapeutics*. 12: 407-410
- Bolhuis, M. S. *et al.* (2011). ‘Pharmacokinetic drug interactions of antimicrobial drugs: A systematic review on oxazolidinones, rifamycines, macrolides, fluoroquinolones, and beta-lactams’, *Pharmaceutics*, 3(4), pp. 865–913. doi: 10.3390/pharmaceutics3040865.
- Brouwers, J. R. (1992). Drug interactions with quinolone antibacterials. *Drug Safety*, 7(4), 268–281. <https://doi.org/10.2165/00002018-199207040-00003>
- Brouwers, J. R., Van der Kam, H. J., Sijtsma, J., & Proost, J. H. (1990). Decreased ciprofloxacin absorption with concomitant administration of ferrous fumarate. *Pharmaceutisch weekblad. Scientific edition*, 12(5), 182–183. <https://doi.org/10.1007/BF01980042>
- Brunetti, L., Lee, S.-M., Nahass, R. G., Suh, D., Miao, B., Bucek, J., ... Suh, D.-C. (2019). The risk of cardiac events in patients who received concomitant levofloxacin and amiodarone. *International Journal of Infectious Diseases*, 78, 50–56. <https://doi.org/10.1016/j.ijid.2018.10.017>
- Carpenter, M., Berry, H., & Pelletier, A. L. (2019). Clinically Relevant Drug-Drug Interactions in Primary Care. *American Family Physician*, 99(9), 558–564.

- Chen, K.-T., Twu, S.-J., Chang, H.-J., & Lin, R.-S. (2003). Outbreak of Stevens-Johnson syndrome/toxic epidermal necrolysis associated with mebendazole and metronidazole use among Filipino laborers in Taiwan. *American Journal of Public Health*, 93(3), 489–492. <https://doi.org/10.2105/ajph.93.3.489>
- Chusna., N, Pratomo., S, Murwanda., L. (2018). Profil Penggunaan Obat Antibiotik Golongan Penisilin di Apotek Rawat Jalan RSUD Kuala Kurun. *Borneo Journal of Pharmacy*. 1(1): 41-43
- Chung, H., Yu, K.-S., Hong, K. T., Choi, J. Y., Hong, C. R., Kang, H. J., ... Lee, S. (2017). A significant influence of metronidazole on busulfan pharmacokinetics: A case report of therapeutic drug monitoring. *Therapeutic Drug Monitoring*, 39(3), 208–210. <https://doi.org/10.1097/FTD.0000000000000395>
- Cudmore., J, Seftel., M., Sisler., J., Zarychanski., R. (2014). Metothrexate and Trimethoprim-sulfamethoxazole. *Canadian Family Physician*. 60
- Corsonello, A., Abbatecola., A., M, Fusco., S., Luciani., F., Marino., A., Catalano., S., Maggio., M., G, Lattanzio, F. (2018). 'The Impact of Drug Interactions and Polypharmacy on Antimicrobial Therapy in the Elderly - Clinical Microbiology and Infection', *European Society of Clinical Microbiology and Infectious Disease*, 21, pp. 20–26.
- Dalton, B. R., Zuege, D. J., Shahpori, R., & Laupland, K. B. (2010). Concomitant ceftriaxone and high-concentration intravenous calcium therapy in adult critical care patients: a matched cohort study. *The Annals of Pharmacotherapy*, 44(7-8), 1158–1163. <https://doi.org/10.1345/aph.1M745>
- Darwish, M., Bond, M., Hellriegel, E., Robertson, P., & Chovan, J. P. (2015). Pharmacokinetic and pharmacodynamic profile of bendamustine and its metabolites. *Cancer Chemotherapy and Pharmacology*, 75(6), 1143–1154. <https://doi.org/10.1007/s00280-015-2727-6>
- Davies, B. I., & Maesen, F. P. (1989). Drug interactions with quinolones. *Reviews of infectious diseases*, 11 Suppl 5, S1083–90. https://doi.org/10.1093/clinids/11.supplement_5.s1083

- Depperman., K., Lode., H., Hoffken., G, Tschink., G., Kalz., C, Koeppe., P. 1989. Influence of Rantidine, Pirenzepine, and Alumunium Magnesium Hydroxide on the Bioavailability of Various Antibiotics, Including Amoxicillin, Cephalexin, Doxycycline, and Amoxicillin-Clavulanic Acid. *Antimicrobial Agents and Chemotherapy*. 33(11). 1901-1907
- Espnes, K. A., Heimdal, K. O., & Spigset, O. (2012). A puzzling case of increased serum clozapine levels in a patient with inflammation and infection. *Therapeutic Drug Monitoring*, 34(5), 489–492. <https://doi.org/10.1097/FTD.0b013e3182666c62>
- Etebu, E. dan Arikekpar, I. (2016). ‘Antibiotics: Classification and mechanisms of action with emphasis on molecular perspectives’, *International Journal of Applied Microbiology and Biotechnology Research*, 4(January 2016), pp. 90–101. Available at: <https://pdfs.semanticscholar.ORG/aebc/840138529c147e54552205bf26ec8aa3ca2e.pdf>.
- Farhati, N. dan Sinuraya, R. K. (2018). ‘Risiko Peningkatan Efek Samping Terhadap Interaksi Obat Warfarin dan Antibiotik’, *Farmaka*, 16(2), pp. 205–213. Available at: <http://jurnal.unpad.ac.id/farmaka/article/view/17681/pdf>.
- Ferrari, R. (2015). ‘Writing narrative literature reviews’, *Review of General Psychology*, 1(3), pp. 311–320. doi: 10.1037/1089-2680.1.3.311.
- Ferrazzini, G., Klein, J., Sulh, H., Chung, D., Griesbrecht, E., & Koren, G. (1990). Interaction between trimethoprim-sulfamethoxazole and methotrexate in children with leukemia. *The Journal of Pediatrics*, 117(5), 823–826. [https://doi.org/10.1016/s0022-3476\(05\)83351-7](https://doi.org/10.1016/s0022-3476(05)83351-7)
- Finch, A., & Pillans, P. (2014). P-glycoprotein and its role in drug-drug interactions. *Australian prescriber*, 37(4), 137–139. <https://doi.org/10.18773/austprescr.2014.050>
- Fischer, H. D., Juurlink, D. N., Mamdani, M. M., Kopp, A., & Laupacis, A. (2010). Hemorrhage during warfarin therapy associated with cotrimoxazole and other urinary tract anti-infective agents: a population-based study. *Archives*

- of Internal Medicine, 170(7), 617–621.
<https://doi.org/10.1001/archinternmed.2010.37>
- Fudio, S., Carcas, A., Piñana, E., & Ortega, R. (2006). Epileptic seizures caused by low valproic acid levels from an interaction with meropenem. *Journal of Clinical Pharmacy and Therapeutics*, 31(4), 393–396.
<https://doi.org/10.1111/j.1365-2710.2006.00743.x>
- Garrelts., J., C. Godley., P., J, Peterie., J., D, Gerlach., E., H, Yakshi, C., C. (1990). Sucralfate Significantly Reduces Ciprofloxacin Concentrations in Serum. *Antimicrobial Agents and Chemotherapy*. 34(5): 931-933
- Gitawati, Retno. (2008). Interaksi Obat dan Beberapa Implikasinya. *Media Litbang Kesehatan*. Vol 17(4). pp:175-184
- Gentamicin [prescribing information]. Schaumburg, IL: APP Pharmaceuticals, LLC; September 2011.
- Gholaminezhad, S., Hadjibabaie, M., Gholami, K., Javadi, M. R., Radfar, M., Karimzadeh, I., & Ghavamzadeh, A. (2014). Pattern and associated factors of potential drug-drug interactions in both pre- and early post-hematopoietic stem cell transplantation stages at a referral center in the Middle East. *Annals of Hematology*, 93(11), 1913–1922. <https://doi.org/10.1007/s00277-014-2122-0>
- Glasheen, J. J., Fugit, R. V., & Prochazka, A. V. (2005). The risk of overanticoagulation with antibiotic use in outpatients on stable warfarin regimens. *Journal of General Internal Medicine*, 20(7), 653–656.
<https://doi.org/10.1111/j.1525-1497.2005.0136.x>
- Glotzbecker, B., Duncan, C., Alyea, E., Campbell, B., & Soiffer, R. (2012). Important drug interactions in hematopoietic stem cell transplantation: what every physician should know. *Biology of Blood and Marrow Transplantation*, 18(7), 989–1006.
<https://doi.org/10.1016/j.bbmt.2011.11.029>
- Gu, J., & Huang, Y. (2009). Effect of concomitant administration of meropenem and valproic acid in an elderly Chinese patient. *The American Journal of*

- Geriatric Pharmacotherapy*, 7(1), 26–33.
<https://doi.org/10.1016/j.amjopharm.2009.02.005>
- Gulbis, A. M., Culotta, K. S., Jones, R. B., & Andersson, B. S. (2011). Busulfan and metronidazole: an often forgotten but significant drug interaction. *The Annals of Pharmacotherapy*, 45(7-8), e39.
<https://doi.org/10.1345/aph.1Q087>
- Hale, S. F., & Lesar, T. S. (2014). Interaction of vitamin K antagonists and trimethoprim-sulfamethoxazole: ignore at your patient's risk. *Drug metabolism and drug interactions*, 29(1), 53–60.
<https://doi.org/10.1515/dmdi-2013-0049>
- Halim., S., V., Yulia., R, Setiawan E. (2017). Penggunaan Antibakteri Golongan Carbapenem pada Pasien Dewasa Rawat Inap Sebuah Rumah Sakit Swasta di Surabaya. *Jurnal Farmasi Klinik Indonesia*. 6(4): 267-281
- Hamid, M., Lashari, B., Ahsan, I., Micaily, I., Sarwar, U., & Crocetti, J. (2018). A deadly prescription: combination of methotrexate and trimethoprim-sulfamethoxazole. *Journal of community hospital internal medicine perspectives*, 8(3), 149–151.
<https://doi.org/10.1080/20009666.2018.1466598>
- Heine, ter. (2012). Fatal interstitial lung disease associated with high erlotinib and metabolite levels. *Lung Cancer*. 75: 391-397
- Hines, L. E., & Murphy, J. E. (2011). Potentially harmful drug-drug interactions in the elderly: a review. *The American Journal of Geriatric Pharmacotherapy*, 9(6), 364–377. <https://doi.org/10.1016/j.amjopharm.2011.10.004>
- Ho, J. M.-W., & Juurink, D. N. (2011). Considerations when prescribing trimethoprim-sulfamethoxazole. *Canadian Medical Association Journal*, 183(16), 1851–1858. <https://doi.org/10.1503/cmaj.111152>
- Howard-Thompson, A., Hurdle, A. C., Arnold, L. B., Finch, C. K., Sands, C., & Self, T. H. (2008). Intracerebral hemorrhage secondary to a warfarin-metronidazole interaction. *The American Journal of Geriatric Pharmacotherapy*, 6(1), 33–36.
<https://doi.org/10.1016/j.amjopharm.2008.03.003>

- Hudacheck, S. F., & Gustafson, D. L. (2013). Coadministration of lapatinib increases exposure to docetaxel but not doxorubicin in the small intestine of mice. *Anti-Cancer Drugs*, 24(9), 958–968. <https://doi.org/10.1097/CAD.0b013e3283645e1a>
- Ihsan., S., Kartina., Akib., N., I. (2016). Studi Penggunaan Antibiotik Non Resep di Apotek Komunitas Kota Kendari. *Media Farmasi*. Vol 13 (2): 272-284
- Indriani, E. dan Susanti, N. S. (2017). ‘Flu dan Batuk, Perlukah Antibiotik?’, *Farmasetika.com (Online)*, 2(5), p. 5. doi: 10.24198/farmasetika.v2i5.16782.
- Ings, Reeves, te, BRx, Bywater, & Ho. (1985). The Human Pharmacokinetics of Sefotaksim and Its Metabolites and the Role of Renal Tubular Secretion on Their Elimination.
- Kahl, B. S., Bartlett, N. L., Leonard, J. P., Chen, L., Ganjoo, K., Williams, M. E., ... Cheson, B. D. (2010). Bendamustine is effective therapy in patients with rituximab-refractory, indolent B-cell non-Hodgkin lymphoma: results from a Multicenter Study. *Cancer*, 116(1), 106–114. <https://doi.org/10.1002/cncr.24714>
- Kara, M., Hasinoff, B. B., McKay, D. W., & Campbell, N. R. (1991). Clinical and chemical interactions between iron preparations and ciprofloxacin. *British Journal of Clinical Pharmacology*, 31(3), 257–261. <https://doi.org/10.1111/j.1365-2125.1991.tb05526.x>
- Kays, M. B., Overholser, B. R., Mueller, B. A., Moe, S. M., & Sowinski, K. M. (2003). Effects of sevelamer hydrochloride and calcium acetate on the oral bioavailability of ciprofloxacin. *American Journal of Kidney Diseases*, 42(6), 1253–1259. <https://doi.org/10.1053/j.ajkd.2003.08.027>
- Khatib, R., Sabir, F. R. N., Omari, C., Pepper, C., & Tayebjee, M. H. (2020). Managing drug-induced QT prolongation in clinical practice. *Postgraduate Medical Journal*. <https://doi.org/10.1136/postgradmedj-2020-138661>
- Kobrinsky, N. L., & Ramsay, N. K. (1981). Acute megaloblastic anemia induced by high-dose trimethoprim-sulfamethoxazole. *Annals of Internal Medicine*, 94(6), 780–781. <https://doi.org/10.7326/0003-4819-94-6-780>

- KuKanich, K., KuKanich, B., Guess., S, Heinrich., E. (2015). Effect of Sucralfate on the Relative Bioavailability of Enrofloxacin and Ciprofloxacin in Healthy Fed Dogs. *Journal of Veterinary Internal Medicine*. 30: 108-115
- KuKanich, K., & KuKanich, B. (2015). The effect of sucralfate tablets vs. suspension on oral doxycycline absorption in dogs. *Journal of veterinary pharmacology and therapeutics*, 38(2), 169–173. <https://doi.org/10.1111/jvp.12165>
- Kuscu, F. *et al.* (2018). ‘Potential drug–drug interactions with antimicrobials in hospitalized patients: A multicenter point-prevalence study’, *Medical Science Monitor*, 24, pp. 4240–4247. doi: 10.12659/MSM.908589.
- Laine, K., Forsström, J., Grönroos, P., Irljala, K., Kailajärvi, M., & Scheinin, M. (2000). Frequency and clinical outcome of potentially harmful drug metabolic interactions in patients hospitalized on internal and pulmonary medicine wards: focus on warfarin and cisapride. *Therapeutic Drug Monitoring*, 22(5), 503–509. <https://doi.org/10.1097/00007691-200010000-00001>
- Lane, M. A., Zeringue, A., & McDonald, J. R. (2014). Serious bleeding events due to warfarin and antibiotic co-prescription in a cohort of veterans. *The American Journal of Medicine*, 127(7), 657–663.e2. <https://doi.org/10.1016/j.amjmed.2014.01.044>
- LeFrock., J., L., Prince., A., R., Leff., R., D. (1982). Mechanism of Action, Antimicrobial Activity, Pharmacology, Adverse Effects, and Clinical Efficacy of Cefotaxime. *Pharmacotherapy*. 2(4): 174-184
- Lehto, P., Kivistö, K. T., & Neuvonen, P. J. (1994). The effect of ferrous sulphate on the absorption of norfloxacin, ciprofloxacin and ofloxacin. *British Journal of Clinical Pharmacology*, 37(1), 82–85.
- Lestari, P. D., Utami, E. D. dan Suryoputri, M. W. (2018). ‘Evaluasi Penggunaan Antibiotik di Bangsal Penyakit Dalam RSUD Prof. Dr. Margono Soekarjo Purwokerto’, *Acta Pharmaciae Indonesia*, 6(1), pp. 20–28. doi: 10.5281/zenodo.3707171.

- Lomaestro, B. M., & Bailie, G. R. (1991). Quinolone-cation interactions: a review. *DICP : the annals of pharmacotherapy*, 25(11), 1249–1258. <https://doi.org/10.1177/106002809102501115>
- Mandikandan., P., Nagini., S. (2018). Xytochrome P450 Structure, Function and Clinical Significance: A Review. *Current Drug Targets*. 19: 38-54
- Mariam, Siti. (2016). Evaluasi Kejadian Interaksi Obat pada Pasien Rawat Inap Geriatri Penderita Gagal Jantung. *Jurnal Farmamedika*. 1(1). 29-33
- Martín-Pérez, M., Gaist, D., de Abajo, F. J., & Rodríguez, L. A. G. (2018). Population Impact of Drug Interactions with Warfarin: A Real-World Data Approach. *Thrombosis and Haemostasis*, 118(3), 461–470. <https://doi.org/10.1055/s-0038-1627100>
- Masnoon, N. et al. 2017. ‘What is polypharmacy? A systematic review of definitions’, *BMC Geriatrics*. BMC Geriatrics, 17(1), pp. 1–10. doi: 10.1186/s12877-017-0621-2.
- Maxa, J. L., Hebeler, R. F., & Adeeko, M. A. (2006). Torsades de pointes following concurrent amiodarone and levofloxacin therapy. *Proceedings (Baylor University. Medical Center)*, 19(4), 345–346.
- Meyer, J. M., Proctor, G., Cummings, M. A., Dardashti, L. J., & Stahl, S. M. (2016). Ciprofloxacin and clozapine: A potentially fatal but underappreciated interaction. *Case reports in psychiatry*, 2016, 5606098. <https://doi.org/10.1155/2016/5606098>
- Muti., A., F & Octavia., N. (2018). Kajian Penggunaan Obat Berdasarkan Indikator Persepsi WHO dan Prescribing Errors di Apotek Naura Medika, Depok. *Sainstech Farma*. Vol 11 (1): 25-30
- Nacarkucuk, E., Saglam, H., & Okan, M. (2004). Meropenem decreases serum level of valproic acid. *Pediatric Neurology*, 31(3), 232–234. <https://doi.org/10.1016/j.pediatrneurol.2004.03.014>
- Mustika., I., P dan Wibisana., A. (2017). Peran Mutasi Gen ACYII Terhadap Produksi Antibiotik Turunan Sefalosporin. *Jurnal Bioteknologi & Biosains Indonesia*. 4(2):96-105
- Mutmainah., N, Setyati., P, Handasari., N. (2014). Evaluasi Penggunaan dan Efektivitas Antibiotik Profilaksis pada Pasien Bedah Besar di Rumah Sakit Surakarta Tahun 2010. *Jurnal Farmasi Klinik Indonesia*. 3(2): 44-49

- Neuvonen, P. J., & Penttilä, O. (1974). Effect of oral ferrous sulphate on the half-life of doxycycline in man. *European Journal of Clinical Pharmacology*, 7(5), 361–363. <https://doi.org/10.1007/BF00558207>
- Nguyen, V. X., Nix, D. E., Gillikin, S., & Schentag, J. J. (1989). Effect of oral antacid administration on the pharmacokinetics of intravenous doxycycline. *Antimicrobial Agents and Chemotherapy*, 33(4), 434–436. <https://doi.org/10.1128/AAC.33.4.434>
- Nidhi, S. (2012). ‘Concept of Drug Interaction’, *International Research Journal of Pharmacy*, 3(7), pp. 120–122. Available at: www.irjponline.com.
- Nilsson, C., Aschan, J., Hentschke, P., Ringdén, O., Ljungman, P., & Hassan, M. (2003). The effect of metronidazole on busulfan pharmacokinetics in patients undergoing hematopoietic stem cell transplantation. *Bone Marrow Transplantation*, 31(6), 429–435. <https://doi.org/10.1038/sj.bmt.1703896>
- Niu, T. (2014). Giant inverted T waves and substantial QT interval prolongation induced by azithromycin.
- Nix, D. E., DeVito, J. M., Whitbread, M. A., & Schentag, J. J. (1987). Effect of multiple dose oral ciprofloxacin on the pharmacokinetics of theophylline and indocyanine green. *The Journal of Antimicrobial Chemotherapy*, 19(2), 263–269. <https://doi.org/10.1093/jac/19.2.263>
- Nix, D. E., Watson, W. A., Handy, L., Frost, R. W., Rescott, D. L., & Goldstein, H. R. (1989). The effect of sucralfate pretreatment on the pharmacokinetics of ciprofloxacin. *Pharmacotherapy*, 9(6), 377–380. <https://doi.org/10.1002/j.1875-9114.1989.tb04152.x>
- Ogawa, R., & Echizen, H. (2011). Clinically significant drug interactions with antacids: an update. *Drugs*, 71(14), 1839–1864. <https://doi.org/10.2165/11593990-00000000-00000>
- Ortiz, A., Cooper, C. J., Alvarez, A., Gomez, Y., Sarosiek, I., & McCallum, R. W. (2015). Cardiovascular safety profile and clinical experience with high-dose domperidone therapy for nausea and vomiting. *The American Journal of the Medical Sciences*, 349(5), 421–424. <https://doi.org/10.1097/MAJ.0000000000000439>

- Pai, M. P., Allen, S. E., & Amsden, G. W. (2006). Altered steady state pharmacokinetics of levofloxacin in adult cystic fibrosis patients receiving calcium carbonate. *Journal of Cystic Fibrosis*, 5(3), 153–157. <https://doi.org/10.1016/j.jcf.2006.01.003>
- Palleria., C, Paolo., A., D, Giofre., C, Caglioti., C, Leuzzi., G, Sinicalchi., A, Sarro., G., D, Gallelli., L. (2013). Pharmacokinetic Drug-Drug Interaction and Their Implication in Clinical Management. *J Res Med Sci.* 18(7):601-610
- Park, M. K., Lim, K. S., Kim, T.-E., Han, H.-K., Yi, S.-J., Shin, K.-H., ... Yu, K.-S. (2012). Reduced valproic acid serum concentrations due to drug interactions with carbapenem antibiotics: overview of 6 cases. *Therapeutic Drug Monitoring*, 34(5), 599–603. <https://doi.org/10.1097/FTD.0b013e318260f7b3>
- Pasangka., T., I., Tjitrosantoso., H., Lolo., W., A. 2017. Identifikasi Potensi Interaksi Obat Pada Pasien Gagal Ginjal Rawat Inap di RSUP Prof. Dr. R. D. Kandou Manado. *Jurnal Ilmiah Farmasi*. 6(4): 119-129
- Penttila. O., Neuvonen., P., J., Aho., K., Lehtovaara, R. (1987). Interaction Between Doxycycline and some Antiepileptic Drugs. *British Medical Journal*. 2. 470-472
- Peterson, C. dan Gustafsson, M. (2017). ‘Characterisation of Drug-Related Problems dan Associated FactORs at a Clinical Pharmacist Service-Naïve Hospital in Northern Sweden’, *Drugs - Real World Outcomes*. Springer International Publishing, 4(2), pp. 97–107, doi: 10.1007/s40801-017-0108-7.
- Pitman, S. K., Hoang, U. T. P., Wi, C. H., Alsheikh, M., Hiner, D. A., & Percival, K. M. (2019). Revisiting Oral Fluoroquinolone and Multivalent Cation Drug-Drug Interactions: Are They Still Relevant? *Antibiotics (Basel, Switzerland)*, 8(3). <https://doi.org/10.3390/antibiotics8030108>
- Polk, R. E., Healy, D. P., Sahai, J., Drwal, L., & Racht, E. (1989). Effect of ferrous sulfate and multivitamins with zinc on absorption of ciprofloxacin in normal volunteers. *Antimicrobial Agents and Chemotherapy*, 33(11), 1841–1844. <https://doi.org/10.1128/AAC.33.11.1841>

- Poluzzi, E., Raschi, E., Motola, D., Moretti, U., & De Ponti, F. (2010). Antimicrobials and the risk of torsades de pointes: the contribution from data mining of the US FDA Adverse Event Reporting System. *Drug Safety*, 33(4), 303–314. <https://doi.org/10.2165/11531850-00000000-00000>
- Raaska dan Neuvonen. (2000). Ciprofloxacin Increases Serum Clozapine and N-desmethylclozapine: a Study in Patient With Schizophrenia. *Eur j Clin Pharmacol*. 56: 585-589
- Novita, N., F, Destiani., D., F. (2020). Interaksi Obat Terhadap Perpanjangan Interval QT. *Farmaka*. 18(1): 110-118
- Rossi, M., & Giorgi, G. (2010). Domperidone and long QT syndrome. *Current Drug Safety*, 5(3), 257–262. <https://doi.org/10.2174/157488610791698334>
- Sahai, J., Healy, D. P., Stotka, J., & Polk, R. E. (1993). The influence of chronic administration of calcium carbonate on the bioavailability of oral ciprofloxacin. *British Journal of Clinical Pharmacology*, 35(3), 302–304.
- Samarendra, P., Kumari, S., Evans, S. J., Sacchi, T. J., & Navarro, V. (2001). QT prolongation associated with azithromycin/amiodarone combination. *Pacing and Clinical Electrophysiology*, 24(10), 1572–1574. <https://doi.org/10.1046/j.1460-9592.2001.01572.x>
- Sambhi, R. S., Puri, R., & Jones, G. (2007). Interaction of clozapine and ciprofloxacin: a case report. *European Journal of Clinical Pharmacology*, 63(9), 895–896. <https://doi.org/10.1007/s00228-007-0313-5>
- Santucci, M., Parmeggiani, A., & Riva, R. (2005). Seizure worsening caused by decreased serum valproate during meropenem therapy. *Journal of Child Neurology*, 20(5), 456–457. <https://doi.org/10.1177/08830738050200051401>
- Schelleman, H., Bilker, W. B., Brensinger, C. M., Han, X., Kimmel, S. E., & Hennessy, S. (2008). Warfarin with fluoroquinolones, sulfonamides, or azole antifungals: interactions and the risk of hospitalization for gastrointestinal bleeding. *Clinical Pharmacology and Therapeutics*, 84(5), 581–588. <https://doi.org/10.1038/clpt.2008.150>
- Setyaningrum, N., Wahyono, D. dan Pramantara, I. D. P. 2012. ‘Kajian Drug-Related Problems Dan Gambaran Kualitas Hidup Pasien Hemodialisis Rutin

- Lanjut Usia Di Rsup Dr. Sardjito Yogyakarta', *Jurnal Ilmiah Farmasi*, 9(1), pp. 1–6. doi: 10.20885/jif.vol9.iss1.art4.
- Shetty, V. et al. 2018. ‘Evaluation of Potential Drug-Drug Interactions with Medications Prescribed to Geriatric Patients in a Tertiary Care Hospital’, *Journal of Aging Research*. Hindawi, 2018. doi: 10.1155/2018/5728957.
- Sholih., M., G. Muhtadi., A. Saidah., s. (2015). Rasionalitas Penggunaan Antibiotik di Salah Satu Rumah Sakit Umum di Bandung Tahun 2010. *Jurnal Farmasi Klinik Indonesia*. 4(1): 63-70
- Simkó, J., Csilek, A., Karászi, J., & Lorincz, I. (2008). Proarrhythmic potential of antimicrobial agents. *Infection*, 36(3), 194–206. <https://doi.org/10.1007/s15010-007-7211-8>
- Spivey, J. M., Laughlin, P. H., Goss, T. F., & Nix, D. E. (1991). Theophylline toxicity secondary to ciprofloxacin administration. *Annals of Emergency Medicine*, 20(10), 1131–1134. [https://doi.org/10.1016/s0196-0644\(05\)81391-5](https://doi.org/10.1016/s0196-0644(05)81391-5)
- Spivey, M., Pharm., Cummings, D., Pharm., & Pierson, N. (1996). Failure of Prostatitis Treatment Secondary to Probable. *Pharmacotherapy*. 16(2): 314-316
- Spriet, I., Goyens, J., Meersseman, W., Wilmer, A., Willems, L., & Van Paesschen, W. (2007). Interaction between valproate and meropenem: a retrospective study. *The Annals of Pharmacotherapy*, 41(7), 1130–1136. <https://doi.org/10.1345/aph.1K079>
- Stamp, L. K. (2014). Safety profile of anti-gout agents: an update. *Current opinion in rheumatology*, 26(2), 162–168. <https://doi.org/10.1097/BOR.0000000000000031>
- Steadman, E., Raisch, D. W., Bennett, C. L., Esterly, J. S., Becker, T., Postelnick, M., ... Scheetz, M. H. (2010). Evaluation of a potential clinical interaction between ceftriaxone and calcium. *Antimicrobial Agents and Chemotherapy*, 54(4), 1534–1540. <https://doi.org/10.1128/AAC.01111-09>
- Siswanto, S. .2010. ‘Systematic Review Sebagai Metode Penelitian Untuk Mensintesis Hasil-Hasil Penelitian (Sebuah Pengantar)’, *Buletin Penelitian*

- Sistem Kesehatan*, 13(4). doi: 10.22435/bpsk.v13i4.
- Tacar, O., Sriamornsak, P., & Dass, C. R. (2013). Doxorubicin: an update on anticancer molecular action, toxicity and novel drug delivery systems. *The Journal of Pharmacy and Pharmacology*, 65(2), 157–170. <https://doi.org/10.1111/j.2042-7158.2012.01567.x>
- Terkeltaub, R. A., Furst, D. E., Digiacinto, J. L., Kook, K. A., & Davis, M. W. (2011). Novel evidence-based colchicine dose-reduction algorithm to predict and prevent colchicine toxicity in the presence of cytochrome P450 3A4/P-glycoprotein inhibitors. *Arthritis and Rheumatism*, 63(8), 2226–2237. <https://doi.org/10.1002/art.30389>
- Thi, L., Shaw, D., & Bird, J. (2009). Warfarin potentiation: a review of the “FAB-4” significant drug interactions. *The Consultant Pharmacist*, 24(3), 227–230. <https://doi.org/10.4140/tcp.n.2009.227>
- Thomson, A. H., Thomson, G. D., Hepburn, M., & Whiting, B. (1987). A clinically significant interaction between ciprofloxacin and theophylline. *European Journal of Clinical Pharmacology*, 33(4), 435–436. <https://doi.org/10.1007/BF00637645>
- Turner, J. R., Rodriguez, I., Mantovani, E., Gintant, G., Kowey, P. R., Klotzbaugh, R. J., ... Cardiac Safety Research Consortium. (2018). Drug-induced Proarrhythmia and Torsade de Pointes: A Primer for Students and Practitioners of Medicine and Pharmacy. *Journal of Clinical Pharmacology*, 58(8), 997–1012. <https://doi.org/10.1002/jcph.1129>
- Uptodate. 2021. Gentamicin and Mannitol. www.uptodate.com. Diakses 1 Desember 2020
- Uptodate. 2021. Meropenem and Probenecid. www.uptodate.com. Diakses 1 Desember 2020
- Vandael, E., Vandenbergk, B., Willem, R., Reyntens, J., Vandenberghe, J., & Foulon, V. (2017). Risk Management of Hospitalized Psychiatric Patients Taking Multiple QTc-Prolonging Drugs. *Journal of Clinical Psychopharmacology*, 37(5), 540–545. <https://doi.org/10.1097/JCP.0000000000000758>

- Venho, V. M., Salonen, R. O., & Mattila, M. J. (1978). Modification of the pharmacokinetics of doxycycline in man by ferrous sulphate or charcoal. *European Journal of Clinical Pharmacology*, 14(4), 277–280. <https://doi.org/10.1007/BF00560462>
- Wen, Z. P., Fan, S. S., Du, C., Yin, T., Zhou, B. T., Peng, Z. F., ... Chen, X. P. (2017). Drug-drug interaction between valproic acid and meropenem: a retrospective analysis of electronic medical records from neurosurgery inpatients. *Journal of Clinical Pharmacy and Therapeutics*, 42(2), 221–227. <https://doi.org/10.1111/jcpt.12501>
- Wibowo., I., N., A, Rima Anggita Pratiwi, E. S. F. 2018. ‘Studi Prospektif Potensi Interaksi Obat Golongan Antibiotik Pada Pasien Pediatri di Rumah Sakit Ananda Purwokerto’, *Pharmacy: Jurnal Farmasi Indonesia*, 10(2), pp. 1–15.
- Wiggins, B. S., Saseen, J. J., Page, R. L., Reed, B. N., Snead, K., Kostis, J. B., ... American Heart Association Clinical Pharmacology Committee of the Council on Clinical Cardiology; Council on Hypertension; Council on Quality of Care and Outcomes Research; and Council on Functional Genomics and Translational Biology. (2016). Recommendations for Management of Clinically Significant Drug-Drug Interactions With Statins and Select Agents Used in Patients With Cardiovascular Disease: A Scientific Statement From the American Heart Association. *Circulation*, 134(21), e468–e495. <https://doi.org/10.1161/CIR.0000000000000456>
- Wijnands, W. J., Vree, T. B., & van Herwaarden, C. L. (1986). The influence of quinolone derivatives on theophylline clearance. *British Journal of Clinical Pharmacology*, 22(6), 677–683. <https://doi.org/10.1111/j.1365-2125.1986.tb02957.x>
- Wind, S., Schnell, D., Ebner, T., Freiwald, M., & Stopfer, P. (2017). Clinical pharmacokinetics and pharmacodynamics of afatinib. *Clinical Pharmacokinetics*, 56(3), 235–250. <https://doi.org/10.1007/s40262-016-0440-1>
- Wu., M., F dan Lim., W., H. (2013). Phenytoin: A Guide to Therapeutic Drug Monitoring. *Proceedings of Singapore Healthcare*. 22(3): 198-202

- Wu, C.-C., Pai, T.-Y., Pharm, Hsiao, F.-Y., & Wu, F.-L. (2016.). The Effect of Different CarbapenemAntibiotics (Ertapenem, Imipenem/Cilastatin, and Meropenem) on Serum Valproic Acid Concentrations.
- Yang., c., h., Yang., L., J, Jaing., T., H, Chan., H, L. (2000). Toxic Epidermal Necrolysis Following Combination of Metothrexate and Trimethoprim-Sulfametoxazole. *International Journal of Dermatology*. 39: 616-623
- Zhanel., G., Wiebe., R., Dilay., L., Thomson., K., Rubinstein., E., Hoban., D., Noreddin., A., M., Karlowsky., J. (2007). Comparative Review of the Carbapenems. *Drugs*. 67(7):1072-1052
- Zhang, Y., Miao, S., Wang, F., Fang, W., Chen, G., Chen, X., ... Zhang, L. (2017). The efficacy and toxicity of afatinib in advanced EGFR-positive non-small-cell lung cancer patients after failure of first-generation tyrosine kinase inhibitors: a systematic review and meta-analysis. *Journal of thoracic disease*, 9(7), 1980–1987. <https://doi.org/10.21037/jtd.2017.06.08>

