

DAFTAR PUSTAKA

- [1] A. K. Jain, A. A. Ross, dan K. Nandakumar, *Introduction to Biometrics*. Boston, MA: Springer US, 2011. doi: 10.1007/978-0-387-77326-1.
- [2] W. Liu dkk., "SSD: Single Shot MultiBox Detector," *ArXiv151202325 Cs*, vol. 9905, hlm. 21–37, 2016, doi: 10.1007/978-3-319-46448-0_2.
- [3] S. Suwarno dan K. Kevin, "Analysis of Face Recognition Algorithm: Dlib and OpenCV," *J. Inform. Telecommun. Eng.*, vol. 4, no. 1, hlm. 173–184, Jul 2020, doi: 10.31289/jite.v4i1.3865.
- [4] K. Zhang, Z. Zhang, Z. Li, dan Y. Qiao, "Joint Face Detection and Alignment Using Multitask Cascaded Convolutional Networks," *IEEE Signal Process. Lett.*, vol. 23, no. 10, hlm. 1499–1503, Okt 2016, doi: 10.1109/LSP.2016.2603342.
- [5] D. Garg, P. Goel, S. Pandya, A. Ganatra, dan K. Kotecha, "A Deep Learning Approach for Face Detection using YOLO," dalam *2018 IEEE Punecon*, Pune, India, Nov 2018, hlm. 1–4. doi: 10.1109/PUNECON.2018.8745376.
- [6] S. Marcel, M. S. Nixon, dan S. Z. Li, Ed., *Handbook of Biometric Anti-Spoofing*. London: Springer London, 2014. doi: 10.1007/978-1-4471-6524-8.
- [7] Sarmad Al-gawwam dan Mohammed Benaissa, "Robust Eye Blink Detection Based on Eye Landmarks and Savitzky–Golay Filtering," *Information*, vol. 9, no. 4, hlm. 93, Apr 2018, doi: 10.3390/info9040093.

- [8] J. K. J. Julina dan T. S. Sharmila, "Facial recognition using histogram of gradients and support vector machines," dalam *2017 International Conference on Computer, Communication and Signal Processing (ICCCSP)*, Chennai, India, Jan 2017, hlm. 1–5. doi: 10.1109/ICCCSP.2017.7944082.
- [9] D. R. Sulistyaningrum, T. Ummah, B. Setiyono, D. B. Utomo, Soetrisno, dan B. A. Sanjoyo, "Vehicle detection using histogram of oriented gradients and real adaboost," *J. Phys. Conf. Ser.*, vol. 1490, hlm. 012001, Mar 2020, doi: 10.1088/1742-6596/1490/1/012001.
- [10] Ulla Delfana Rosiani, Rosa Andrie Asmara, dan Nadhifatul Laeily, "PENERAPAN FACIAL LANDMARK POINT UNTUK KLASIFIKASI JENIS KELAMIN BERDASARKAN CITRA WAJAH," *J. Inform. Polinema*, vol. 6, no. 1, hlm. 55–60, Jan 2020, doi: 10.33795/jip.v6i1.328.
- [11] V. Kazemi dan J. Sullivan, "One millisecond face alignment with an ensemble of regression trees," dalam *2014 IEEE Conference on Computer Vision and Pattern Recognition*, Columbus, OH, Jun 2014, hlm. 1867–1874. doi: 10.1109/CVPR.2014.241.
- [12] A. S. Nugroho, A. B. Witarto, dan D. Handoko, "–Teori dan Aplikasinya dalam Bioinformatika1–," hlm. 11, 2003.
- [13] S. Ghosh, A. Dasgupta, dan A. Swetapadma, "A Study on Support Vector Machine based Linear and Non-Linear Pattern Classification," dalam *2019 International Conference on Intelligent Sustainable Systems (ICISS)*, Palladam, Tamilnadu, India, Feb 2019, hlm. 24–28. doi: 10.1109/ISS1.2019.8908018.

- [14] N. R. Feta dan A. R. Ginanjar, "KOMPARASI FUNGSI KERNEL METODE SUPPORT VECTOR MACHINE UNTUK PEMODELAN KLASIFIKASI TERHADAP PENYAKIT TANAMAN KEDELAI," vol. 1, no. 1, hlm. 7, 2019.
- [15] A. Paszke *dkk.*, "PyTorch: An Imperative Style, High-Performance Deep Learning Library," hlm. 12.
- [16] H. Yasin, A. Prahutama, dan T. W. Utami, "PREDIKSI HARGA SAHAM MENGGUNAKAN SUPPORT VECTOR REGRESSION DENGAN ALGORITMA GRID SEARCH," *MEDIA Stat.*, vol. 7, no. 1, hlm. 29–35, Jun 2014, doi: 10.14710/medstat.7.1.29-35.
- [17] T. O'Malley *dkk.*, "Keras Tuner." 2019. [Daring]. Tersedia pada: <https://github.com/keras-team/keras-tuner>

