

DAFTAR PUSTAKA

- Ahmadi, S., Outokesh, M., Hosseinpour, M., & Mousavand, T. (2011). A simple granulation technique for preparing high-porosity nano copper oxide(II) catalyst beads. *Particuology*, 480-485.
- Albarelli, J., Santos, D., Murphy, S., & Oelgemöller, M. (2009). Use of Ca-alginate as a novel support for TiO₂ immobilization in methylene blue decolorisation. *Water Science & Technology*, 1081-1087.
- Ali, M., Gad-Allah, T., & Badawy, M. (2013). Heterogeneous Fenton process using steel industry wastes for methyl orange degradation. *Applied Water Science*.
- Aravindhana, R., Fathima, N., Rao, J., & Nair, B. (2007). Equilibrium and thermodynamic studies on the removal of basic black dye using calcium alginate beads. *Colloids Surf. A Physicochem. Eng. Asp.*, 232-238.
- Arimi, M. (2017). Modified natural zeolite as heterogeneous Fenton catalyst in treatment of recalcitrants in industrial effluent. *Progress in Natural Science: Materials International*, 275-282.
- Bautista, P., Mohedano, A., Gilarranz, M., Casas, J., & Rodriguez, J. (2007). Application of Fenton oxidation to cosmetic wastewaters treatment. *Journal of Hazardous Materials*, 128-134.
- Bolton, J., & Dunlap, T. (2016). Formation and Biological Targets of Quinones: Cytotoxic versus Cytoprotective Effects. *Chemical Research in Toxicology*, 13-37.
- Bunluesak, T., Phuruangrat, A., Thongtem, S., & Thongtem, T. (2021). Visible-light-driven heterostructure Ag/Bi₂WO₆ nanocomposites synthesized by photodeposition method and used for photodegradation of rhodamine B dye. *Research on Chemical Intermediates*.
- Carra, I., Perez, J., Malato, S., Autin, O., Jefferson, B., & Jarvis, P. (2015). Application of high intensity UVC-LED for the removal of acetamiprid with the photo-Fenton process. *Chem. Eng. J.*, 690-696.
- Cazes, J. (2019). *Ewings's Analytical Instrumentation Handbook Fourth Edition*. New York: Marcel Dekker Inc.
- Ching, S., Bansal, N., & Bhandari, B. (2015). Alginate gel particles—A review of production techniques and physical properties. *Critical Reviews in Food Science and Nutrition*.
- Cruz, A., Couto, L., Esplugas, S., & Sans, C. (2017). Study of the contribution of homogeneous catalysis on heterogeneous Fe(III)/alginate mediated photo-Fenton process. *Chemical Engineering Journal*, 272–280.

- Demianenko, P., Minisini, B., Lamrani, M., & Poncin-Epaillard, F. (2016). Stiff IPN hydrogels of poly(acrylamide) and alginate: influence of the crosslinking ion's valence on hydrogel's final properties. *Journal of Chemical Engineering & Process Technology*.
- Donati, I., & Paoletti, S. (2009). Material properties of alginates. In: *Alginates: Biology and applications*. Rehm, B. H. A.
- Fenton, H. (1894). Oxidation of tartaric acid in presence of iron. *J. Chem. Soc. Trans.*, 899-910.
- Flyunt, R., Knolle, W., Kahnt, A., Halbig, C., Lotnyk, A., Haupl, T., . . . Abel, B. (2016). High quality reduced graphene oxide flakes by fast kinetically controlled and clean indirect UV-induced radical reduction. *Nanoscale*, 7572-7579.
- Fujishima A, Rao TN, Tryk DA. (2000). Titanium dioxide photocatalysis. *J Photochem Photobiol C1(1):1-21*
- Gaungly, P., Harb, M., Cao, Z., Cavallo, I., Breen, A., Dervin, S., . . . Pillai, S. (2019). 2D nanopmaterials for photocatalytic hydrogen production. *ACS Energy Lett*, 1687-1709.
- Guimaraes, V., Teixeira, A., Lucas, M., Silva, A., & Peres, J. (2019). Pillared interlayered natural clays as heterogeneous photocatalysts for H₂ O₂ - assisted treatment of a winery wastewater. *Sep. Purif. Technol.*
- Hammouda, S., Adhoum, N., & Monser, L. (2016). Chemical oxidation of a malodorous compound, indole, using iron entrapped in calcium alginate beads. *Journal of Hazardous Materials*, 350-361.
- Haug, A., & Smidsrod, O. (1962). Determination of intrinsic viscosity of alginates. *Acta Chemica Scandinavica*, 1569-1578.
- He, J., Yang, X., Men, B., & Wang, D. (2016). Interfacial mechanisms of heterogeneous Fenton reactions catalyzed by iron-based materials: A review. *J. Environ. Sci*, 97-109.
- Hernandez, R., Sacristan, J., & Mijangos, C. (2010). Sol/Gel transition of aqueous alginate solutions induced by Fe²⁺ cations. *Macromolecular Chemistry and Physics*, 1254-1260.
- Isik, Z., Bilici, Z., Adiguzel, S., Yatmaz, H., & Dizge, N. (2019). Entrapment of TiO₂ and ZnO powders in alginate beads: Photocatalytic and reuse efficiencies for dye solutions and toxicity effect for DNA damage. *Environmental Technology & Innovation*.
- Kanakaraju, D., Ravichandar, S., & Lim, Y. (2016). Combined effects of adsorption and photocatalysis by hybrid TiO₂/ZnO-calcium alginate beads for the removal of copper. *Journal of Environmental Sciences*.

- Khan, A., Qamart, M., & Muneer, M. (2012). Synthesis of Highly Active Visible Light-Driven Colloidal Silver Orthophosphate. *Chemistry Physic Letter*, 113-119.
- Konstantinou IK, Albanis TA (2004) TiO₂-assisted photocatalytic degradation of azo dyes in aqueous solution: kinetic and mechanistic investigations. *Appl Catal B* 49(1):1–14
- Kumar, K. A., Vinodkumar, T., Selvajar, M., Suryakala, D., & Subrahmanyam, C. (2021). Visible light-induced catalytic abatement of 4-nitrophenol and Rhodamine B using ZnO/g-C₃N₄ catalyst. *Journal of Chemical Sciences*.
- Lai, Y., Annadurai, G., Huang, F., & Lee, J. (2008). Biosorption of Zn(II) on the different Ca-alginate beads from aqueous solution. *Bioresour. Technol.*, 6480-6487.
- Liang, L., Cheng, L., Zhang, Y., Wang, Q., Wu, Q., Xue, Y., & Meng, X. (2020). Efficiency and mechanisms of rhodamine B degradation in Fenton-like systems based on zero-valent iron. *Royal Society of Chemistry*.
- Ling, R., Chen, J., Shao, J., & Reinhard, M. (2018). Degradation of organic compounds during the corrosion of ZVI by hydrogen peroxide at neutral pH: Kinetics, mechanisms and effect of corrosion promoting and inhibiting ions. *Water Res.*, 44-53.
- López-Varquez, A., Santamaria, M., & Gomez, C. (2010). Congo Red Photocatalytic Decolourization Using Modified Titanium. *World Academy of Science. Engineering and Technology*.
- Lu, S., Liu, L., Demissie, H., An, G., & Wang, D. (2021). Design and application of metal-organic frameworks and derivatives as heterogeneous Fenton-like catalysts for organic wastewater treatment: A review. *Environment International*.
- Ma, W., Zhang, Y., Wang, Y., Sun, R., & Wu, Y. (2021). The formation of uniform straw-like β -FeOOH nanostructures with superior catalytic performance for the degradation of Rhodamine B. *Journal of Nanoparticle Research*.
- Montgomery, D., Peck, E., & Vining, G. (2021). *Introduction to Linear Regression Analysis*. United States: John Wiley & Sons.
- Morch, A., Donati, I., & Strand, B. (2006). Effect of Ca²⁺, Ba²⁺, and Sr²⁺ on alginate microbeads. *Biomacromolecules*, 1471-1480.
- Nakata K, Fujishima A. (2012). TiO₂ photocatalysis: design and applications. *J Photochem Photobiol C* 13(3):169–189
- Nidheesh, P. (2015). Heterogeneous Fenton catalysts for the abatement of organic pollutants from aqueous solution: A review. *RSC Adv*.
- Olive, D. (2017). Multiple Linear Regression. *Linear Regression*, 17-83.

- Purnamasari, D. S., & Saebani. (2013). Pengaruh Rhodamin B Peroral Dosis Bertingkat Selama 12 Minggu terhadap Gambaran Histomorfometri Limpa. *Diponegoro University*.
- Quadrado, R., & Fajardo, A. (2017). Fast decolorization of azo methyl orange via heterogeneous Fenton and Fenton-like reactions using alginate-Fe²⁺/Fe³⁺ films as catalysts. *Carbohydrate Polymers*.
- Rajeshwar K, Osugi ME, Chanmanee W, Chenthamarakshan CR, Zaroni M, Kajitvichyanukul P, Krishnan-Ayer R (2008) Heterogeneous photocatalytic treatment of organic dyes in air and aqueous media. *J Photochem Photobiol C* 9(4):171–192
- Rehman S, Ullah R, Butt AM, Gohar ND (2009) Strategies of making TiO₂ and ZnO visible light active. *J Hazard Mater* 170(2–3):560–569.
- Roopa, B., & Bhattacharya, S. (2008). Alginate gels: Characterization of textural attributes. *Journal Food Eng.*, 123-131.
- Rosales, E., Iglesias, O., Pazos, M., & Sanroman, M. (2012). Decolourisation of dyes under electro-Fenton process using Fe alginate gel beads. *Journal of Hazardous Materials*, 369-377.
- Saravanan, R., Gracia, F., & Stephen, A. (2017). Basic principles, mechanism, and challenges of photocatalysis. *Springer Series on Polymer and Composite materials*, 19-40.
- Shim, J., Kumar, M., Goswami, R., Mazumder, P., Oh, B.-T., & Shea, P. (2018). Removal of p-cresol and tylosin from water using a novel composite of alginate, recycled MnO₂ and activated carbon. *Journal of Hazardous Materials*.
- Supriyanto, G., Nisak, K., & Abdulloh, A. (2018). Dekolorisasi Air Limbah Pengolahan Gurita Dengan Metode AOT. *Jurnal Kimia Riset*.
- Thomas, N., Dionysiou, D., & Pillai, S. (2020). Heterogeneous fenton catalysts: a review of recent advances. *Journal of Hazardous Materials*.
- Wang, B., Wan, Y., Zheng, Y., Lee, X., Liu, T., Yu, Z., . . . Gao, B. (2018). Alginate-based composites for environmental applications: a critical review. *Critical Reviews in Environmental Science and Technology*, 1-39.
- Yan, X., Gao, Q., Qin, J., Yang, X., Li, Y., & Tan, H. (2013). Morphology Controlled Synthesis of Ag₃PO₄ Microcubes with Enhanced Visible Light Driven Photocatalytic Activity. *Ceramic International*, 9715-9720.
- Yang, C., Wang, M., Haider, H., Yang, J., Sun, J., Chen, Y., . . . Suo, Z. (2013). Strengthening alginate/polyacrylamide hydrogels using various multivalent cations. *ACS Appl. Mat. Interf.*, 10418-10422.
- Yang, J., Xie, Y., & He, W. (2011). Research progress on chemical modification of alginate: A review. *Carbohydrate Polymers*, 33-39.

- Yi, Y., Tu, G., Eric-Tsang, P., & Fang, Z. (2020). Yi, Y., Tu, G. Insight into the influence of pyrolysis temperature on Fenton-like catalytic performance of magnetic biochar. *Chemical Engineering Journal*.
- Yusni, N. (2009). *Sintesis dan Karakterisasi CuO-Bentonit serta Aplikasinya sebagai fotokatalis*; L. Depok: Universitas Indonesia.
- Zhang, I., Mohamed, H., Dillert, R., & Bahnemann, D. (2012). Kinetics and mechanism of charge transfer processes in photocatalytic systems: a review. *J. Photochem Photobiol*, 263-276.
- Zhishen, J., Mengcheng, T., & Jianming, W. (1999). The determination of flavonoid contents in mulberry and their scavenging effects on superoxide radicals. *Food Chemistry*, 555-559.
- Zhu, Y., Zhu, R., Xi, Y., Xu, T., Yan, I., Zhu, J., . . . He, H. (2018). Heterogeneous photo-Fenton degradation of bisphenol A over Ag/AgCl/ferrihydrite catalysts under visible light. *Chem. Eng. J.*, 567-577.
- Zhu, Y., Zhu, R., Xi, Y., Zhu, J., Zhu, G., & He, H. (2019). Strategies for Enhancing the Heterogeneous Fenton Catalytic Reactivity: A review. *Applied Catalysis B: Environmental*.

