

## DAFTAR PUSTAKA

- Abdulazeez, A. *et al.* 2016, 'Partial Purification and Characterization of Angiotensin Converting Enzyme Inhibitory Alkaloids and Flavonoids from the Leaves and Seeds of *Moringa oleifera*', *Journal of Advances in Biology & Biotechnology*, 5(2), pp. 1–11. doi: 10.9734/jabb/2016/21974.
- Acuram, L. K. and Chichioco Hernandez, C. L. 2019, 'Anti-hypertensive effect of *Moringa oleifera* Lam ', *Cogent Biology*, 5(1), p. 1596526. doi: 10.1080/23312025.2019.1596526.
- Adefegha, S. A., Oyeleye, S. I. and Oboh, G. 2015, 'Distribution of Phenolic Contents, Antidiabetic Potentials, Antihypertensive Properties, and Antioxidative Effects of Soursop (*Annona muricata* L.) Fruit Parts in Vitro', *Biochemistry Research International*, 2015. doi: 10.1155/2015/347673.
- Adegunloye, B. J. and Sofola, O. A. 1997, 'Differential responses of rat aorta and mesenteric artery to norepinephrine and serotonin in vitro', *Pharmacology*, 55(1), pp. 25–31. doi: 10.1159/000139509.
- Ahmadi, B. B. and Samani, M. A. 2017, 'A mini-review on the most important effective medicinal plants to treat hypertension in ethnobotanical evidence of Iran', *Journal of Nephroarmacol*, 6(1), pp. 3–8.
- Ajebli, M. and Eddouks, M. 2019, 'Antihypertensive activity of *Petroselinum crispum* through inhibition of vascular calcium channels in rats', *Journal of Ethnopharmacology*, 242(January), p. 112039. doi: 10.1016/j.jep.2019.112039.
- Astutik, P., Adriani, M. and Wirjatmadi, B. 2014, 'Kadar radikal superoksida ( O<sub>2</sub>- ), nitric oxide ( NO ) dan asupan lemak pada pasien hipertensi dan tidak hipertensi', *Jurnal Gizi Indonesia*, 3(1), pp. 1–6.
- Branković, S. *et al.* 2016, 'Hypotensive, cardiodepressant, and vasorelaxant activities of black currant (*Ribes nigrum* "Ben Sarek") juice', *Canadian Journal of Physiology and Pharmacology*, 94(10), pp. 1102–1105. doi: 10.1139/cjpp-2015-0584.
- Chiou, S. Y. *et al.* 2017, 'Antioxidant, Antidiabetic, and Antihypertensive Properties of *Echinacea purpurea* Flower Extract and Caffeic Acid

- Derivatives Using in Vitro Models', *Journal of Medicinal Food*, 20(2), pp. 171–179. doi: 10.1089/jmf.2016.3790.
- Cui, T. *et al.* 2020, 'Antihypertensive effects of allicin on spontaneously hypertensive rats via vasorelaxation and hydrogen sulfide mechanisms', *Biomedicine and Pharmacotherapy*, 128(April), pp. 0–11. doi: 10.1016/j.biopha.2020.110240.
- Depkes RI. 1978, 'Definisi Tanaman Obat.' Indonesia.
- DiPiro, J. T. *et al.* 2020, *Pharmacotherapy: A Pathophysiologic Approach, Eleventh Edition*. New York : Mc Graw Hill.
- Djarmiko, M., Suhardjono, D. and Nugroho, A. E. 2001, 'Pharmacological and Dosage Range Tests of Tensigard As a Hypotensive Phytopharmaca', *Majalah Farmasi Indonesia*, 12(1), pp. 33–43.
- Gasparotto, A. *et al.* 2011, 'Antihypertensive effects of isoquercitrin and extracts from *Tropaeolum majus* L.: Evidence for the inhibition of angiotensin converting enzyme', *Journal of Ethnopharmacology*, 134(2), pp. 363–372. doi: 10.1016/j.jep.2010.12.026.
- Guerrero, L. *et al.* 2012, 'Inhibition of Angiotensin-Converting Enzyme Activity by Flavonoids: Structure-Activity Relationship Studies', *PLoS ONE*, 7(11), pp. 1–11. doi: 10.1371/journal.pone.0049493.
- Harwoko, Pramono, S. and Nugroho, A. E. 2014, 'Triterpenoid-rich fraction of centella asiatica leaves and in vivo antihypertensive activity', *International Food Research Journal*, 21(1), pp. 149–154.
- Hidayah, N. R. 2019, 'Review Artikel : Tanaman dengan Aktivitas Antihipertensi', *Farmaka*, 17, pp. 161–166.
- Ikawati, Z. 2015, *Farmakologi Molekuler : Target Aksi Obat dan Mekanisme Molekulernya*. Yogyakarta: Gadjah Mada University Press.
- Ironi, E. A. *et al.* 2016, 'Guava leaves polyphenolics-rich extract inhibits vital enzymes implicated in gout and hypertension in vitro', *Journal of Intercultural Ethnopharmacology*, 5(2), pp. 122–130. doi: 10.5455/jice.20160321115402.
- Isari, M. *et al.* 2019, 'Medicinal Herbs with Potential Anti-Hypertensive Properties: a Systematic Review of Human and Animal Studies', *Traditional and*

- Integrative Medicine*, 4(3), pp. 137–161. doi: 10.18502/tim.v4i3.1683.
- Jorge, V. G. *et al.* 2013, ‘Vasorelaxant activity of extracts obtained from *Apium graveolens*: Possible source for vasorelaxant molecules isolation with potential antihypertensive effect’, *Asian Pacific Journal of Tropical Biomedicine*, 3(10), pp. 776–779. doi: 10.1016/S2221-1691(13)60154-9.
- Kemenkes RI. 2016, ‘Peraturan Menteri Kesehatan Republik Indonesia Nomor 6 Tahun 2016 Tentang Formularium Obat Herbal Asli Indonesia’. Indonesia: Menteri Kesehatan.
- Kemenkes RI. 2017, *Farmakope Herbal Indonesia Edisi 2*. Indonesia: Menteri Kesehatan.
- Khalil, H. and Zeltser, R. 2020, *Antihypertensive Medications. [Update 2020 Aug 27]*. Treasure Island (FL): StatPearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK554579/>.
- Kizhakekuttu, T. J. and Widlansky, M. E. 2010, ‘Natural Antioxidants and Hypertension: Promise and Challenges’, *Cardiovasc Ther*, 28(1), pp. 1–8. doi: 10.1111/j.1755-5922.2010.00137.x.Natural.
- Kosala, K. *et al.* 2017, ‘In vitro Exploration of Vasodilation Activity of the Methanol Extract of the *Coptosapelta flavescens* Korth stem’, 1(2), pp. 10–14.
- Kusbiantoro, D. and Purwaningrum, Y. 2018, ‘Pemanfaatan kandungan metabolit sekunder pada tanaman kunyit dalam mendukung peningkatan pendapatan masyarakat Utilization of secondary metabolite in the turmeric plant to increase community income’, *Jurnal Kultivasi*, 17(1), pp. 544–549.
- Lombardo-Earl, G. *et al.* 2014, ‘Extracts and fractions from edible roots of *Sechium edule* (Jacq.) Sw. with antihypertensive activity’, *Evidence-based Complementary and Alternative Medicine*, 2014. doi: 10.1155/2014/594326.
- Mao, L. M. *et al.* 2015, ‘In vitro, ex vivo and in vivo anti-hypertensive activity of *Chrysophyllum cainito* L. Extract’, *International Journal of Clinical and Experimental Medicine*, 8(10), pp. 17912–17921.
- Niazi, M., Yari, F. and Shakarami, A. 2019, ‘A Review of Medicinal Herbs in the Lamiaceae Family Used to Treat Arterial Hypertension’, *Entomology and*

*Applied Science Letters*, 6(1), pp. 22–27.

- Nyadjeu, P. *et al.* 2011, ‘Antihypertensive and vasorelaxant effects of cinnamomum zeylanicum stem bark aqueous extract in rats’, *Journal of Complementary and Integrative Medicine*, 8(1). doi: 10.2202/1553-3840.1490.
- Nyadjeu, P. *et al.* 2013, ‘Acute and chronic antihypertensive effects of Cinnamomum zeylanicum stem bark methanol extract in L-NAME-induced hypertensive rats’, *BMC Complementary and Alternative Medicine*, 13. doi: 10.1186/1472-6882-13-27.
- Oboh, G., Akinyemi, A. J. and Ademiluyi, A. O. 2013, ‘Inhibitory effect of phenolic extract from garlic on angiotensin-1 converting enzyme and cisplatin induced lipid peroxidation - In vitro’, *International Journal of Biomedical Science*, 9(2), pp. 98–106.
- Ojeda, D. *et al.* 2010, ‘Inhibition of angiotensin convertin enzyme (ACE) activity by the anthocyanins delphinidin- and cyanidin-3-O-sambubiosides from Hibiscus sabdariffa’, *Journal of Ethnopharmacology*, 127(1), pp. 7–10. doi: 10.1016/j.jep.2009.09.059.
- Paramita, S. *et al.* 2017, ‘Pola penggunaan obat bahan alam sebagai terapi komplementer pada pasien hipertensi di puskesmas’, *Jurnal Sains dan Kesehatan*, 1(7), pp. 367–379.
- PERHI. 2019, ‘Konsensus Penatalaksanaan Hipertensi 2019’, Jakarta, p. 118. Available at: [http://www.inash.or.id/upload/event/event\\_Update\\_konsensus\\_2019123191.pdf](http://www.inash.or.id/upload/event/event_Update_konsensus_2019123191.pdf).
- Poulter, N. R., Prabhakaran, D. and Caulfield, M. 2015, ‘Hypertension’, *The Lancet*, 386(9995), pp. 801–812. doi: 10.1016/S0140-6736(14)61468-9.
- Qayyum, R. *et al.* 2016, ‘Mechanisms underlying the antihypertensive properties of Urtica dioica’, *Journal of Translational Medicine*, 14(1), pp. 1–13. doi: 10.1186/s12967-016-1017-3.
- Rauf, A., Ningsi, S. and Suhaidarwati, F. 2018, ‘Uji Efek Ekstrak Etanol Bawang Dayak (Eleutherine Americana Merr.) Sebagai Antihipertensi Pada Tikus Jantan (Rattus Norvegicus)’, *Jurnal Farmasi Fakultas Kedokteran dan Ilmu Kesehatan Universitas Islam Negeri Makassar*, 6(1), pp. 55–65.

- Ribeiro, R. M. *et al.* 2014, 'Antihypertensive effect of syzygium cumini in spontaneously hypertensive Rats', *Evidence-based Complementary and Alternative Medicine*, 2014. doi: 10.1155/2014/605452.
- Ribeiro, R. M. *et al.* 2018, 'Extract and chloroform fraction from Syzygium cumini leaves with vasorelaxant effect mediated by inhibition of calcium channels', *African Journal of Pharmacy and Pharmacology*, 12(12), pp. 151–158. doi: 10.5897/ajpp2018.4897.
- Ronchi, S. N. *et al.* 2015, 'Phytochemical and in vitro and in vivo biological investigation on the antihypertensive activity of mango leaves (Mangifera indica L.)', *Therapeutic Advances in Cardiovascular Disease*, 9(5), pp. 244–256. doi: 10.1177/1753944715572958.
- Sharifi, N. *et al.* 2013, 'Discovery of new angiotensin converting enzyme (ACE) inhibitors from medicinal plants to treat hypertension using an in vitro assay', *DARU, Journal of Pharmaceutical Sciences*, 21(1), pp. 1–8. doi: 10.1186/2008-2231-21-74.
- Siddiqi, H. S. *et al.* 2012, 'Studies on the antihypertensive and antidyslipidemic activities of Viola odorata leaves extract', *Lipids in Health and Disease*, 11, pp. 1–12. doi: 10.1186/1476-511X-11-6.
- De Souza, P. *et al.* 2011, 'Hypotensive mechanism of the extracts and artemetin isolated from Achillea millefolium L. (Asteraceae) in rats', *Phytomedicine*, 18(10), pp. 819–825. doi: 10.1016/j.phymed.2011.02.005.
- Suparni and Wulandari, A. 2012, *Herbal Nusantara: 1001 Ramuan Tradisional Asli Indonesia*. Yogyakarta: Rapha Publishing.
- Tabassum, N. and Ahmad, F. 2011, 'Role of natural herbs in the treatment of hypertension', *Pharmacognosy Reviews*, 5(9), pp. 30–40. doi: 10.4103/0973-7847.79097.
- Tarigan, A. R., Lubis, Z. and Syarifah, S. 2018, 'Pengaruh Pengetahuan, Sikap Dan Dukungan Keluarga Terhadap Diet Hipertensi Di Desa Hulu Kecamatan Pancur Batu Tahun 2016', *Jurnal Kesehatan*, 11(1), pp. 9–17. doi: 10.24252/kesehatan.v11i1.5107.
- Umayasari, E. K. A., D, L. V. I. and Rahayu, M. P. 2015, 'Aktivitas Antihipertensi dari Ekstrak Etanol Daun Dewandaru ( Eugenia uniflora L . ) pada Tikus

- Putih Jantan yang Diinduksi Adrenalin', *Jurnal Farmasi Indonesia*, 12(1), pp. 1–6.
- Unger, T. *et al.* 2020, '2020 International Society of Hypertension Global Hypertension Practice Guidelines', *Hypertension*, 75(6), pp. 1334–1357. doi: 10.1161/HYPERTENSIONAHA.120.15026.
- Vasant, O. K. *et al.* 2012, 'Antihypertensive and Diuretic Effects of the Aqueous Extract of *Colocasia esculenta* Linn. Leaves in Experimental Paradigms', *Iranian Journal of Pharmaceutical Research*, 11(2), pp. 621–634. doi: 10.22037/ijpr.2012.1092.
- Wachtel-Galor, S. and Benzie, I. F. 2011, *Herbal Medicine: An Introduction to Its History, Usage, Regulation, Current Trends, and Research Needs*. CRC Press/Taylor & Francis, Boca Raton (FL). Available at: <https://www.ncbi.nlm.nih.gov/books/NBK92773/>.
- Wang, C. *et al.* 2019, 'White mulberry fruit polysaccharides enhance endothelial nitric oxide production to relax arteries in vitro and reduce blood pressure in vivo', *Biomedicine and Pharmacotherapy*, 116(May). doi: 10.1016/j.biopha.2019.109022.
- WHO. 2010, *Traditional Herbal Remedies for Primary Health Care*. World Health Organization.
- WHO. 2013, 'Cardiovascular Diseases (CVDs).', *Geneva: World Health Organization.*, p. 317.
- WHO. 2019, *Hypertension*, *WHO Newsroom*. Available at: <https://www.who.int/news-room/fact-sheets/detail/hypertension> (Accessed: 2 February 2021).