

DAFTAR PUSTAKA

- Ansari, M. A., Khan, H. M., Khan, A. A., Cameotra, S. S., & Alzohairy, M. A. (2015). Anti-biofilm efficacy of silver nanoparticles against MRSA and MRSE isolated from wounds in a tertiary care hospital. *Indian Journal of Medical Microbiology*, 33(1), 101–109. <https://doi.org/10.4103/0255-0857.148402>
- Asnani, A., Amaliyah, R., & Yuniaty, A. (2020). Screening anti-MRSA activities of indigenous microbes and prediction of the biosynthetic gene clusters. *Journal of Physics: Conference Series*, 1665, 1–9. <https://doi.org/10.1088/1742-6596/1665/1/012001>
- Asnani, A., Luviriani, E., & Oedijjono, O. (2020). Activity of *Actinomycetes* isolated from Mangrove Segara Anakan Cilacap toward *Methicillin-resistant Staphylococcus aureus* (MRSA). *Jurnal Kimia Sains Dan Aplikasi*, 23(1), 1–7. <https://doi.org/10.14710/jksa.23.1.1-7>
- Asnani, A., Ryandini, D., & Suwandri. (2016). Screening of marine *Actinomycetes* from Segara Anakan for natural pigment and hydrolytic activities. *IOP Conference Series: Materials Science and Engineering*, 107, 1–9. <https://doi.org/10.1088/1757-899x/107/1/012056>
- Atlas, R. (2010). *Handbook of microbiological media, fourth edition*. In *Handbook of Microbiological Media*, Fourth Edition. <https://doi.org/10.1201/ebk1439804063>
- Azman, A. S., Mawang, C. I., Khairat, J. E., & AbuBakar, S. (2019). Actinobacteria—a promising natural source of anti-biofilm agents. *International Microbiology*, 22(4), 403–409. <https://doi.org/10.1007/s10123-019-00066-4>
- Bakkiyaraj, D., & Pandian, S. T. K. (2010). In vitro and in vivo antibiofilm activity of a coral associated actinomycete against drug resistant *Staphylococcus aureus* biofilms. *Biofouling*, 26(6), 711–717. <https://doi.org/10.1080/08927014.2010.511200>
- Balasubramanian, S., Othman, E. M., Kampik, D., Stopper, H., Hentschel, U., Ziebuhr, W., Oelschlaeger, T. A., & Abdelmohsen, U. R. (2017). Marine sponge-derived *Streptomyces* sp. SBT343 extract inhibits *Staphylococcal* biofilm formation. *Frontiers in Microbiology*, 8(236), 1–14. <https://doi.org/10.3389/fmicb.2017.00236>
- Balasubramanian, S., Skaf, J., Holzgrabe, U., Bharti, R., Förstner, K. U., Ziebuhr, W., Humeida, U. H., Abdelmohsen, U. R., & Oelschlaeger, T. A. (2018). A new bioactive compound from the marine sponge-derived *Streptomyces* sp. SBT348 inhibits *Staphylococcal* growth and biofilm formation. *Frontiers in Microbiology*, 9, 1–18. <https://doi.org/10.3389/fmicb.2018.01473>
- Bhakyashree, K., & Kannabiran, K. (2020). *Actinomycetes* mediated targeting of

- drug resistant MRSA pathogens. *Journal of King Saud University - Science*, 32(1), 260–264. <https://doi.org/10.1016/j.jksus.2018.04.034>
- Brindle, E. R., Miller, D. A., & Stewart, P. S. (2011). Hydrodynamic deformation and removal of *Staphylococcus epidermidis* biofilms treated with urea, chlorhexidine, iron chloride, or dispersinB. *Biotechnology and Bioengineering*, 108(12), 2968–2977. <https://doi.org/10.1002/bit.23245>
- Craft, K. M., Nguyen, J. M., Berg, L. J., & Townsend, S. D. (2019). *Methicillin-resistant: Staphylococcus aureus (MRSA)*: antibiotic-resistance and the biofilm phenotype. In *MedChemComm*. <https://doi.org/10.1039/c9md00044>
- Dewi, Z. Y., Nur, A., & Hertriani, T. (2015). Efek antibakteri dan penghambatan biofilm ekstrak sereh (*Cymbopogon nardus L.*) terhadap bakteri *Streptococcus mutans*. *Majalah Kedokteran Gigi Indonesia*, 20(2), 136. <https://doi.org/10.22146/majkedgiind.9120>
- Dinda, A. P., Asnani, A., & Anjarwati, D. U. (2021). The activities of *Streptomyces* W-5A as antibacterial and antibiofilm towards *Methicillin-resistant Staphylococcus aureus* 2983. *JIMC*, 1, 109–115. <https://doi.org/10.5220/0010488601090115>
- Doresti, L., Setyati, W. A., & Widowati, I. (2018). Optimasi sumber karbon dan nitrogen sebagai co-substrat untuk pertumbuhan bakteri probiotik *Pseudomonas* sp. *Journal of Marine Research*, 7(3), 178–184. <https://doi.org/https://doi.org/10.14710/jmr.v7i3.25907>
- Estela, C. R. L., & Alejandro, P. R. (2012). Biofilm: a survival and resistance mechanism of microorganisms. *Intech*, 32, 137–144.
- Ferreira, A. A., Souza Tette, P. A., Santos Mendonça, R. C., De Souza Soares, A., & De Carvalho, M. M. (2014). Detection of exopolysaccharide production and biofilm-related genes in *Staphylococcus* spp. Isolated from a poultry processing plant. *Food Science and Technology*, 34(4), 710–716. <https://doi.org/10.1590/1678-457X.6446>
- Genilloud, O. (2017). *Actinomycetes*: Still a source of novel antibiotics. *Natural Product Reports*, 34(10), 1203–1232. <https://doi.org/10.1039/c7np00026j>
- Gunardi, W. D. (2014). Peranan biofilm dalam kaitannya dengan penyakit infeksi. *Jurnal Kedokteran Meditek*, 15(6), 1–9.
- Kaur, N., & Arora, D. S. (2020). Prospecting the antimicrobial and antibiofilm potential of *Chaetomium globosum* an endophytic fungus from *Moringa oleifera*. *AMB Express*, 10(1). <https://doi.org/10.1186/s13568-020-01143-y>
- Lakhundi, S., & Zhang, K. (2018). *Methicillin-Resistant Staphylococcus aureus*: molecular characterization, evolution, and epidemiology. *Clinical Microbiology Reviews*, 31, 1–103. <https://doi.org/10.1128/CMR.00020-18>
- Lee, A. S., De Lencastre, H., Garau, J., Kluytmans, J., Malhotra-Kumar, S., Peschel, A., & Harbarth, S. (2018). *Methicillin-resistant Staphylococcus aureus*. *Nature Reviews Disease Primers*, 4, 1–23. <https://doi.org/10.1038/nrdiseaseprimers.2018.1>

dp.2018.33

- Lee, J. H., Kim, Y. G., Lee, K., Kim, C. J., Park, D. J., Ju, Y., Lee, J. C., Wood, T. K., & Lee, J. (2016). *Streptomyces*-derived actinomycin D inhibits biofilm formation by *Staphylococcus aureus* and its hemolytic activity. *Biofouling*, 32(1), 45–56. <https://doi.org/10.1080/08927014.2015.1125888>
- Liu, Y., Shi, L., Su, L., Van der Mei, H. C., Jutte, P. C., Ren, Y., & Busscher, H. J. (2019). Nanotechnology-based antimicrobials and delivery systems for biofilm-infection control. *Chemical Society Reviews*, 48(2), 428–446. <https://doi.org/10.1039/c7cs00807d>
- Mahmudah, R., Baharuddin, M., & Sappewali, S. (2016). Identifikasi isolat bakteri termofilik dari Sumber Air Panas Lejja, Kabupaten Soppeng. *Al-Kimia*, 4(1), 31–42. <https://doi.org/10.24252/al-kimia.v4i1.1454>
- Maulidina, S. H. N., & Alami, N. H. (2019). Degradasi atrazin oleh Candida TB1 dengan penambahan sumber karbon dan nitrogen. *Jurnal Sains Dan Seni ITS*, 8(2), 2337–3520. <https://doi.org/http://dx.doi.org/10.12962/j23373520.v8i2.47582>
- Murray, P. R., Rosenthal, K. S., & Pfaller, M. A. (2016). *Medical microbiology, eighth edition*. In Elsevier.
- Nagraj, A. K., & Gokhale, D. (2018). Bacterial biofilm degradation using extracellular enzymes produced by *Penicillium janthinellum* EU2D-21 under submerged fermentation. *Advances in Microbiology*, 08(09), 687–698. <https://doi.org/10.4236/aim.2018.89046>
- Nandhagopal, S., Iniyan, A. M., Kannan, R. R., & Vincent, S. G. P. (2017). In vivo evaluation of anti-MRSA compound from *Streptomyces collinus* ICN1 in zebrafish embryos. *Indian Journal of Geo-Marine Sciences*, 46(6), 1155–1161. <https://doi.org/2-s2.0-85020118464>
- Noferdiman, N., Rizal, Y., Mirzah, M., Heryandi, Y., & Marlida, Y. (2008). Penggunaan urea sebagai sumber nitrogen pada proses biodegradasi substrat lumpur sawit oleh jamur *Phanerochaete chrysosporium*. *Jurnal Ilmiah Ilmu-Ilmu Peternakan Universitas Jambi*, 9(4), 75–82. <https://doi.org/10.22437/JI-IIP.V11I4.748>
- Panda, S., & Singh, D. V. (2018). Biofilm formation by ica-negative ocular isolates of *Staphylococcus haemolyticus*. *Frontiers in Microbiology*, 9(2687), 1–9. <https://doi.org/10.3389/fmicb.2018.02687>
- Park, J. H., Lee, J. H., Kim, C. J., Lee, J. C., Cho, M. H., & Lee, J. (2012). Extracellular protease in *Actinomycetes* culture supernatants inhibits and detaches *Staphylococcus aureus* biofilm formation. *Biotechnology Letters*, 34, 655–661. <https://doi.org/10.1007/s10529-011-0825-z>
- Pratiwi, S. U. T., Lagendijk, E. L., de Weert, S., Idroes, R., Hertiani, T., & Van den Hondel, C. (2015). Effect of *Cinnamomum burmannii* Nees ex Bl. and *Massoia aromatica* Becc. essential oils on planktonic growth and biofilm

- formation of *Pseudomonas aeruginosa* and *Staphylococcus aureus* in vitro. *International Journal of Applied Research in Natural Products*, 8(2), 1–13.
- Purkan, P., Baktir, A., & Sayyidah, A. R. (2016). Produksi enzim kitinase dari *Aspergillus niger* menggunakan limbah cangkang rajungan sebagai induser. *Jurnal Kimia Riset*, 1(1), 34. <https://doi.org/10.20473/jkr.v1i1.2440>
- Rajaram, S. K., Ahmad, P., Sujani Sathya Keerthana, S., Jeya Cressida, P., Ganesh Moorthy, I., & Suresh, R. S. S. (2020). Extraction and purification of an antimicrobial bioactive element from lichen associated *Streptomyces olivaceus* LEP7 against wound inhabiting microbial pathogens. *Journal of King Saud University - Science*, 32(3), 2009–2015. <https://doi.org/10.1016/j.jksus.2020.01.039>
- Ratnakomala, S., Apriliana, P., Fahrurrozi, Lisdiyanti, P., & Wien, K. (2016). Aktivitas antibakteri *actinomisetes* laut dari Pulau Enggano. *Berita Biologi*, 15(3), 207–319. <https://doi.org/http://dx.doi.org/10.14203/beritabiologi.v15i3.2258>
- Rendueles, O., Kaplan, J. B., & Ghigo, J. M. (2013). Antibiofilm polysaccharides. *Environmental Microbiology*, 15(2), 334–346. <https://doi.org/10.1111/j.1462-2920.2012.02810.x>
- Rinto, R., Sasanti, A.D. and Fitria, K. (2010). Bakteri asam laktat dari pencernaan nila dan tongkol yang berpotensi menghambat bakteri pembusuk, pembentuk histamin, dan patogen pada produk perikanan. *Badan Penelitian Dan Pengembangan Daerah Sumatera Selatan.*, 127–147.
- Rosmania, & Yanti, F. (2020). Perhitungan jumlah bakteri di laboratorium mikrobiologi menggunakan pengembangan metode spektrofotometri. *Jurnal Penelitian Sains*, 22(2), 76–86. <https://doi.org/10.26554/jps.v22i2.564>
- Roy, R., Tiwari, M., Donelli, G., & Tiwari, V. (2018). Strategies for combating bacterial biofilms: A focus on anti-biofilm agents and their mechanisms of action. *Virulence*, 9(1), 522–554. <https://doi.org/10.1080/21505594.2017.1313372>
- Saropah, D. A., Jannah, A., & Maunatin, A. (2013). Kinetika reaksi enzimatis ekstrak kasar enzim selulase bakteri selulolitik hasil isolasi dari bekatul. *Alcemy*, 2(1), 34–45. <https://doi.org/10.18860/al.v0i0.2297>
- Selvaraj, A., Jayasree, T., Valliammai, A., & Pandian, S. K. (2019). Myrtenol attenuates MRSA biofilm and virulence by suppressing sarA expression dynamism. *Frontiers in Microbiology*, 10(2027), 1–15. <https://doi.org/10.3389/fmicb.2019.02027>
- Singh, R., & Dubey, A. K. (2020). Isolation and characterization of a new endophytic actinobacterium *Streptomyces californicus* strain ADR1 as a promising source of anti-bacterial, anti-biofilm and antioxidant metabolites. *Microorganisms*, 8(6), 1–19. <https://doi.org/10.3390/microorganisms806092>

- Sunaryanto, R., & Handayani, B. H. (2016). Penentuan kombinasi medium terbaik galaktosa dan sumber nitrogen pada proses produksi etanol. *Jurnal Biotehnologi & Biosains Indonesia (JBBI)*, 2(1), 20. <https://doi.org/10.29122/jbbi.v2i1.531>
- Sunaryanto, R., & Nurani, D. (2019). Optimasi permukaan respon medium fermentasi *Streptomyces prasinopilosus* sebagai antifungi terhadap patogen *Ganoderma boninense*. *Jurnal Biotehnologi & Biosains Indonesia (JBBI)*, 6(2), 164–173. <https://doi.org/10.29122/jbbi.v6i2.3231>
- Susilowati, D. N., Hastuti, R. D., & Yuniarti, E. (2007). Isolasi dan karakterisasi aktinomisetes penghasil antibakteri enteropatogen *Escherichia coli* K1.1, *Pseudomonas pseudomallei* O2 05, dan *Listeria monocytogenes* 5407. *Jurnal AgroBiogen*, 3(1), 15–23. <https://doi.org/10.21082/jbio.v3n1.2007.p1> 5-23
- Suzuki, N., Ohtaguro, N., Yoshida, Y., Hirai, M., Matsuo, H., Yamada, Y., Imamura, N., & Tsuchiya, T. (2015). A compound inhibits biofilm formation of *Staphylococcus aureus* from *Streptomyces*. *Biological and Pharmaceutical Bulletin*, 38(6), 889–892. <https://doi.org/10.1248/bpb.b15-00053>
- Tyas, S. P., Syarifuddin, A., Made, N., & Nila, A. (2021). Optimasi waktu produksi antibakteri isolat *Actinomycetes* (isolat TE 235) terhadap aktivitas antibakteri pada *Escherichia coli* dan *Staphylococcus aureus*. *Jurnal Farmasi Sains Dan Praktis*, 7(1), 15–24.
- Vijayakumar, R. (2016). Isolation , characterization and antibacterial activity of *actinobacteria* from dye polluted soils of Tirupur. *Medicine and Biology*, 16(1), 43–48.
- Wardani, R. Y., & Agustini, R. (2017). Pengaruh konsentrasi yeast hydrolysate enzimatic (YHE) sebagai suplemen media kultur untuk pertumbuhan *Lactobacillus bulgaricus*. *UNESA Journal of Chemistry*, 6(1), 25–31.
- Watters, C. M., Burton, T., Kirui, D. K., & Millenbaugh, N. J. (2016). Enzymatic degradation of in vitro *Staphylococcus aureus* biofilms supplemented with human plasma. *Infection and Drug Resistance*, 9, 71–78. <https://doi.org/10.2147/IDR.S103101>
- Wijanarka, W., Aqlia, M., & Kristina, K. (2018). Aktivitas enzim inulinase dan laju pertumbuhan spesifik isolat bakteri IS-1 pada medium tepung umbi dahlia. *Jurnal Biologi Papua*, 10(2), 48–55. <https://doi.org/10.31957/jbp.485>
- Yashchuk, O., Miyazaki, S. S., & Hermida, E. B. (2014). Isolation, purification and some properties of an extracellular phbv depolymerase from *Streptomyces SP. SSM 5670*. *Asian Journal of Microbiology, Biotechnology and Environmental Sciences*, 16(1), 29–33.
- Yustinah, Gozan, M., Hermansyah, H., & Alamsyah, R. (2016). Pengaruh jenis sumber nitrogen pada pembuatan polyhydroxybutarate dari glukosa

menggunakan bakteri *Bacillus cereus*. *Seminar Nasional Sains Dan Teknologi, UMJ*, 1–5.

Zin, N., & Othman, M. (2012). Pengaruh sumber nitrogen terhadap pertumbuhan endofit *Streptomyces* SUK 02 dan aktiviti antifungus. *Jurnal Sains Kesihatan Malaysia*, 10(1), 35–39.

