

DAFTAR PUSTAKA

- Afriyanti, R. N. (2015) 'Akne Vulgaris Pada Remaja', *Medical Faculty of Lampung University*, 4(6), pp. 102–109.
- Ahmad, J. *et al.* (2018) 'Topical Nano-emulgel for Skin Disorders: Formulation Approach and Characterization', *Recent Patents on Anti-Infective Drug Discovery*, 14(1), pp. 36–48.
- Ali, S. M. and Yosipovitch, G. (2013) 'Skin pH: From basic science to basic skin care', *Acta Dermato-Venereologica*, 93(3), pp. 261–267.
- Anaya Esparza, L. M. and Montalvo-González, E. (2020) 'Bioactive Compounds of Soursop (*Annona muricata* L.) Fruit', pp. 175–189.
- Apriliana, E. and Syafira, A. U. (2016) 'Ekstraksi daun sirsak (*Annona muricata*) sebagai antibakteri terhadap *Staphylococcus aureus* dan *Propionibacterium acnes* The soursop leaf extract as antibacterial against *Staphylococcus aureus* and *Propionibacterium acnes*', *M.fakultas keedokteran. universitas lampung*, 5(1), pp. 1–5.
- Astuti, D. P., Husni, P. and Hartono, K. (2017) 'Formulasi Dan Uji Stabilitas Fisik Sediaan Gel Antiseptik Tangan Minyak Atsiri Bunga Lavender (*Lavandula angustifolia* Miller)', *Farmaka*, 15(1), pp. 176–184.
- Baibhav, J. *et al.* (2012) 'Available online <http://www.ijddr.in> Covered in Official Product of Elsevier , The Netherlands SJR Impact Value 0 . 03 & H index 2 © 2012 IJDDR Development and Characterization of Clarithromycin Emulgel for topical delivery', 4(3), pp. 310–323.
- Ch.Muhammad., T. (2010) 'Pathogenesis of acne vulgaris: Simplified', *Journal of Pakistan Association of Dermatologists*, 20(2), pp. 93–97.
- Chellapa, P. *et al.* (2015) 'Nanoemulsion and Nanoemulgel as a Topical Formulation', *IOSR Journal Of Pharmacy*, 5(10), pp. 43–47. Available at: www.iosrphr.org.

Clogston, J. D. and Patri, A. K. (2011) 'Zeta potential measurement.', *Methods in molecular biology (Clifton, N.J.)*, 697, pp. 63–70.

a muricata: A comprehensive review on its traditional medicinal uses, phytochemicals, pharmacological activities, mechanisms of action and toxicity', *Arabian Journal of Chemistry*, 11(5), pp. 662–691.

Dahlan, S. (2011) 'Statistik Untuk Kedokteran Dan Kesehatan'.

Davis, W. W. and Stout, T. R. (1971) 'Disc plate method of microbiological antibiotic assay. II. Novel procedure offering improved accuracy.', *Applied microbiology*, 22(4), pp. 666–670. doi: 10.1128/aem.22.4.666-670.1971.

Dhanani, T. *et al.* (2017) 'Effect of extraction methods on yield, phytochemical constituents and antioxidant activity of *Withania somnifera*', *Arabian Journal of Chemistry*, 10, pp. S1193–S1199.

Didi, S. and Eliyasmi, R. (2014) '(c), 15%', pp. 211–219.

Eid, A. M. *et al.* (2014) 'Preparation, characterization and anti-inflammatory activity of *Swietenia macrophylla* nanoemulgel', *Journal of Nanomedicine and Nanotechnology*, 5(2). doi: 10.4172/2157-7439.1000190.

Elvira (2019) 'Acne : Pathophysiology and Management', *CDK Edisi Suplemen-1*, 46, pp. 16–20.

Gadkari, P. N., Patil, P. B. and Saudagar, R. B. (2019) 'Formulation, development and evaluation of topical nanoemulgel of tolnaftate', *Journal of Drug Delivery and Therapeutics*, 9(2-s), pp. 208–213.

Handayani, H. and Heppy Sriherfyna, F. (2016) 'Antioxidant Extraction of Soursop Leaf with Ultrasonic Bath (Study of Material: Solvent Ratio and Extraction Time)', *Jurnal Pangan dan Agroindustri*, 4(1), pp. 262–272.

Harwansh, R. K. *et al.* (2015) 'Enhanced permeability of ferulic acid loaded nanoemulsion based gel through skin against UVA mediated oxidative

- stress', *Life Sciences*, 141, pp. 202–211. doi: 10.1016/j.lfs.2015.10.001.
- Hasmila, I., Natsir, H. and Soekamto, N. H. (2019) 'Phytochemical analysis and antioxidant activity of soursop leaf extract (*Annona muricata* Linn.)', *Journal of Physics: Conference Series*, 1341(3).
- Hombach, M. *et al.* (2015) 'Standardization of operator-dependent variables affecting precision and accuracy of the disk diffusion method for antibiotic susceptibility testing', *Journal of Clinical Microbiology*, 53(12), pp. 3864–3869. doi: 10.1128/JCM.02351-15.
- Hossain, M. S. *et al.* (2012) 'Treatment of clinical solid waste using a steam autoclave as a possible alternative technology to incineration', *International Journal of Environmental Research and Public Health*, 9(3), pp. 855–867.
- Imanto, T., Prasetyawan, R. and Wikantyasning, E. R. (2019) 'Formulasi dan Karakterisasi Sediaan Nanoemulgel Serbuk Lidah Buaya (*Aloe Vera* L.)', *Pharmacon: Jurnal Farmasi Indonesia*, 16(1), pp. 28–37.
- Kaur, R. and Ajitha, M. (2019) 'Transdermal delivery of fluvastatin loaded nanoemulsion gel: Preparation, characterization and *in vivo* anti-osteoporosis activity', *European Journal of Pharmaceutical Sciences*, 136(June), p. 104956. doi: 10.1016/j.ejps.2019.104956.
- Kuo, S. H. *et al.* (2020) 'Role of pH value in clinically relevant diagnosis', *Diagnostics*, 10(2), pp. 1–17. doi: 10.3390/diagnostics10020107.
- Kurniawan, D. W. *et al.* (2018) 'Therapeutic inhibition of spleen tyrosine kinase in inflammatory macrophages using PLGA nanoparticles for the treatment of non-alcoholic steatohepatitis', *Journal of Controlled Release*, 288(June), pp. 227–238. doi: 10.1016/j.jconrel.2018.09.004.
- Kurniawan, D. W. *et al.* (2020) 'Fibroblast growth factor 2 conjugated superparamagnetic iron oxide nanoparticles (FGF2-SPIONs) ameliorate hepatic stellate cells activation *in vitro* and acute liver injury *in vivo*', *Journal of Controlled Release*, 328(September), pp. 640–652.

- Limited, M. I. (2011) 'Zeta potential: An Introduction in 30 minutes', *Zetasizer Nano Serles Technical Note. MRK654-01*, 2, pp. 1–6. Available at: <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Zeta+Potential+An+Introduction+in+30+Minutes#0>.
- Manrique-de-la-Cuba, M. F. *et al.* (2019) 'Theoretical study of the antioxidant capacity of the flavonoids present in the *Annona muricata* (Soursop) leaves', *Journal of Molecular Modeling*, 25(7). doi: 10.1007/s00894-019-4083-7.
- Mohammed Haneefa, K. P. *et al.* (2013) 'Emulgel: An advanced review', *Journal of Pharmaceutical Sciences and Research*, 5(12), pp. 254–258.
- Mollerup, S. *et al.* (2016) 'Propionibacterium acnes: Disease-causing agent or common contaminant? detection in diverse patient samples by next-generation sequencing', *Journal of Clinical Microbiology*, 54(4), pp. 980–987. doi: 10.1128/JCM.02723-15.
- Mulyanti, D. *et al.* (2015) 'Uji Aktivitas Antibakteri Ekstrak Etanol Daun Sirsak (*Annona muricata* L.) pada Bakteri Propionibacterium Acnes, Staphylococcus Aureus, dan Staphylococcus Epidermis', *Prosiding Seminar Nasional Penelitian dan PKM Kesehatan*, 1(1), pp. 325–330.
- Padmasari, P. ., Astuti, K. . and Warditiani, N. . (2013) 'Skrining fitokimia ekstrak etanol 70% rimpang bangle (z', *Jurnal Farmasi Udayana*, 2(4), pp. 1–7.
- Prajapati, B. (2018) "'Nanoemulgel" Innovative Approach For Topical Gel Based Formulation', *Research and Reviews on Healthcare: Open Access Journal*, 1(2). doi: 10.32474/rrhoaj.2018.01.000107.
- Priani, S. E., Dewi, W. K. and Gadri, A. (2019) 'Formulasi Sediaan Mikroemulsi Gel Anti Jerawat Mengandung Kombinasi Minyak Jinten Hitam (*Nigella sativa* L.) dan Minyak Zaitun (*Olea europaea* L.)', *Kartika : Jurnal Ilmiah Farmasi*, 6(2), p. 57. doi: 10.26874/kjif.v6i2.143.
- Primasari, A. *et al.* (2018) 'The effectiveness of soursop leaf extract against growth of *aggregatibacter actinomycetemcomitans* atcc® 6514TM in vitro', *Asian*

Journal of Pharmaceutical and Clinical Research, 11(12), pp. 411–415.
doi: 10.22159/ajpcr.2018.v11i12.28435.

Ramli, R. *et al.* (2012) 'Acne analysis, grading and computational assessment methods: An overview', *Skin Research and Technology*, 18(1), pp. 1–14.
doi: 10.1111/j.1600-0846.2011.00542.x.

Rarassari, M. A. and Maftuch, H. N. (2016) 'Phytochemicals and Antibacterial Activities of Soursop Leaf (*Annona muricata*) against *Edwardsiella tarda* (In Vitro)', *Journal of Life Science and Biomedicine*, 6(1), pp. 6–9.

Sengupta, P. and Chatterjee, B. (2017) 'Potential and future scope of nanoemulgel formulation for topical delivery of lipophilic drugs', *International Journal of Pharmaceutics*, 526(1–2), pp. 353–365.

Sevimli Dikicier, B. (2019) 'Topical treatment of acne vulgaris: efficiency, side effects, and adherence rate', *Journal of International Medical Research*, 47(7), pp. 2987–2992. doi: 10.1177/0300060519847367.

Sharma, N. *et al.* (2013) 'Preparation and Optimization of Nanoemulsions for targeting Drug Delivery', *International Journal of Drug Development and Research*, 5(4), pp. 37–48.

Sheskey, P. J., Cook, W. G. and Cable, C. G. (2017) 'Handbook of Pharmaceutical Excipients Eighth edition', p. 468.

Sulistyo, H., Kurniawan, D. W. and Rujito, L. (2017) 'Biochemical and histopathological effects of green tea nanoparticles in ironized mouse model', *Research in Pharmaceutical Sciences*, 12(2), pp. 99–106.

Sumantri, I., Hermawan, G. P. and Laksono, H. (2014) 'Ekstraksi Daun Sirsak (*Annona Muricata* L)... (I. Sumantri, dkk)', *Momentum*, 10(1), pp. 37–34.

Surbakti, C. I. and Nadiya, N. N. (2019) 'Uji Mutu Ekstrak Daun Sirsak (*Annona muricata* Linn.) Yang Di Ekstraksi Secara Maserasi Dengan Pelarut Etanol 70%', *Jurnal Farmasimed (Jfm)*, 1(2), pp. 18–24. doi:

10.35451/jfm.v1i2.144.

Susanty, S. and Bachmid, F. (2016) 'PERBANDINGAN METODE EKSTRAKSI MASERASI DAN REFLUKS TERHADAP KADAR FENOLIK DARI EKSTRAK TONGKOL JAGUNG (*Zea mays* L.)', *Jurnal Konversi*, 5(2), p. 87. doi: 10.24853/konversi.5.2.87-92.

Syed, H. K. and Peh, K. K. (2014) 'Identification of phases of various oil, surfactant/co-surfactants and water system by ternary phase diagram', *Acta Poloniae Pharmaceutica - Drug Research*, 71(2), pp. 301–309.

Tambunan, S. and Sulaiman, T. N. S. (2018) 'Formulasi Gel Minyak Atsiri Sereh dengan Basis HPMC dan Karbopol Gel', *Majalah Farmaseutik*, 14(2), pp. 87–95.

Tsuboi, I. *et al.* (2011) 'Susceptibility of *Propionibacterium acnes* isolated from patients with acne vulgaris to zinc ascorbate and antibiotics', *Clinical, Cosmetic and Investigational Dermatology*, p. 161. doi: 10.2147/ccid.s23840.

USDA *Plants Database* (2021). Available at: <https://plants.usda.gov/home/plantProfile?symbol=ANMU2> (Accessed: 23 August 2021).

Veronica, E. *et al.* (2020) 'Effectiveness of Antibacterial Extract of Kenop (*Gomphrena Globosa*) Flower Extract Against Growth of *Propionibacterium Acnes* Bacteria', *Indonesian Journal for Health Sciences*, 4(2), p. 115. doi: 10.24269/ijhs.v4i2.2620.

Yang, J. H. *et al.* (2017) 'Seeking new acne treatment from natural products, devices and synthetic drug discovery', *Dermato-Endocrinology*, 9(1), p. e1356520. doi: 10.1080/19381980.2017.1356520.

Zai, Y. *et al.* (2019) 'Uji Efektivitas Antibakteri Ekstrak Daun Sirsak (*Annona Muricata* Linn.) Terhadap Bakteri *Propionibacterium Acnes*', *BIOLINK (Jurnal Biologi Lingkungan Industri Kesehatan)*, 6(1), p. 65.