

## REFERENSI

- Abdel-Shafy, S., El Namaky, A. H., Allam, N. A. T., & Hendawy, S. (2016). Scanning electron microscopy and morphometrics of nymph and larva of the tick *Hyalomma rufipes* Koch, 1844 (Acari: Ixodidae). *Journal of Parasitic Diseases*, 40(1):1–10. <https://doi.org/10.1007/s12639-014-0450-6>
- Abdel-Shafy, S., El Namaky, A. H., & Khalil, F. H. M. (2011). *Scanning electron microscopy* and morphometrics of nymph and larva of the tick *Hyalomma impressum* (Acari: Ixodidae). *Parasitology Research*, 109(6):1509–1518. <https://doi.org/10.1007/s00436-011-2422-4>
- Abdullah, H. H. A. M., El-molla, A., Salib, F. A., Allam, N. A. T., Ghazy, A. A., & Abdel-shafy, S. (2016). Morphological and molecular identification of the brown dog tick *Rhipicephalus sanguineus* and the camel tick *Hyalomma dromedarii* (Acari : Ixodidae) vectors of Rickettsioses in Egypt. *Journal of Veterinary World*. 9(10):1087-1101. <https://doi.org/10.14202/vetworld.2016.1087-1101>
- Abouelhassan, E. M., ElGawady, H. M., AbdelAal, A. A., El-Gayar, A. K., & Esteve-Gassent, M. D. (2019). Comparison of some molecular markers for tick species identification. *Journal of Arthropod-Borne Diseases*, 13(2):153–164. <https://doi.org/10.18502/jad.v13i2.1241>
- Acuna, D. G. L., Venzal, J. M., Keiran, J. E., Robbin, R. G., Ippi, S., Guglielmone, A. A., 2005. New host and locality records for the *Ixodes auritus* (Acari: Ixodidae) species group, with a review of host relationships and distribution in the Neotropical Zoogeographic Region. *Exp. Appl. Acarol.*, 37(1):147–156.
- Agrawal, S., & Ganley, A. R. D. (2018). The conservation landscape of the human ribosomal RNA gene repeats. *In PLoS ONE* 13(12):1-13. <https://doi.org/10.1371/journal.pone.0207531>
- Ahmad, Z., Anwar, Z., Adnan, M., Imtiaz, N., Rashid, H. Ur., and Gohar, F. Collection and prevalence of ticks in cattles and buffaloes from free-range management systems of Islamabad. (2019). *The Journal of Basic and Applied Zoology* 80 (12):1-4. <https://doi.org/10.1186/s41936-018-0071-1>
- Alinejad, S.P., Ramezani, Z., Edalat, H., Telmadarraiy, Z., Dabiri, F., Vatandoost, H., Oshaghi, M. A., Mohebbali, M., Seyyed-Zadeh, S. J., Zarei, Z., Hanifian, H., Faghihi, F., Abolhasani, M., Mohammadi Bavani, M., Musavi, J., Terenius, O., & Chavshin, A. R. (2020). Molecular characterization of Ribosomal DNA (ITS2) of hard ticks in Iran: Understanding the conspecificity of *Dermacentor marginatus* and *D. niveus*. *BMC Research Notes*, 13(1):1–6. <https://doi.org/10.1186/s13104-020-05326-5>
- Allendorf and Luikart. (2007). *Conservation and the Genetics of Populations*. Blackwell Publishing.
- Amos, W. (1998). Factors affecting levels of genetic diversity in natural populations. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 353(1366):177–186. <https://doi.org/10.1098/rstb.1998.0200>
- Anastos G. 1950. The Scutate Ticks, or *Ixodidae* of Indonesia. *Entomologica Americana*. 30:1-144.
- Anderson, T. J. C., Blouin, M. S., Beech, R. N., Lakeshore, P., & Bellevue, R. S. De.

- (1998). Population Biology of Parasitic Nematodes: *Applications of Genetic Markers*. 1-69.
- Anderson, J. F., & Magnarelli, L. A. (2008). Biology of Ticks. *Infectious Disease Clinics of North America*, 22(2):195–215. <https://doi.org/10.1016/j.idc.2007.12.006>
- Araya-Anchetta, A., Busch, J. D., Scoles, G. A., & Wagner, D. M. (2015). Thirty years of tick population genetics: A comprehensive review. *Infection, Genetics and Evolution*, 29:164–179. <https://doi.org/10.1016/j.meegid.2014.11.008>
- Arif, I. A., & Khan, H. A. (2009). Molecular markers for biodiversity analysis of wildlife animals: A brief review. *Animal Biodiversity and Conservation*, 32(1): 9–17.
- Ash, A., Elliot, A., Godfrey, S., Burmej, H., Abdad, M. Y., Northover, A., Wayne, A., Morris, K., Clode, P., Lymbery, A., & Thompson, R. C. A. (2017). Morphological and molecular description of *Ixodes woyliei* n. sp. (Ixodidae) with consideration for co-extinction with its critically endangered marsupial host. *Parasites and Vectors*, 10(1):1–16. <https://doi.org/10.1186/s13071-017-1997-8>
- Baker, G. T. (1997). Spiracular Plate of Nymphal and Adult Hard Ticks (Acarina: Ixodidae): Morphology and Cuticular Ultrastructure. *Invertebrate Biology*, 116(4):341. <https://doi.org/10.2307/3226866>
- Barker, S. C., & Barker, S. C. (1998). *Ticks With Of Rhipicephaline Species and Populations Distinguishing RNA ITS2 Ribosomal*. 84(5):887–892.
- Barker, S. C., & Walker, A. R. (2014a). Ticks of Australia. The species that infest domestic animals and humans. *Zootaxa*, 3816(1):001–144. <https://doi.org/10.11646/zootaxa.3816.1.1>
- Balinandi, S., Chitimia-Dobler, L., Grandi, G., Nakayiki, T., Kabasa, W., Bbira, J., Lutwama, J. J., Bakkes, D. K., Malmberg, M., & Mugisha, L. (2020). Morphological and molecular identification of ixodid tick species (Acari: Ixodidae) infesting cattle in Uganda. *Parasitology Research*, 119(8):2411–2420. <https://doi.org/10.1007/s00436-020-06742-z>
- Behbahani, A., Dutton, T. J., Davies, N., Townson, H., & Sinkins, S. P. (2005). Population differentiation and *Wolbachia* phylogeny in mosquitoes of the *Aedes scutellaris* group. *Medical and Veterinary Entomology*, 19(1):66–71.
- Berry, C., Jonsson, N., Constantinoiu, C., Klafke, G., Miller, R., Nyangiwe, N., Koh-Tan, C., Tidwell, J., & Jittapalpong, S. (2017). Examination of the taxonomic status of *Rhipicephalus* (*Boophilus*) *microplus*. *One Health - 9th Tick and Tick-Borne Pathogen Conference & 1st Asia Pacific Rickettsia Conference*, 94(2017):1-268
- Beveridge, I., & Gasser, R. B. (2014). Diversity in parasitic helminths of Australasian marsupials and monotremes: A molecular perspective. *International Journal for Parasitology*, 44(12):859–864. <https://doi.org/10.1016/j.ijpara.2014.06.001>
- Burger, T. D., Shao, R., & Barker, S. C. (2014). Phylogenetic analysis of mitochondrial genome sequences indicates that the cattle tick, *Rhipicephalus* (*Boophilus*) *microplus*, contains a cryptic species. *Molecular Phylogenetics and Evolution*, 76(1):241–253. <https://doi.org/10.1016/j.ympev.2014.03.017>
- Burger, T. D., Shao, R., Beati, L., Miller, H., & Barker, S. C. (2012). Phylogenetic

- analysis of ticks (Acari: Ixodida) using mitochondrial genomes and nuclear rRNA genes indicates that the genus *Amblyomma* is polyphyletic. *Molecular Phylogenetics and Evolution*, 64(1):45–55. <https://doi.org/10.1016/j.ympev.2012.03.004>
- Bush, A. O., Lafferty, K. D., Lotz, J. M., and Shostak, A. W. (1997). Parasitology meets ecology on its own terms: Margolis et al. revisited. *Journal of Parasitology* 83:575–583.
- Black IV, W. C., & Piesman, J. (1994). Phylogeny of hard- and soft-tick taxa (Acari: Ixodida) based on mitochondrial 16S rDNA sequences. *Proceedings of the National Academy of Sciences of the United States of America*, 91(21):10034–10038. <https://doi.org/10.1073/pnas.91.21.10034>
- Bradley, R. D., & Baker, R. J. (2001). A test of the genetic species concept: Cytochrome-b sequences and mammals. *Journal of Mammalogy*, 82(4): 960–973. [https://doi.org/10.1644/15451542\(2001\)082<0960:ATOTGS>2.0.CO](https://doi.org/10.1644/15451542(2001)082<0960:ATOTGS>2.0.CO);
- Camicas, J.-L., Hervy, J., Adam, F., & Morel, P. (1998). *The Ticks of the World*.
- Chao, L. L., Wu, W. J., & Shih, C. M. (2011). Species identification of *Ixodes granulatus* (Acari: Ixodidae) based on internal transcribed spacer 2 (ITS2) sequences. *Experimental and Applied Acarology*, 54(1), 51–63. <https://doi.org/10.1007/s10493-010-9419-z>
- Chilton, B., Beveridge, I. A. N., & Andrew, R. H. (1996). *An Electrophoretic Analysis of Patterns of Infection in Cloaca; a clurkae, C. commutis, C. C. sina-itis (Nematoda: Str Macropodid)*.
- Chilton, N. B., Huby-Chilton, F., Beveridge, I., Smales, L. R., Gasser, R. B., & Andrews, R. H. (2011). Phylogenetic relationships of species within the tribe Labiostrongylinea (Nematoda: Cloacinidae) from Australian marsupials based on ribosomal DNA spacer sequence data. *Parasitology International*, 60(4), 381–387. <https://doi.org/10.1016/j.parint.2011.06.012>
- Chitimia, L., Lin, R. Q., Cosoroaba, I., Braila, P., Song, H. Q., & Zhu, X. Q. (2009). Molecular characterization of hard and soft ticks from Romania by sequences of the internal transcribed spacers of ribosomal DNA. *Parasitology Research*, 105(4), 907–911. <https://doi.org/10.1007/s00436-009-1474-1>
- Clifford, C. M., Walker, A. R. and Campelo, D. (1973). Systematic of The Subfamily Ixodinae (Acarina: Ixodidae). I. The Subgenera of Ixodes. *Annals Of The Entomological Society of America*, 66: 489-500.
- Crampton, A., McKay, I., & Barker, S. C. (1996). Phylogeny of ticks (Ixodida) inferred from nuclear ribosomal DNA. *International Journal for Parasitology*, 26(5), 511–517. [https://doi.org/10.1016/0020-7519\(96\)89379-9](https://doi.org/10.1016/0020-7519(96)89379-9)
- Cruickshank, R. H. (2002). Molecular markers for the phylogenetics of mites and ticks. *Systematic and Applied Acarology*, 7(0), 3. <https://doi.org/10.11158/saa.7.1.1>
- Dietrich, M., Beati, L., Elguero, E., Boulinier, T., & McCoy, K. D. (2013). Body size and shape evolution in host races of the tick *Ixodes uriae*. *Biological Journal of the Linnean Society*, 108(2), 323–334. <https://doi.org/10.1111/j.1095-8312.2012.02021.x>
- Dujardin, J. (2011). 16 Modern Morphometrics of Medically Important Insects. In

- Genetics and Evolution of Infectious Diseases* (First Edit). Elsevier Inc.  
<https://doi.org/10.1016/B978-0-12-384890-1.00016-9>
- Dujardin, J. P., Bermudez, H., & Schofield, C. J. (1997). The use of morphometrics in entomological surveillance of sylvatic foci of *Triatoma infestans* in Bolivia. *Acta Tropica*, 66(3), 145–153. [https://doi.org/10.1016/S0001-706X\(97\)00038-7](https://doi.org/10.1016/S0001-706X(97)00038-7)
- Dujardin, J. P., Chavez, T., Moreno, J. M., Machane, M., Noireau, F., & Schofield, C. J. (1999). Comparison of isoenzyme electrophoresis and morphometric analysis for phylogenetic reconstruction of the rhodniini (Hemiptera: Reduviidae: Triatominae). *Journal of Medical Entomology*, 36(6), 653–659. <https://doi.org/10.1093/jmedent/36.6.653>
- Dujardin, J. P., & Slice, D. E. (2007). *Contributions of Morphometrics to Medical Entomology*. 433–446.
- Estrada-Pena, A., Mangold, A. J., Nava, S., Venzal, J. M., Labruna, M., & Guglielmone, A. A. (2010). A review of the systematics of the tick family argasidae (ixodida). *Acarologia*, 50(3), 317–333. <https://doi.org/10.1051/acarologia/20101975>
- Estrada-Peña, A., Venzal, J. M., Nava, S., Mangold, A., Guglielmone, A. A., Labruna, M. B., & De La Fuente, J. (2012). Reinstatement of *Rhipicephalus* (*Boophilus*) *australis* (Acari: Ixodidae) with redescription of the adult and larval stages. *Journal of Medical Entomology*, 49(4), 794–802. <https://doi.org/10.1603/ME11223>
- Fukunaga, M., Yabuki, M., Hamase, A., Oliver, J. H., & Nakao, M. (2000a). Molecular phylogenetic analysis of ixodid ticks based on the ribosomal DNA spacer, internal transcribed spacer 2, sequences. *Journal of Parasitology*, 86(1), 38–43. [https://doi.org/10.1645/0022-3395\(2000\)086\[0038:MPAOIT\]2.0.CO;2](https://doi.org/10.1645/0022-3395(2000)086[0038:MPAOIT]2.0.CO;2)
- Fukunaga, M., Yabuki, M., Hamase, A., Oliver, J. H., & Nakao, M. (2000b). *Molecular Phylogenetic Analysis of Ixodid Ticks Based on the Ribosomal Dna Spacer , Internal Transcribed Spacer 2 , Sequences Molecular Phylogenetic Analysis of Ixodid Ticks Based on the Ribosomal Dna Spacer , Internal Transcribed Spacer 2 , Sequences*. 86(1), 38–43.
- Futuyma. (2009). Natural selection and adaptation. *Routledge Encyclopedia of Philosophy*. <https://doi.org/10.4324/9780415249126-q126-1>
- Gadagkar, R., & Krishnappa, C. (2005). Insect Phenotypic Plasticity. *Insect Phenotypic Plasticity, January 2005*. <https://doi.org/10.1201/9781482294408>
- Gemmell, R. T., Cepon, G., Green, P. E., & Stewart, N. P. (1991). Some effects of tick infestations on juvenile northern brown bandicoot (*Isodon macrourus*). *Journal of Wildlife Diseases*, 27(2), 269–275. <https://doi.org/10.7589/0090-3558-27.2.269>
- George Henry Falkiner Nuttall, William Francis Cooper, Cecil Warburton, L. E. R. (1911). *Ticks, a Monograph of the Ixodoidea, Volume 1, Bagian 2*. University Press.
- Gofton, A. W., Doggett, S., Ratchford, A., Ryan, U., & Irwin, P. (2016). Phylogenetic characterisation of two novel Anaplasmataceae from Australian ixodes holocyclus ticks: ‘Candidatus Neoehrlichia Australis’ and ‘Candidatus Neoehrlichia Arcana.’ *International Journal of Systematic and Evolutionary*

- Microbiology*, 66(10), 4256–4261. <https://doi.org/10.1099/ijsem.0.001344>
- Gomulski, L. M., Meiswinkel, R., Delécolle, J. C., Goffredo, M., & Gasperi, G. (2006). Phylogeny of the subgenus *Culicoides* and related species in Italy, inferred from internal transcribed spacer 2 ribosomal DNA sequences. *Medical and Veterinary Entomology*, 20(2), 229–238. <https://doi.org/10.1111/j.1365-2915.2006.00620.x>
- Gonza, D. (2005). *Ticks (Acari : Ixodoidea : Argasidae , Ixodidae ) of Chile*. 147–163. <https://doi.org/10.1007/s10493-004-1988-2>
- Gray, J., Stedingk, L. V. Von, Gürtelschmid, M., Granström, M., Al, G. E. T., & Icrobiol, J. C. L. I. N. M. (2002). *Transmission Studies of Babesia microti in Ixodes ricinus Ticks and Gerbils*. 40(4), 1259–1263. <https://doi.org/10.1128/JCM.40.4.1259>
- Greay, T. L., Oskam, C. L., Gofton, A. W., Rees, R. L., Ryan, U. M., & Irwin, P. J. (2016). A survey of ticks (Acari: Ixodidae) of companion animals in Australia. *Parasites and Vectors*, 9(1), 1–10. <https://doi.org/10.1186/s13071-016-1480-y>
- Hebert, P. D. N., Cywinska, A., Ball, S. L., & Jeremy, R. (2003). *Biological identifications through DNA barcodes*. January, 313–321. <https://doi.org/10.1098/rspb.2002.2218>
- Helgen dan Flannery. (2004). Notes On The Phalangerid Marsupial Genus *Spilocuscus*, With Description Of A New Species From Papua. 85(5), 825-833 .
- Heylen, D., De Coninck, E., Jansen, F., & Madder, M. (2014). Differential diagnosis of three common *Ixodes* spp. ticks infesting songbirds of Western Europe: *Ixodes arboricola*, *I. frontalis* and *I. ricinus*. *Ticks and Tick-Borne Diseases*, 5(6), 693–700. <https://doi.org/10.1016/j.ttbdis.2014.05.006>
- Heyman, P., Cochez, C., Hofhuis, A., Van Der Giessen, J., Sprong, H., Porter, S. R., Losson, B., Saegerman, C., Donoso-Mantke, O., Niedrig, M., & Papa, A. (2010). A clear and present danger: Tick-borne diseases in Europe. *Expert Review of Anti-Infective Therapy*, 8(1), 33–50. <https://doi.org/10.1586/eri.09.118>
- Hillis, D. M., & Dixon, M. T. (1991). Ribosomal DNA: Molecular evolution and phylogenetic inference. *Quarterly Review of Biology*, 66(4), 411–446. <https://doi.org/10.1086/417338>
- Homsher, P. J., & Sonenshine, D. E. (1977). Scanning electron microscopy of ticks for systematic studies. 2. Structure of Haller's organ in *Ixodes brunneus* and *Ixodes frontalis*. *Journal of Medical Entomology*, 14(1), 93–97. <https://doi.org/10.1093/jmedent/14.1.93>
- Hofmeester, T. R. (2016). The Wild Life of Tick-borne Pathogens. Graduate School for Production Ecology and Resource Conservation
- Hoogstraal, H., & Aeschlimann, A. (1982). Tick-host specificity. *Bulletin de La Société Entomologique Suisse*, 55, 5–32. <https://doi.org/10.1017/CBO9781107415324.004>
- Hoskins, J. D. (1991). Keys to their Identification. *Veterinary Clinics of North America: Small Animal Practice*, 21(1), 185–197. [https://doi.org/10.1016/S0195-5616\(91\)50018-8](https://doi.org/10.1016/S0195-5616(91)50018-8)

- Hughes, A. R., Inouye, B. D., Johnson, M. T. J., Underwood, N., & Vellend, M. (2008). Ecological consequences of genetic diversity. *Ecology Letters*, *11*(6), 609–623. <https://doi.org/10.1111/j.1461-0248.2008.01179.x>
- Jackson, J. (1998). A new host record for *Ixodes holocyclus* Neumann and *Ixodes cordifer* Neumann (Acarina: Ixodidae) in Australia. *Australian Journal of Entomology*, *37*(2), 113–114. <https://doi.org/10.1111/j.1440-6055.1998.tb01556.x>
- Josek, T., Allan, B. F., & Alleyne, M. (2018). Morphometric Analysis of Chemoreception Organ in Male and Female Ticks (Acari: Ixodidae). *Journal of Medical Entomology*, *55*(3), 547–552. <https://doi.org/10.1093/jme/tjx232>
- Kemp, D. H., & Wilson, N. (1979). The occurrence of *Amblyomma cyprium* cyprium (Acari: Ixodidae) in Australia, with additional records from the southwest Pacific. *Pacific Insects*, *21*(2–3), 224–226.
- Kiffner, C., Vor, T., Hagedorn, P., Niedrig, M., & Rühle, F. (2011). Factors affecting patterns of tick parasitism on forest rodents in tick-borne encephalitis risk areas, Germany. *Parasitology Research*, *108*(2), 323–335. <https://doi.org/10.1007/s00436-010-2065-x>
- Kunda, R.M. 2017. Kajian Penanda Genetik Gen Cytochrome B (CYT B) Dan Cytochrome Oxidase Sub-Unit III (COX III) Mitokondria pada Kuskus (Phalangeridae). Disertasi. Program Studi Doktor Ilmu Sain Veteriner Fakultas Kedokteran Hewan. Universitas Gadjah Mada Yogyakarta
- Kolonin, G. V. (2007). Mammals as hosts of Ixodid ticks (Acarina, Ixodidae). *Entomological Review*, *87*(4), 401–412. <https://doi.org/10.1134/S0013873807040033>
- Krakowetz, C. N., Lindsay, L. R., & Chilton, N. B. (2014). Genetic variation in the mitochondrial 16S ribosomal RNA gene of *Ixodes scapularis* (Acari: Ixodidae). *Parasites and Vectors*, *7*(1), 1–15. <https://doi.org/10.1186/s13071-014-0530-6>
- Krasnov, B. R., Shenbrot, G. I., Khokhlova, I. S., & Poulin, R. (2004). Relationships between parasite abundance and the taxonomic distance among a parasite's host species: An example with fleas parasitic on small mammals. *International Journal for Parasitology*, *34*(11), 1289–1297. <https://doi.org/10.1016/j.ijpara.2004.08.003>
- Kwak, M. L., & Madden, C. (2017). The first record of infestation by a native tick (Acari: Ixodidae) on the Australian emu (*Dromaius novaehollandiae*) and a review of tick paralysis in Australian birds. *Experimental and Applied Acarology*, *73*(1), 103–107. <https://doi.org/10.1007/s10493-017-0168-0>
- Kwak, Mackenzie L., Beveridge, I., Koehler, A. V., Malipatil, M., Gasser, R. B., & Jabbar, A. (2017). Phylogenetic analysis of the Australasian paralysis ticks and their relatives (Ixodidae: Ixodes: Sternalixodes). *Parasites and Vectors*, *10*(1), 1–12. <https://doi.org/10.1186/s13071-017-2045-4>
- Kwak, Mackenzie Lamont. (2017). Keys for the morphological identification of the Australian paralysis ticks (Acari: Ixodidae), with scanning electron micrographs. *Experimental and Applied Acarology*, *72*(1), 93–101. <https://doi.org/10.1007/s10493-017-0133-y>
- Latif, A. A., & Walker, A. R. (2004). *An introduction to the biology and control of*

*ticks in Africa*. 1–29. <http://www.alanrwalker.com/assets/PDF/tick-biology-africa.pdf>

- Latrofa, M. S., Dantas-Torres, F., Annoscia, G., Cantacessi, C., & Otranto, D. (2013). Comparative analyses of mitochondrial and nuclear genetic markers for the molecular identification of *Rhipicephalus* spp. *Infection, Genetics and Evolution*, 20, 422–427. <https://doi.org/10.1016/j.meegid.2013.09.027>
- Lohman, D. J., Bruyn, M. De, Page, T., Rintelen, K. Von, Hall, R., Ng, P. K. L., Shih, H., Carvalho, G. R., & Rintelen, T. Von. (2011). *Biogeography of the Indo-Australian Archipelago*. 205–228. <https://doi.org/10.1146/annurev-eolsys-102710-145001>
- Madder, M., Horak, I., & Stoltz, H. (2013). *Ticks: Tick Identification*. 1–58. [http://www.afriprep.org/sites/default/files/identification\\_complete\\_1.pdf](http://www.afriprep.org/sites/default/files/identification_complete_1.pdf)
- Manni, M., Gomulski, L. M., Aketarawong, N., Tait, G., Scolari, F., Somboon, P., Guglielmino, C. R., Malacrida, A. R., & Gasperi, G. (2015). Molecular markers for analyses of intraspecific genetic diversity in the Asian Tiger mosquito, *Aedes albopictus*. *Parasites and Vectors*, 8(1). <https://doi.org/10.1186/s13071-015-0794-5>
- Marcogliese, D. J. (2004). Parasites: Small Players with Crucial Roles in the Ecological Theater. *EcoHealth*, 1(2), 151–164. <https://doi.org/10.1007/s10393-004-0028-3>
- McKay, G.M and Winter, J.W. 2006. *Fauna of Australia*. Volume IB. [australia/fauna-1b.html](http://australia/fauna-1b.html). Download: 11 September 2014.
- Morales-Hojas, R. (2009). Molecular systematics of filarial parasites, with an emphasis on groups of medical and veterinary importance, and its relevance for epidemiology. *Infection, Genetics and Evolution*, 9(5), 748–759. <https://doi.org/10.1016/j.meegid.2009.06.007>
- Morand and Krasnov, B. R. (2002). *the Geography of*. January, 343–345.
- Murdoch, F. A., & Spratt, D. M. (2005). Ecology of the common marsupial tick (*Ixodes tasmani* Neumann) (Acarina: Ixodidae), in eastern Australia. *Australian Journal of Zoology*, 53(6), 383–388. <https://doi.org/10.1071/ZO05032>
- Murrell, A., Campbell, N. J. H., & Barker, S. C. (2000). Phylogenetic analyses of the rhipicephaline ticks indicate that the genus *Rhipicephalus* is paraphyletic. *Molecular Phylogenetics and Evolution*, 16(1), 1–7. <https://doi.org/10.1006/mpev.2000.0762>
- Murrell, A., Campbell, N. J. H., & Barker, S. C. (2001). A total-evidence phylogeny of ticks provides insights into the evolution of life cycles and biogeography. *Molecular Phylogenetics and Evolution*, 21(2), 244–258. <https://doi.org/10.1006/mpev.2001.1018>
- Nava, S., Guglielmone, A. A., & Mangold, A. J. (2009). An overview of systematics and evolution of ticks. *Frontiers in Bioscience*, 14(8), 2857–2877. <https://doi.org/10.2735/3418>
- Norris, D. E., Klompen, J. S. H., Keirans, J. E., & Black IV, W. C. (1996). Population Genetics of *Ixodes scapularis* (Acari: Ixodidae) Based on Mitochondrial 16S and 12S Genes. *Journal of Medical Entomology*, 33(1), 78–89. <https://doi.org/10.1093/jmedent/33.1.78>

- Norris, D. E., Klompen, J. S. H., Keirans, J. E., & Iv, W. C. B. (1996). *Population Genetics of Ixodes scapularis (Acari: Ixodidae) Based on Mitochondrial 16S and 12S Genes*. 33(1), 78–89.
- Ogrzewalska, M., Uezu, A., & Labruna, M. B. (2010). Ticks (Acari: Ixodidae) infesting wild birds in the eastern Amazon, Northern Brazil, with notes on rickettsial infection in ticks. *Parasitology Research*, 106(4), 809–816. <https://doi.org/10.1007/s00436-010-1733-1>
- Paterson, A. M., & Gray, R. D. (1997). Host-parasite cospeciation, host switching, and missing the boat. In *Host-parasite evolution: General principles and avian models* (pp. 236–250).
- Patterson, J. S., Schofield, C. J., Dujardin, J. P., & Miles, M. A. (2001). Population morphometric analysis of the tropicopolitan bug *Triatoma rubrofasciata* and relationships with Old World species of *Triatoma*: Evidence of New world ancestry. *Medical and Veterinary Entomology*, 15(4), 443–451. <https://doi.org/10.1046/j.0269-283X.2001.00333.x>
- Petney, T N. (1993). *A preliminary study of the significance of ticks and tick-borne diseases in South-east Asia*. 15, 33–42.
- Petney, Trevor N, Kolonin, G. V., & Robbins, R. G. (2007). *Southeast Asian ticks (Acari: Ixodida): a historical perspective*. 101, 201–205. <https://doi.org/10.1007/s00436-007-0687-4>
- Pilosof, S., Morand, S., Krasnov, B. R., & Nunn, C. L. (2015). Potential parasite transmission in multi-host networks based on parasite sharing. *PLoS ONE*, 10(3), 1–19. <https://doi.org/10.1371/journal.pone.0117909>
- Potkay, S. (1977). Diseases of Marsupials. In *The Biology of Marsupials*. ACADEMIC PRESS, INC. <https://doi.org/10.1016/b978-0-12-362250-1.50014-9>
- Pugh, P. J. A., King, P. E., & Fordy, M. R. (1988). The spiracle of *Ixodes ricinus* (L.) (Ixodidae: Metastigmata: Acarina): a passive diffusion barrier for water vapour. *Zoological Journal of the Linnean Society*, 93(2), 113–131. <https://doi.org/10.1111/j.1096-3642.1988.tb01530.x>
- Ramos, R., Ramos, C., Araújo, F., Oliveira, R., Souza, I., Pimentel, D., Galindo, M., Santana, M., Rosas, E., Faustino, M., & Alves, L. (2010). Molecular survey and genetic characterization of tick-borne pathogens in dogs in metropolitan Recife (north-eastern Brazil). *Parasitology Research*, 107(5), 1115–1120. <https://doi.org/10.1007/s00436-010-1979-7>
- Rana, N., & Das, B. K. (2016). Morphometric and molecular identification of *Paradactylogyrus catlaius* (Thapar 1948) in *Catla catla* (Hamilton 1822). *Journal of Parasitic Diseases*, 40(1), 36–40. <https://doi.org/10.1007/s12639-014-0437-3>
- Rivera-Páez, F. A., Labruna, M. B., Martins, T. F., Perez, J. E., Castaño-Villa, G. J., Ossa-López, P. A., Gil, C. A., Sampieri, B. R., Aricapa-Giraldo, H. J., & Camargo-Mathias, M. I. (2018). Contributions to the knowledge of hard ticks (Acari: Ixodidae) in Colombia. *Ticks and Tick-Borne Diseases*, 9(1), 57–66. <https://doi.org/10.1016/j.ttbdis.2017.10.008>
- Roberts F.H.S. (1893). *Ixodes Cordifer* Neumann 1908. *Journal de Physique*



*Théorique et Appliquée*, 2(1), 532–543.  
<https://doi.org/10.1051/jphystap:018930020053200>

- Ruedas, L. A., & Morales, J. C. (2005). Evolutionary Relationships Among Genera of Phalangeridae (Metatheria: Diprotodontia) Inferred From Mitochondrial Dna. *Journal of Mammalogy*, 86(2), 353–365. <https://doi.org/10.1644/BER-117.1>
- Sahara, A., Mada, U. G., Prastowo, J., Widayanti, R., Mada, U. G., Kurniasih, K., & Mada, U. G. (2015). Keckerabatan Genetik Caplak Rhiphicephalus (Boophilus) microplus Asal Indonesia Berdasarkan Sekuen Internal Transcribed Spacer-2. *Jurnal Veteriner*, 16(3), 310–319.
- Shao, R., Barker, S. C., Mitani, H., Aoki, Y., & Fukunaga, M. (2005). Evolution of duplicate control regions in the mitochondrial genomes of metazoa: A case study with Australasian Ixodes ticks. *Molecular Biology and Evolution*, 22(3), 620–629. <https://doi.org/10.1093/molbev/msi047>
- Shaw, M., Murrell, A., & Barker, S. (2002). Low intraspecific variation in the rRNA internal transcribed spacer 2 (ITS2) of the Australian paralysis tick, *Ixodes holocyclus*. *Parasitology Research*, 88(3), 247–252. <https://doi.org/10.1007/s00436-001-0533-z>
- Sinery, A. S., Farida, W. R., & Manusawai, J. (2016). *The population of spotted cuscus ( Spilocuscus maculatus ) and its habitat carrying capacity in Numfor Island , Papua , Indonesia*. 17(1), 315–321. <https://doi.org/10.13057/biodiv/d170143>
- Soghigian, J., Ridge, G. E., Stafford, K. C., & Molaei, G. (2017). The first evidence of nanism in *Ixodes (Ixodes) scapularis* (Acari: Ixodidae), found parasitizing a human host. *Journal of Medical Entomology*, 54(5), 1224–1228. <https://doi.org/10.1093/jme/tjx111>
- Soltan-Alinejad, P., Ramezani, Z., Edalat, H., Telmadarraiy, Z., Dabiri, F., Vatandoost, H., Oshaghi, M. A., Mohebbali, M., Seyyed-Zadeh, S. J., Zarei, Z., Hanifian, H., Faghihi, F., Abolhasani, M., Mohammadi Bavani, M., Musavi, J., Terenius, O., & Chavshin, A. R. (2020). Molecular characterization of Ribosomal DNA (ITS2) of hard ticks in Iran: Understanding the conspecificity of *Dermacentor marginatus* and *D. niveus*. *BMC Research Notes*, 13(1), 1–6. <https://doi.org/10.1186/s13104-020-05326-5>
- Sonenshine, D. E., Lane, R. S., And Nicholson, W. L. (2002). Ticks (Ixodida). *External Parasites of Small Ruminants. A Practical Guide to Their Prevention and Control*, 49–61. <https://doi.org/10.1079/9781845936648.0049>
- Sonenshine D.E & Roe, R. M. (2013). Book review: *Biology of Ticks*. 2nd ed. *European Journal of Entomology*, 112(3), 564. <https://doi.org/10.14411/eje.2015.069>
- Song, J., Shi, L., Li, D., Sun, Y., Niu, Y., Chen, Z., Luo, H., Pang, X., Sun, Z., Liu, C., Lv, A., Deng, Y., Larson-Rabin, Z., Wilkinson, M., & Chen, S. (2012). Extensive Pyrosequencing Reveals Frequent Intra-Genomic Variations of Internal Transcribed Spacer Regions of Nuclear Ribosomal DNA. *PLoS ONE*, 7(8). <https://doi.org/10.1371/journal.pone.0043971>
- Suppan, J., Walz, M., & Klepal, W. (2013). The spiracle glands in *Ixodes ricinus* (Linnaeus, 1758) (Acari: Ixodidae). *Acarologia*, 53(2), 221–230.

<https://doi.org/10.1051/acarologia/20132091>

- Thompson, R. C. A., Lymbery, A. J., & Godfrey, S. S. (2017). Parasites at Risk – Insights from an Endangered Marsupial. *Trends in Parasitology*, *xx*, 1–11. <https://doi.org/10.1016/j.pt.2017.09.001>
- Thompson, R. C. A., Lymbery, A. J., & Godfrey, S. S. (2018). Parasites at Risk – Insights from an Endangered Marsupial. *Trends in Parasitology*, *34*(1), 12–22. <https://doi.org/10.1016/j.pt.2017.09.001>
- Uspensky, I. (2018). The importance of distinguishing between cryptic species by morphological characters. *Ticks and Tick-Borne Diseases*, *9*(2), 389. <https://doi.org/10.1016/j.ttbdis.2017.12.004>
- Vellend, M., & Geber, M. A. (2005). Connections between species diversity and genetic diversity. *Ecology Letters*, *8*(7), 767–781. <https://doi.org/10.1111/j.1461-0248.2005.00775.x>
- Viggers, K. L., Lindenmayer, D. B., Cunningham, R. B., & Donnelly, C. F. (1998). The effects of parasites on a wild population of the Mountain Brushtail Possum *Trichosurus caninus* in south-eastern Australia. *International Journal for Parasitology* *28* (1998) 747-755, 636–644.
- Witter, R., Martins, T. F., Campos, A. K., Melo, A. L. T., Corrêa, S. H. R., Morgado, T. O., Wolf, R. W., May-Júnior, J. A., Sinkoc, A. L., Strüssmann, C., Aguiar, D. M., Rossi, R. V., Semedo, T. B. F., Campos, Z., Desbiez, A. L. J., Labruna, M. B., & Pacheco, R. C. (2016). Rickettsial infection in ticks (Acari: Ixodidae) of wild animals in midwestern Brazil. *Ticks and Tick-Borne Diseases*, *7*(3), 415–423. <https://doi.org/10.1016/j.ttbdis.2015.12.019>
- Yang, L., Tan, Z., Wang, D., Xue, L., Guan, M. X., Huang, T., & Li, R. (2014). Species identification through mitochondrial rRNA genetic analysis. *Scientific Reports*, *4*, 1–11. <https://doi.org/10.1038/srep04089>
- Zahler, M., Filippova, N. A., Morel, P. C., Gothe, R., Morel, P. C., & Rindert, H. (2013). *Relationships between Species of the Rhipicephalus sanguineus Group: A Molecular Approach* *83*(2), 302–306.
- Zhang, L., Wang, H., Hu, Z., & Wang, D. (2017). An enhanced distributed localization algorithm based on MDS-MAP in wireless sensor networks. *International Journal of Online Engineering*, *13*(3), 27–39. <https://doi.org/10.3991/ijoe.v13i03.6857>
- Zhang, Y. K., Yu, Z. J., Zhang, X. Y., Vichova, B., Peřko, B., & Liu, J. Z. (2019). The mitochondrial genome of the ornate sheep tick, *Dermacentor marginatus*. *Experimental and Applied Acarology*, *79*(3–4), 421–432. <https://doi.org/10.1007/s10493-019-00440-x>