

## DAFTAR PUSTAKA

- Abdeljawad, K., Wehbeh, A., & Qayed, E. (2017). Low Prevalence of Clinically Significant Endoscopic Findings in Outpatients with Dyspepsia. *Gastroenterology Research and Practice*, 2017. <https://doi.org/10.1155/2017/3543681>
- Abubakar, A. R., Chedi, B. A. Z., Simbak, N. Bin, & Haque, M. (2014). Medication error: The role of health care professionals, sources of error and prevention strategies. *Journal of Chemical and Pharmaceutical Research*, November, 646–651.
- Ahmad, A. (2019). Home Pharmacy Care: Solusi Keberhasilan Terapi di Rumah. *Farmasetika.Com (Online)*, 3(5), 70. <https://doi.org/10.24198/farmasetika.v3i5.21634>
- Ahmad, Ali, M. S., Alam, N., Alam, M. I., Alam, M. S., & Ali, M. D. (2016). Drug interactions of H2receptor antagonists-ranitidine: A Review. *Research Journal of Pharmacy and Technology*, 9(3), 275–280. <https://doi.org/10.5958/0974-360X.2016.00051.2>
- Allayla, T. H., Ahmed, I. N., & Mohamed, A. H. (2018). Pharmacist Role in Global Health : A Review of Literature. *Malaysian Journal of Pharmaceutical Sciences*, 16(1), 45–54.
- Ambizas, E. M., & Etzel, J. V. (2017). Proton pump inhibitors: Considerations with long-term use. *U.S. Pharmacist*, 42(7), 4–7.
- Angga Sulistya, Y., Rachma Pramestutie, H., & Sidharta, B. (2017). Profil Kualitas Pelayanan Resep oleh Apoteker di Beberapa Apotek Kecamatan Klojen Kota Malang. *Pharmaceutical Journal of Indonesia*, 3(1), 1–9. <https://doi.org/10.21776/ub.pji.2017.003.01.1>
- Ansari, S., & Ford, A. C. (2013). Initial management of dyspepsia in primary care: An evidence-based approach. *British Journal of General Practice*, 63(614), 498–499. <https://doi.org/10.3399/bjgp13X671821>
- Armstrong, D., & Nakhla, N. (2016). Non-prescription proton-pump inhibitors for self-treating frequent heartburn: The role of the Canadian pharmacist. *Pharmacy Practice*, 14(4), 1–8. <https://doi.org/10.18549/PharmPract.2016.04.868>
- Azab, M., Doo, L., Doo, D. H., Elmofti, Y., Ahmed, M., Cadavona, J. J., Liu, X. B., Shafi, A., Joo, M. K., & Yoo, J. W. (2017). Comparison of the hospital-acquired clostridium difficile infection risk of using proton pump inhibitors versus histamine-2 receptor antagonists for prophylaxis and treatment of stress ulcers: A systematic review and meta-analysis. *Gut and Liver*, 11(6), 781–788. <https://doi.org/10.5009/gnl16568>
- Bennadi, D. (2014). Self-medication: A current challenge. *Journal of Basic and Clinical Pharmacy*, 5(1), 19. <https://doi.org/10.4103/0976-0105.128253>
- Berardi, R. R., Ferreri, S. P., Hume, A. L., Kroon, L. A., Newton, G. D., Popovich, N. G., Remington, T. L., Rollins, C. J., Shimp, L. A., & Tietze, K. J. (2009). *Handbook of Nonprescription Drugs 16th Ed* (pp. 596–597).
- Biswas, S., Benedict, S. H., Lynch, S. G., & LeVine, S. M. (2012). Potential immunological consequences of pharmacological suppression of gastric acid production in patients with multiple sclerosis. *BMC Medicine*, 10(1), 57. <https://doi.org/10.1186/1741-7015-10-57>
- Black, C. J., Houghton, L. A., & Ford, A. C. (2018). Insights into the evaluation and management of dyspepsia: recent developments and new guidelines. *Therapeutic*

- Boghossian, T. A., Rashid, F. J., Thompson, W., Welch, V., Moayyedi, P., Rojas-Fernandez, C., Pottie, K., & Farrell, B. (2017). Deprescribing versus continuation of chronic proton pump inhibitor use in adults. *The Cochrane Database of Systematic Reviews*, 3(3), CD011969. <https://doi.org/10.1002/14651858.CD011969.pub2>
- Chung, V. C. H., Wong, C. H. L., Ching, J. Y. L., Sun, W. Z., Ju, Y. L., Hung, S. S., Lin, W. L., Leung, K. C., Wong, S. Y. S., & Wu, J. C. Y. (2018). Electroacupuncture plus standard of care for managing refractory functional dyspepsia: protocol of a pragmatic trial with economic evaluation. *BMJ Open*, 8(3), e018430. <https://doi.org/10.1136/bmjopen-2017-018430>
- Coelho, L. G. V., Marinho, J. R., Genta, R., Ribeiro, L. T., Passos, M. do C. F., Zaterka, S., Assumpção, P. P., Barbosa, A. J. A., Barbuti, R., Braga, L. L., Breyer, H., Carvalhaes, A., Chinzon, D., Cury, M., Domingues, G., Jorge, J. L., Maguilnik, I., Marinho, F. P., Moraes-Filho, J. P. de, ... Zir, J. V. (2018). IVTH BRAZILIAN CONSENSUS CONFERENCE ON HELICOBACTER PYLORI INFECTION. *Arquivos de Gastroenterologia*, 55(2), 97–121. <https://doi.org/10.1590/S0004-2803.201800000-20>
- Corsetti, M., & Fox, M. (2017a). The management of functional dyspepsia in clinical practice: what lessons can be learnt from recent literature? *F1000Research*, 6, 1778. <https://doi.org/10.12688/f1000research.12089.1>
- Corsetti, M., & Fox, M. (2017b). The management of functional dyspepsia in clinical practice: What lessons can be learnt from recent literature? *F1000Research*, 6(0). <https://doi.org/10.12688/f1000research.12089.1>
- Dalis, S., & Wahyudi, M. (2016). Penerapan Case Based Reasoning Untuk Penentuan Obat Berbasis Algoritma Nearest Neighbor. *Teknik Komputer AMIK BSI*, II(2), 17–25.
- Das, S. R., Bhusanpanigrahi, D. B., & Pani, D. M. (2020). A Review on compatibility of “Sucralfate” in bi layer floating tablet for treatment of ulcer in pregnancy. *International Journal of Pharmacy Research & Technology*, 10(1), 12–16. <https://doi.org/10.31838/ijprt/10.01.04>
- Depkes RI. (1990). *Keputusan Menteri Kesehatan Republik Indonesia No.347/Menkes/SK/VII/1990 Tentang Daftar Obat Wajib Apotek No 1.pdf*.
- Depkes RI. (1993). *Keputusan Menteri Kesehatan Republik Indonesia Nomor : 924/Menkes/SK/X/1993 Tentang Daftar Obat Wajib Apotek No 2* (Issue 2, pp. 0–3).
- Depkes RI. (1999). *Keputusan Menteri Kesehatan Republik Indonesia No.1176/Menkes/SK/X/1999 Tentang Daftar Obat Wajib Apotek No 3*.
- Depkes RI. (2009). Peraturan Pemerintah Republik Indonesia Nomor 51 Tahun 2009 Tentang Pekerjaan Kefarmasian. *Peraturan Pemerintah Republik Indonesia*.
- Dettmar, P., Strugala, V., Fisher, J., & Woodcock, A. (2019). Journal of Pharmaceutics and Therapeutics The Antacid Efficacy of Maalox in Comparison to a Range of Antacids. *Journal of Pharmaceutics and Therapeutics*, 5(1), 301–325.
- Duboc, H., Latrache, S., Nebunu, N., & Coffin, B. (2020). The Role of Diet in Functional Dyspepsia Management. *Frontiers in Psychiatry*, 11, 23. <https://doi.org/10.3389/fpsy.2020.00023>

- Dutta, U., & Moayyedi, P. (2013). Management of reflux-related symptoms. *Best Practice and Research: Clinical Gastroenterology*, 27(3), 387–400. <https://doi.org/10.1016/j.bpg.2013.06.004>
- Duvnjak, M., & Gomerc, M. (2011). *Management of Uninvestigated Dyspepsia*. 75–87. <https://doi.org/10.1007/978-1-4419-1730-0>
- Eom, C.-S. (2011). Risk of fracture and pneumonia from acid suppressive drugs. *World Journal of Methodology*, 1(1), 15. <https://doi.org/10.5662/wjm.v1.i1.15>
- Espallardo, B, A. L. A., Marishiel, M.-S., O, L. A. G., & V, C. R. J. (2017). Clinical pathways for the management of hypertension in family and community practice. *The Filipino Family Physician*, 143–161. <http://dx.doi.org/>
- Eusebi, L. H., Black, C. J., Howden, C. W., & Ford, A. C. (2019). Effectiveness of management strategies for uninvestigated dyspepsia: systematic review and network meta-analysis. *BMJ (Clinical Research Ed.)*, 367, 16483. <https://doi.org/10.1136/bmj.16483>
- Ferrari, R. (2015). Writing narrative style literature reviews. *Medical Writing*, 24(4), 230–235. <https://doi.org/10.1179/2047480615Z.000000000329>
- Fong, S., & Dunn, J. (2013). Dyspepsia: alarm symptoms, investigation and management. *Prescriber*, 24(7), 13–26. <https://doi.org/10.1002/psb.1035>
- Francis, P., & Zavala, S. R. (2021). *Functional Dyspepsia*.
- Franco, J. V. A., Arancibia, M., Szeinman, D. J., Alonso, I. T., & Vietto, V. (2019). Herbal (Non-Chinese) medicines for functional dyspepsia (Protocol). *Cochrane Database of Systematic Reviews*, 2019(4). <https://doi.org/10.1002/14651858.CD013323>.
- Garcia, A., Francisco, J., Hernández Tejero, M., Rubio Benito, E., Valer, P., Guerra, I., García Ceballos, V. G., Noguerol, M., Llinares, V., & Bermejo, F. (2017). Implementation and evaluation of early gastroscopy for patients with dyspepsia and warning signs in Primary Care. *Gastroenterología y Hepatología (English Edition)*, 40(5), 331–338. <https://doi.org/10.1016/j.gastre.2016.10.014>
- Ghoshal, U. C., Singh, R., Chang, F. Y., Hou, X., Wong, B. C. Y., & Kachintorn, U. (2011). Epidemiology of uninvestigated and functional dyspepsia in Asia: Facts and fiction. *Journal of Neurogastroenterology and Motility*, 17(3), 235–244. <https://doi.org/10.5056/jnm.2011.17.3.235>
- Gilman, A. G. (2018). Goodman & Gilman's The Pharmacological Basic of Therapeutics 13 th Edition. In *Mc Graw Hill* (13th ed.). Mc-Graw-Hill Education.
- Gwee, K.-A., Holtmann, G., Tack, J., Suzuki, H., Liu, J., Xiao, Y., Chen, M.-H., Hou, X., Wu, D.-C., Toh, C., Lu, F., & Tang, X.-D. (2021). Herbal medicines in functional dyspepsia-Untapped opportunities not without risks. *Neurogastroenterology and Motility: The Official Journal of the European Gastrointestinal Motility Society*, 33(2), e14044. <https://doi.org/10.1111/nmo.14044>
- Haddad, I., Kierkus, J., Tron, E., Ulmer, A., Hu, P., Sloan, S., Silber, S., & Leitz, G. (2013). Efficacy and safety of rabeprazole in children (1-11 years) with gastroesophageal reflux disease. *Journal of Pediatric Gastroenterology and Nutrition*, 57(6), 798–807. <https://doi.org/10.1097/MPG.0b013e3182a4e718>
- Harer, K. N., & Hasler, W. L. (2020). Functional dyspepsia: A review of the symptoms,

- evaluation, and treatment options. *Gastroenterology and Hepatology*, 16(2), 66–74.
- Hojo, M., Nagahara, A., Asaoka, D., Takeda, T., Izumi, K., Matsumoto, K., Ueyama, H., Shimada, Y., Matsumoto, K., Nojiri, S., & Watanabe, S. (2017). A Randomized, Double-Blind, Pilot Study of the Effect of Famotidine on Acotiamide Treatment for Functional Dyspepsia. *Digestion*, 96(1), 5–12. <https://doi.org/10.1159/000477345>
- Hong, S. J., Sung, I. K., Kim, J. G., Lee, S. W., Choi, S. C., Yang, C. H., Lee, S. I., Lee, D. H., Kim, G. H., Jeon, S. W., Park, M. I., Park, S. K., Park, B. J., & Seol, S. Y. (2011). Failure of a randomized, double-blind, placebo-controlled study to evaluate the efficacy of H. pylori eradication in H. pylori -infected patients with functional dyspepsia. *Gut and Liver*, 5(4), 468–471. <https://doi.org/10.5009/gnl.2011.5.4.468>
- Jaynes, M., & Kumar, A. (2019). The risks of long-term use of proton pump inhibitors: a critical review. *Therapeutic Advances in Vaccines*, 10(6), 1–13. <https://doi.org/10.1177/https>
- Juliana, D., & Farah, A. (2019). Caffeine Consumption through Coffee: Content in the Beverage, Metabolism, Health Benefits and Risks. *Beverages*, 5(2), 37. <https://doi.org/10.3390/beverages5020037>
- Kachintorn, U. (2011). *Epidemiology , approach and management of functional dyspepsia in Thailand*. 26, 32–34. <https://doi.org/10.1111/j.1440-1746.2011.06647.x>
- Kavitt, R. T., Lipowska, A. M., Anyane-Yebo, A., & Gralnek, I. M. (2019). Diagnosis and Treatment of Peptic Ulcer Disease. *The American Journal of Medicine*, 132(4), 447–456. <https://doi.org/10.1016/j.amjmed.2018.12.009>
- Kemendes RI. (2007). Pedoman Penggunaan Obat Bebas dan Bebas Terbatas. *Pedoman Penggunaan Obat Bebas Dan Bebas Terbatas*, 9–36. <http://iaai.id/library/pelayanan/pedoman-penggunaan-obat-bebas-dan-bebas-terbatas>.
- Kemendes RI. (2018). *Farmasi Klinik*. RI, Kemendes.
- Kemendes RI. (2021). *Perubahan, Penggolongan, Pembatasan, Dan Kategori Obat*. 1–10.
- Ko, S.-J., Park, K., Kim, J., Kim, M., Kim, J.-H., Lee, J., Mohamed, A. Z., Yeo, I., Kim, J., Choi, S.-M., Kim, H., Park, J.-W., & Lee, J.-H. (2016). Effect of acupuncture and its influence on cerebral activity in functional dyspepsia patients: study protocol for a randomized controlled trial. *Trials*, 17, 183. <https://doi.org/10.1186/s13063-016-1296-2>
- Koduru, P., Irani, M., & Quigley, E. M. M. (2018a). Definition, Pathogenesis, and Management of That Cursed Dyspepsia. *Clinical Gastroenterology and Hepatology*, 16(4), 467–479. <https://doi.org/10.1016/j.cgh.2017.09.002>
- Koduru, P., Irani, M., & Quigley, E. M. M. (2018b). Definition, Pathogenesis, and Management of That Cursed Dyspepsia. *Clinical Gastroenterology and Hepatology : The Official Clinical Practice Journal of the American Gastroenterological Association*, 16(4), 467–479. <https://doi.org/10.1016/j.cgh.2017.09.002>
- Lacy, B. E., Talley, N. J., Locke, G. R. 3rd, Bouras, E. P., DiBaise, J. K., El-Serag, H. B., Abraham, B. P., Howden, C. W., Moayyedi, P., & Prather, C. (2012). Review article: current treatment options and management of functional dyspepsia. *Alimentary Pharmacology & Therapeutics*, 36(1), 3–15. <https://doi.org/10.1111/j.1365-2036.2012.05128.x>
- Laving, A., Kamenwa, R., Sayed, S., Kimang, A. N., & Revathi, G. (2013). *Effectiveness of*

*sequential v . standard triple therapy for treatment of Helicobacter pylori infection in children in Nairobi , Kenya. 103(12), 921–924. <https://doi.org/10.796/SAMJ.7012>*

- Lee, H., Jung, H.-K., & Huh, K. C. (2014). Current status of functional dyspepsia in Korea. *The Korean Journal of Internal Medicine, 29(2)*, 156–165. <https://doi.org/10.3904/kjim.2014.29.2.156>
- Loyd, R. A., & McClellan, D. A. (2011). Update on the evaluation and management of functional dyspepsia. *American Family Physician, 83(5)*, 547–552.
- Madisch, A., Andresen, V., Enck, P., Labenz, J., Frieling, T., & Schemann, M. (2018). The diagnosis and treatment of functional dyspepsia. *Deutsches Arzteblatt International, 115(13)*, 222–232. <https://doi.org/10.3238/arztebl.2018.0222>
- Majeed, M., Majeed, S., Nagabhushanam, K., Arumugam, S., Pande, A., Paschapur, M., & Ali, F. (2018). Evaluation of the Safety and Efficacy of a Multienzyme Complex in Patients with Functional Dyspepsia: A Randomized, Double-Blind, Placebo-Controlled Study. *Journal of Medicinal Food, 21(11)*, 1120–1128. <https://doi.org/10.1089/jmf.2017.4172>
- Majewski, M., Sarosiek, I., Cooper, C. J., Wallner, G., McCallum, R. W., Edlavitch, S. A., & Sarosiek, J. (2016). Gastric pH and Therapeutic Responses to Exsomeprazole in Patients With Functional Dyspepsia: Potential Clinical Implications. *American Journal of the Medical Sciences, 352(6)*, 582–592. <https://doi.org/10.1016/j.amjms.2016.09.010>
- Malferteiner, P. (2017). STW 5 (Iberogast) Therapy in Gastrointestinal Functional Disorders. *Digestive Diseases (Basel, Switzerland), 35 Suppl 1*, 25–29. <https://doi.org/10.1159/000485410>
- Marcellus, S., Dadang, M., Murdani Abdullah, A., Fahrial, S., Achmad, F., Kaka, R., Hasan, M., & Amanda, P. U. (2014). Konsensus nasional penatalaksanaan dispepsia dan infeksi *Helicobacter pylori*. In *Konsensus Nasional Penatalaksanaan Dispepsia dan Infeksi Helicobacter pylori*. <http://pbpgi.or.id/wp-content/uploads/2015/10/Konsensus-Dispepsia-dan-Helicobater-Pylori-2014.pdf>
- Maria, I. P. S., Yuan, Y., Hassan, A., Bercik, P., & Moayyedi, P. (2018). Proton Pump Inhibitors for Functional Dyspepsia. *Gastroenterology Nursing : The Official Journal of the Society of Gastroenterology Nurses and Associates, 42(3)*, 3–78. <https://doi.org/10.1097/SGA.0000000000000486>
- Masuy, I., Van Oudenhove, L., & Tack, J. (2019). Review article: treatment options for functional dyspepsia. *Alimentary Pharmacology and Therapeutics, 49(9)*, 1134–1172. <https://doi.org/10.1111/apt.15191>
- Meijvis, S. C. A., Cornips, M. C. A., Voorn, G. P., Souverein, P. C., Endeman, H., Biesma, D. H., Leufkens, H. G. M., & Van De Garde, E. M. W. (2011). Microbial evaluation of proton-pump inhibitors and the risk of pneumonia. *European Respiratory Journal, 38(5)*, 1165–1172. <https://doi.org/10.1183/09031936.00020811>
- Meisam, A., Ahmadi, N., Keikha, M., Adibi, P., Sharma, N., & Moayyedi, P. (2017). Antacids, sucralfate and bismuth salts for functional dyspepsia. *Cochrane Database of Systematic Reviews, 2017(6)*. <https://doi.org/10.1002/14651858.CD012686>
- Miller, J. W. (2018). Proton Pump Inhibitors, H<sub>2</sub>-Receptor Antagonists, Metformin, and Vitamin B-12 Deficiency: Clinical Implications. *Advances in Nutrition (Bethesda, Md.), 9(4)*, 511S-518S. <https://doi.org/10.1093/advances/nmy023>

- Mo, C., Sun, G., Wang, Y. Z., Lu, M. L., & Yang, Y. S. (2015). PPI versus histamine H2 receptor antagonists for prevention of upper gastrointestinal injury associated with low-dose aspirin: Systematic review and meta-analysis. *PLoS ONE*, *10*(7), 1–13. <https://doi.org/10.1371/journal.pone.0131558>
- Moayyedi, P., Lacy, B. E., Andrews, C. N., Enns, R. A., Howden, C. W., & Vakil, N. (2017). ACG and CAG Clinical Guideline: Management of Dyspepsia. *The American Journal of Gastroenterology*, *112*(7), 988–1013. <https://doi.org/10.1038/ajg.2017.154>
- Mounsey, A., Barzin, A., & Rietz, A. (2020). Functional dyspepsia: Evaluation and management. *American Family Physician*, *101*(2), 84–88.
- Musnelina, L., & A.R, D. G. A. (2019). Profil Kesesuaian Terapi Obat Dispepsia Terhadap Formularium Pada Pasien Rawat Jalan Rumah Sakit Tk. IV Cijantung Jakarta, Jakarta Timur, Periode Januari – Desember 2016. *Sainstech Farma*, *12*(2), 116.
- Nagahara, A., Miwa, H., Asaoka, D., Shimada, Y., Sasaki, H., Matsumoto, K., Osada, T., Hojo, M., & Watanabe, S. (2015). Pretreatment prediction of symptom response to proton pump inhibitor therapy. *Journal of Gastroenterology and Hepatology (Australia)*, *30*(S1), 25–30. <https://doi.org/10.1111/jgh.12744>
- Nehra, A. K., Alexander, J. A., Loftus, C. G., & Nehra, V. (2018). Proton Pump Inhibitors: Review of Emerging Concerns. *Mayo Clinic Proceedings*, *93*(2), 240–246. <https://doi.org/10.1016/j.mayocp.2017.10.022>
- NICE. (2014a). Dyspepsia and gastro- oesophageal reflux disease : clinical guideline. *National Institute for Health and Care Excellence*, *1*(9), 7.
- NICE. (2014b). Gastro-oesophageal reflux disease and dyspepsia in adults: investigation and management | peptic-ulcer | Information for the public | NICE. *National Institute for Health and Care Excellence*, October. <https://www.nice.org.uk/guidance/cg184/ifp/chapter/peptic-ulcer>
- NICE. (2019). *2019 surveillance of gastro-oesophageal reflux disease and dyspepsia in adults: investigation and management (NICE guideline CG184) - PubMed - NCBI*. February. <https://www.ncbi.nlm.nih.gov/pubmed/31841283>
- Novotny, M., Klimova, B., & Valis, M. (2019). PPI long term use: Risk of neurological adverse events? *Frontiers in Neurology*, *10*(JAN). <https://doi.org/10.3389/fneur.2018.01142>
- Nugent, C. C., Falkson, S. R., & Terrell, J. M. (2021). *H2 Blockers*. 1–4. <https://www.ncbi.nlm.nih.gov/books/NBK525994/>
- Nugroho, R., Safri, & Nurchayati, S. (2018). Gambaran Karakteristik Pasien Dengan Sindrom Dispepsia Di Puskesmas Rumbai. *JOM FKp*, *5*(2), 823–830.
- Nuryati. (2017). *Farmakologi: Bahan Ajar Rekam Medis dan Informasi Kesehatan (RMIK)* (I). Pusat Pendidikan Sumber Daya Manusia Kesehatan.
- Nwokediuko, S. C., Ijoma, U., & Obieniu, O. (2012). Functional dyspepsia: Subtypes, risk factors, and overlap with irritable bowel syndrome in a population of african patients. *Gastroenterology Research and Practice*, *2012*. <https://doi.org/10.1155/2012/562393>
- Oktaviani, R., & Achiriyati, D. (2015). Acupressure On Zusanli (St36) And Taibai (Sp3) in Reducing Nausea for Patients with Dyspepsia at Banyumas Hospital. *Nurse Media: Journal of Nursing*, *4*(2), 745–753. <https://doi.org/10.14710/nmjn.v4i2.8383>

- Parker, H. L., Curcic, J., Heinrich, H., Sauter, M., Hollenstein, M., Schwizer, W., Savarino, E., & Fox, M. (2017). What to eat and drink in the festive season: A pan-European, observational, cross-sectional study. *European Journal of Gastroenterology and Hepatology*, 29(5), 608–614. <https://doi.org/10.1097/MEG.0000000000000829>
- Patel, D., Bertz, R., Ren, S., Boulton, D. W., & Någård, M. (2020). A Systematic Review of Gastric Acid-Reducing Agent-Mediated Drug–Drug Interactions with Orally Administered Medications. *Clinical Pharmacokinetics*, 59(4), 447–462. <https://doi.org/10.1007/s40262-019-00844-3>
- Paul, S., Paljor, H. P., Kumar, V., & Munjal, Y. P. (2015). Clinical and endoscopic evaluation of patients with dyspepsia. *Indian Journal of Medical Specialities*, 6(3), 98–101. <https://doi.org/10.1016/j.injms.2015.06.006>
- Pegu, K. D. (2020). Pharmacology of antacids. *Southern African Journal of Anaesthesia and Analgesia*, 26(6), S133–S136. <https://doi.org/10.36303/SAJAA.2020.26.6.S3.2559>
- Permenkes RI. (2016). Peraturan Menteri Kesehatan Republik Indonesia Nomor 34 Tahun 2016 Tentang Perubahan Atas Peraturan Menteri Kesehatan Nomor 58 Tahun 2014 Tentang Standar Pelayanan Kefarmasian Di Rumah Sakit. *Menteri Kesehatan Republik Indonesia Peraturan Menteri Kesehatan Republik Indonesia, Nomor 65(879)*, 2004–2006.
- Pittayanon, R., Leelakusolvong, S., Vilaichone, R.-K., Rojborwonwitaya, J., Treeprasertsuk, S., Mairiang, P., Chirnakorn, S., Chitapanarux, T., Kaosombatwattana, U., Sottisuporn, J., Sansak, I., Phisalprapa, P., Bunchorntavakul, C., Chuenrattanakul, S., Chakkaphak, S., Boonsirichan, R., Wiwattanachang, O., Maneerattanaporn, M., Piyaniyun, W., & Mahachai, V. (2019). Thailand Dyspepsia Guidelines: 2018. *Journal of Neurogastroenterology and Motility*, 25(1), 15–26. <https://doi.org/10.5056/jnm18081>
- Pittayanon, R., Yuan, Y., Bollegala, N. P., Khanna, R., Leontiadis, G. I., & Moayyedi, P. (2018). Prokinetics for functional dyspepsia. *Cochrane Database of Systematic Reviews*, 2018(10). <https://doi.org/10.1002/14651858.CD009431.pub3>
- Purnamasari, L. (2017). Faktor Risiko , Klasifikasi , dan Terapi Sindrom Dispepsia. *Continuing Medical Education*, 44(12), 870–873.
- Romano, C., Valenti, S., Cardile, S., & Benninga, M. A. (2016). Functional Dyspepsia: An Enigma in a Conundrum. *Journal of Pediatric Gastroenterology and Nutrition*, 63(6), 579–584. <https://doi.org/10.1097/MPG.0000000000001344>
- Sakaguchi, M., Takao, M., Ohyama, Y., Oka, H., Yamashita, H., Fukuchi, T., Ashida, K., Murotani, M., Murotani, M., Majima, K., Morikawa, H., Hashimoto, T., Kiyota, K., Esaki, H., Amemoto, K., Isowa, G., & Takao, F. (2012). Comparison of PPIs and H2-receptor antagonists plus prokinetics for dysmotility-like dyspepsia. *World Journal of Gastroenterology*, 18(13), 1517–1524. <https://doi.org/10.3748/wjg.v18.i13.1517>
- Salisbury, B., & Terreli, J. (2021). *Antacids Mechanism of Action*. 1–5.
- Sandhu, D. S., & Fass, R. (2018). Current trends in the management of gastroesophageal reflux disease. *Gut and Liver*, 12(1), 7–16. <https://doi.org/10.5009/gnl16615>
- Santika, N. Y., Desnita, R., & Yuswar, M. A. (2019). Evaluasi Penggunaan Obat Tukak Peptik pada Pasien Tukak Peptik di Instalasi Rawat Inap RSUD Sultan Syarif Mohamad Alkadrie Pontianak. *Majalah Farmseutik*, 15(1), 1–15.

- Santos, V. S., Freire, M. S., Santana, R. N. S., Martins-Filho, P. R. S., Cuevas, L. E., & Gurgel, R. Q. (2019). Association between histamine-2 receptor antagonists and adverse outcomes in neonates: A systematic review and meta-analysis. *PLoS ONE*, *14*(4), 1–13. <https://doi.org/10.1371/journal.pone.0214135>
- Suzuki, H., Matsuzaki, J., Fukushima, Y., Suzaki, F., Kasugai, K., Nishizawa, T., Naito, Y., Hayakawa, T., Kamiya, T., Andoh, T., Yoshida, H., Tokura, Y., Nagata, H., Kobayakawa, M., Mori, M., Kato, K., Hosoda, H., Takebayashi, T., Miura, S., ... Tokita, K. (2014). Randomized clinical trial: Rikkunshito in the treatment of functional dyspepsia—a multicenter, double-blind, randomized, placebo-controlled study. *Neurogastroenterology and Motility*, *26*(7), 950–961. <https://doi.org/10.1111/nmo.12348>
- Syafriani. (2015). Hubungan Pengetahuan Dengan Kejadian Dispepsia Pada Masyarakat Usia 30-49 Tahun Di Desa Sepungguk Wilayah Kerja Puskesmas Salo Tahun 2015. *Jurnal Kebidanan STIKes Tuanku Tambusai Riau*, *01*(01), 47–56.
- Syam, A. F., Simadibrata, M., Makmun, D., Abdullah, M., Fauzi, A., Renaldi, K., Maulahela, H., & Utari, A. P. (2017). National Consensus on Management of Dyspepsia and Helicobacter pylori Infection. *Acta Medica Indonesiana*, *49*(3), 279–287.
- Syamimi, W., Kamarul, W., Loh, S. P., & Esa, N. M. (2019). *Coffee and Gastrointestinal Health : A Review*. *15*(April), 96–103.
- Tack, J., Carbone, F., Holvoet, L., Vanheel, H., Vanuytsel, T., & Vandenberghe, A. (2014). The use of pictograms improves symptom evaluation by patients with functional dyspepsia. *Alimentary Pharmacology and Therapeutics*, *40*(5), 523–530. <https://doi.org/10.1111/apt.12855>
- Taylor, F., Reasner, D. S., Carson, R. T., Deal, L. S., Foley, C., Iovin, R., Lundy, J. J., Pompilus, F., Shields, A. L., & Silberg, D. G. (2016). Development of a Symptom-Based Patient-Reported Outcome Instrument for Functional Dyspepsia: A Preliminary Conceptual Model and an Evaluation of the Adequacy of Existing Instruments. *The Patient*, *9*(5), 409–418. <https://doi.org/10.1007/s40271-016-0164-1>
- Thoe, D. A. (2013). Opini Apoteker dan Pasien Terhadap Peran Apoteker dalam Pelayanan Kefarmasian di Apotek Kota Merauke. *Jurnal Ilmiah Mahasiswa Universitas Surabaya*, *2*(1), 1–17.
- Thong, B. K. S., Ima-Nirwana, S., & Chin, K. Y. (2019). Proton pump inhibitors and fracture risk: A review of current evidence and mechanisms involved. *International Journal of Environmental Research and Public Health*, *16*(9). <https://doi.org/10.3390/ijerph16091571>
- Tussakinah, W., Masrul, M., & Burhan, I. R. (2018). Hubungan Pola Makan dan Tingkat Stres terhadap Kekambuhan Gastritis di Wilayah Kerja Puskesmas Tarok Kota Payakumbuh Tahun 2017. *Jurnal Kesehatan Andalas*, *7*(2), 217. <https://doi.org/10.25077/jka.v7i2.805>
- Untari, E. K., Nurbaeti, S. N., & Nansy, E. (2013). Kajian Perilaku Swamedikasi Penderita Tukak Peptik yang Mengunjungi Apotek di Kota Pontianak Behavioral Studies Peptic Ulcer Patients Self-Medication by Visiting Pharmacy in Pontianak. *Jurnal Farmasi Klinik Indonesia*, *2*(3), 112–120.
- Vergnes, J. N., Marchal-Sixou, C., Nabet, C., Maret, D., & Hamel, O. (2010). Ethics in systematic reviews. *Journal of Medical Ethics*, *36*(12), 771–774. <https://doi.org/10.1136/jme.2010.039941>



- Vinke, P., Wesselink, E., van Orten-Luiten, W., & van Norren, K. (2020). The use of proton pump inhibitors may increase symptoms of muscle function loss in patients with chronic illnesses. *International Journal of Molecular Sciences*, 21(1), 1–17. <https://doi.org/10.3390/ijms21010323>
- Wang, Hsu, W. H., Wang, S. S. W., Lu, C. Y., Kuo, F. C., Su, Y. C., Yang, S. F., Chen, C. Y., Wu, D. C., & Kuo, C. H. (2013). Current pharmacological management of gastroesophageal reflux disease. *Gastroenterology Research and Practice*, 2013. <https://doi.org/10.1155/2013/983653>
- Wedemeyer, R. S., & Blume, H. (2014). Pharmacokinetic drug interaction profiles of proton pump inhibitors: An update. *Drug Safety*, 37(4), 201–211. <https://doi.org/10.1007/s40264-014-0144-0>
- WHO. (2016). Medication errors. In *Nursing standard (Royal College of Nursing (Great Britain) : 1987)* (Vol. 30, Issue 35). <https://doi.org/10.7748/ns.30.35.61.s49>
- Wiciński, M., Malinowski, B., Puk, O., Górski, K., Adamkiewicz, D., Chojnacki, G., Walczak, M., Wódkiewicz, E., Szambelan, M., Adamska, P., Skibińska, K., Socha, M., Słupski, M., & Pawlak-Osińska, K. (2019). Possible effects of proton pump inhibitors on hearing loss development. *BioMed Research International*, 2019. <https://doi.org/10.1155/2019/4853695>
- Widiarti, A. (2014). *Pemilihan Obat Secara Aman Pada Kehidupan Sosial Masyarakat Dalam Meningkatkan Kesehatan Masyarakat*. 35–41.
- Yamawaki, H., Futagami, S., Wakabayashi, M., Sakasegawa, N., Agawa, S., Higuchi, K., Kodaka, Y., & Iwakiri, K. (2018). Management of functional dyspepsia: state of the art and emerging therapies. *Therapeutic Advances in Chronic Disease*, 9(1), 23–32. <https://doi.org/10.1177/2040622317725479>
- Yang, S., Li, A., Eshaghpour, A., Ivanisevic, S., Salopek, A., Eikelboom, J., & Crowther, M. (2020). Quality of early evidence on the pathogenesis, diagnosis, prognosis and treatment of COVID-19. *BMJ Evidence-Based Medicine*, 0(0), bmjebm-2020-111499. <https://doi.org/10.1136/bmjebm-2020-111499>
- Yarandi, S. S., & Christie, J. (2013). Functional dyspepsia in review: Pathophysiology and challenges in the diagnosis and management due to coexisting gastroesophageal reflux disease and irritable bowel syndrome. *Gastroenterology Research and Practice*, 2013. <https://doi.org/10.1155/2013/351086>
- Yen, W., Herndon, C. C., & Lu, C.-L. (2020). Non-pharmacological Approach in the Management of Functional Dyspepsia. *Journal of Neurogastroenterology and Motility*, 26(1), 6–15. <https://doi.org/10.5056/jnm19005>
- Yibirin, M., De Oliveira, D., Valera, R., Plitt, A. E., & Lutgen, S. (2021). Adverse Effects Associated with Proton Pump Inhibitor Use. *Cureus*, 13(1), 4–9. <https://doi.org/10.7759/cureus.12759>
- Yogiyanto, & Sulistianingsih. (2013). Obat herbal untuk penanganan kemoterapi dan efek samping. *Journal Farmaka*, 4, 1–15.
- Yoveline, A., Abdullah, M., Darmawan, G., Mihardja, H., & Sungkar, S. (2012). *Acupuncture in the Management of Functional Dyspepsia*. 13(1), 49.