

DAFTAR PUSTAKA

- Aisy, Z. H. R., Puspita, O. E., & Shalas, A. F. (2021). *Optimasi Formula Nanoemulsi Nifedipin Dengan Metode Self-Nanoemulsifying Drug Delivery System (SNEDDS) Optimization of Nifedipine Nanoemulsion Formula Using Self-Nanoemulsifying Drug Delivey System (SNEDDS) Method*. 6(2), 85–95.
- Anindhita, M. A., & Oktaviani, N. (2016). Formulasi Self-Nanoemulsifying Drug Delivery System (SNEDDS) Ekstak Daun Pepaya (*Carica papaya L.*) dengan Virgin Coconut Oil (VCO) sebagai Minyak Pembawa. *Jurnal Pena Medika*, 6(2), 103–111.
- Apriani, R., & Abdullah, F. F. (2021). Jurnal Kimia Sains dan Aplikasi Cytotoxic Activity of Ethyl - para - methoxycinnamate from Cancer Cells. *Jurnal Kimia Sains Dan Aplikasi*, 24(1), 22–28.
- Avachat, A. M., & Patel, V. G. (2015). Self nanoemulsifying drug delivery system of stabilized ellagic acid-phospholipid complex with improved dissolution and permeability. *Saudi Pharmaceutical Journal*, 23(3), 276–289. <https://doi.org/10.1016/j.jsps.2014.11.001>
- Avadi, M. R., Sadeghi, A. M. M., Mohammadpour, N., Abedin, S., Atyabi, F., Dinarvand, R., & Rafiee-Tehrani, M. (2010). Preparation and characterization of insulin nanoparticles using chitosan and Arabic gum with ionic gelation method. *Nanomedicine: Nanotechnology, Biology, and Medicine*, 6(1), 58–63. <https://doi.org/10.1016/j.nano.2009.04.007>
- Baloch, J., Sohail, M. F., Sarwar, H. S., Kiani, M. H., Khan, G. M., Jahan, S., Rafay, M., Chaudhry, M. T., Yasinzai, M., & Shahnaz, G. (2019). Self-nanoemulsifying drug delivery system (Snedds) for improved oral bioavailability of chlorpromazine: In vitro and in vivo evaluation. *Medicina (Lithuania)*, 55(5), 1–13. <https://doi.org/10.3390/medicina55050210>
- Basir, D., & Eliza. (1999). Spektroskopi Resonansi Magnetik Inti Karbon dari Etil, Asam dan (2-Metoksi-4-Formil) Fenil P-Metoksisinamat. In *Journal Penelitian Sains* (Vol. 1, Issue 6, pp. 1–7).

- Caesaria, C., Tjiptasusrasa, & Nurulita, N. A. (2009). *Kaempferia galangal*. *Pharmacy*, 06(02), 42–52.
- Cayman Chemical. (2017). Product Information Product Information. *Product Information*, 14998, 1919–1920.
- Chairunnisa, S., Wartini, N. M., & Suhendra, L. (2019). Pengaruh Suhu dan Waktu Maserasi terhadap Karakteristik Ekstrak Daun Bidara (*Ziziphus mauritiana* L.) sebagai Sumber Saponin. *Jurnal Rekayasa Dan Manajemen Agroindustri*, 7(4), 551. <https://doi.org/10.24843/jrma.2019.v07.i04.p07>
- Chatterjee, B., Hamed Almurisi, S., Ahmed Mahdi Dukhan, A., Mandal, U. K., & Sengupta, P. (2016). Controversies with self-emulsifying drug delivery system from pharmacokinetic point of view. *Drug Delivery*, 23(9), 3639–3652. <https://doi.org/10.1080/10717544.2016.1214990>
- Ekowati, J., Widowati, R., & Isadiartuti, D. (2017). Preparation of an inclusion complex system of ethyl p-methoxycinnamate - hydroxypropyl- β -cyclodextrin: Characterization and solubility evaluation. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 8(1).
- Fareza, M. S., Rehana, Nuryanti, & Mujahidin, D. (2017). TRANSFORMASI ETIL P-METOKSISINAMAT MENJADI ASAM P -METOKSISINAMAT DARI KENCUR (*Kaempferia galanga* L.) BESERTA UJI AKTIVITAS ANTIBAKTERINYA. *ALCHEMY Jurnal Penelitian Kimia*, 13(2), 176–190. <https://doi.org/10.20961/alchemy.v13i2.8472>
- Hardiansyah, M. M., Kedokteran, F., Ilmu, D. A. N., & Farmasi, P. S. (2014). UIN SYARIF HIDAYATULLAH JAKARTA Amidasi Senyawa Etil p-metoksisinamat yang Diisolasi dari Kencur (*Kaempferia galanga* L.) dan Uji Aktivitas Antiinflamasi Secara In-Vitro. *Skripsi, September*.
- Hasali, N. H. M., Omar, M. N., Zuberdi, A. M., & AlFarra, H. Y. (2013). Biotransformation of ethyl p-methoxycinnamate from *Kaempferia galanga* L. using *Aspergillus niger*. *International Journal of Biosciences (IJB)*, 3(7), 148–155. <https://doi.org/10.12692/ijb/3.7.148-155>

- Huda, N., & Wahyuningsih, I. (2016). Karakterisasi Self-Nanoemulsifying Drug Delivery System (SNEDDS) Minyak Buah Merah (*Pandanus conoideus* Lam.). *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*, 3(2), 49. <https://doi.org/10.20473/jfiki.v3i22016.49-57>
- Indratmoko, S., Cahyani, S. D., & Tenri, A. (2020). Jurnal Ilmiah Kefarmasian. *Jurnal Ilmiah Kefarmasian*, 65–70.
- Izham, M. N. M., Hussin, Y., Aziz, M. N. M., Yeap, S. K., Rahman, H. S., Masarudin, M. J., Mohamad, N. E., Abdullah, R., & Alitheen, N. B. (2019). Preparation and characterization of self nano-emulsifying drug delivery system loaded with citraland its antiproliferative effect on colorectal cells in vitro. *Nanomaterials*, 9(7). <https://doi.org/10.3390/nano9071028>
- Jenie, U. A., Kardono, L. B. S., Hanafi, M., Rumampuk, R. J., & Darmawan, A. (2014). *Teknik Modern Spektroskopi NMR : Teori dan Aplikasi dalam Elusidasi Struktur Molekul Organik*. LIPI Press.
- Jyothi, J., & Sreelakshmi. (2011). Design and evaluation of self-nanoemulsifying drug delivery system of flutamide. *Journal of Young Pharmacists*, 3(1), 4–8. <https://doi.org/10.4103/0975-1483.76413>
- Kaur, G., Chandel, P., & Harikumar, S. L. (2013). Formulation development of self nanoemulsifying drug delivery system (SNEDDS) of celecoxib for improvement of oral bioavailability. *Pharmacophore*, 4(4), 120–133. <http://www.pharmacophorejournal.com>
- Khan, A. W., Kotta, S., Ansari, S. H., Sharma, R. K., & Ali, J. (2015). Self-nanoemulsifying drug delivery system (SNEDDS) of the poorly water-soluble grapefruit flavonoid Naringenin: Design, characterization, in vitro and in vivo evaluation. *Drug Delivery*, 22(4), 552–561. <https://doi.org/10.3109/10717544.2013.878003>
- Kurniawan, D. W., Booijink, R., Pater, L., Wols, I., Vrynas, A., Storm, G., Prakash, J., & Bansal, R. (2020). Fibroblast growth factor 2 conjugated superparamagnetic iron oxide nanoparticles (FGF2-SPIONs) ameliorate hepatic stellate cells activation in vitro and acute liver injury in vivo. *Journal*

of *Controlled Release*, 328(April), 640–652.
<https://doi.org/10.1016/j.jconrel.2020.09.041>

- Kusuma, I M. (2016). Potensi Antibakteri Senyawa Etil Para Metoksi Sinamat Terhadap Bakteri Jerawat. *Sainstech Farma*, 9(1), 35–40.
- Kusuma, Ika Maruya, Elya, B., & Jufri, M. (2017). Stabilitas Kimia Senyawa Etil P-Metoksi Sinamat (EPMS) dari Rimpang Kencur (*Kaempferia galanga L.*) dalam Krim Anti Jerawat dengan Metode Kromatografi Lapis Tipis Densitometer (TLC Scanner). *Sainstech Farma*, 10(1), 5–6.
- Lely, N., & Rahmanisah, D. (2017). Uji Daya Hambat Minyak Atsiri Rimpang Kencur (*Kaempferia galanga Linn*) Terhadap *Trichophyton mentagrophytes*, *Trichophyton rubrum*. *Jurnal Penelitian Sains*, 19(2), 94–99.
- Mahdi, L., Sudiby, R. S., & Martien, R. (2020). Self-nano emulsifying drug delivery system (SNEDDS) of curcuma mangga Val. essential oil and the stability study. *Indonesian Journal of Pharmacy*, 31(4), 238–243.
<https://doi.org/10.22146/ijp.584>
- Makadia, H., Bhatt, A., Parmar, R., Paun, J., & Tank, H. . (2013). Self-nano Emulsifying Drug Delivery System (SNEDDS): Future Aspects | Makadia | Asian Journal of Pharmaceutical Research. *Asian Journal of Pharmaceutical Research*, 3(1), 21–27. https://asianjpr.com/HTML_Papers/Asian Journal of Pharmaceutical Research__PID__2013-3-1-5.html
- Mohsin, K., Alamri, R., Ahmad, A., Raish, M., Alanazi, F. K., & Hussain, M. D. (2016). Development of self-nanoemulsifying drug delivery systems for the enhancement of solubility and oral bioavailability of fenofibrate, A poorly water-soluble drug. *International Journal of Nanomedicine*, 11, 2829–2838.
<https://doi.org/10.2147/IJN.S104187>
- Mustika, A., Fatimah, N., & Sari, G. M. (2019). Formulation and characterizations of self-nanoemulsifying drug delivery system of extract *Petiveria alliacea* (Singawalang) leaves. *International Journal of Applied Pharmaceutics*, 11(Special Issue 5), 61–65. <https://doi.org/10.22159/ijap.2019.v11s5.T0050>

- Nugroho, B. H., & Sari, N. P. (2018). Formulation of Self Nano Emulsifying Drug Delivery System (SNEDDS) Karamunting Leaf Extract (*Rhodomyrtus tomentosa* (Ait.) Hassk). *Jurnal Ilmiah Farmasi*, 14(1), 1–8.
- Nurmeilis, Azrifitria, & Fitriani, N. (2016). Pengujian Senyawa Etil p-Metoksi Sinamat Hasil Isolasi Rimpang Kencur (*Kampferia galanga*) Dan Derivat Amidasinya Sebagai Obat Penenang (Sedativ-Hipnotik). In *Laporan Akhir Penelitian Pengembangan Ilmu Pengetahuan (SAINS) Tahun Anggaran 2016*.
- Oza, N., Sagar, S., & Khodakiya, A. (2020). Use of simplex lattice design in development of oral self-nanoemulsifying drug delivery system containing rosuvastatin calcium. *International Journal of Applied Pharmaceutics*, 12(3), 40–47. <https://doi.org/10.22159/ijap.2020v12i3.34358>
- Prabhakar, K., Afzal, S. M., Surender, G., & Kishan, V. (2013). Tween 80 containing lipid nanoemulsions for delivery of indinavir to brain. *Acta Pharmaceutica Sinica B*, 3(5), 345–353. <https://doi.org/10.1016/j.apsb.2013.08.001>
- Pratiwi, L., Fudholi, A., Martien, R., & Pramono, S. (2017). Self-nanoemulsifying drug delivery system (Snedds) for topical delivery of mangosteen peels (*Garcinia Mangostana* L.): Formulation design and in vitro studies. *Journal of Young Pharmacists*, 9(3), 341–346. <https://doi.org/10.5530/jyp.2017.9.68>
- Pratiwi, L., Fudholi, A., Martien, R., & Pramono, S. (2018). Uji Stabilitas Fisik dan Kimia Sediaan SNEDDS (Self-nanoemulsifying Drug Delivery System) dan Nanoemulsi Fraksi Etil Asetat Kulit Manggis (*Garcinia mangostana* L.) Physical and Chemical Stability Test of SNEDDS (Self-nanoemulsifying Drug Delivery System) a. *Traditional Medicine Journal*, 23(2), 84–90.
- Priani, S. E., Somantri, S. Y., & Aryani, R. (2020). Formulasi dan Karakterisasi SNEDDS (Self Nanoemulsifying Drug Delivery System) Mengandung Minyak Jintan Hitam dan Minyak Zaitun. *Jurnal Sains Farmasi & Klinis*, 7(1), 31. <https://doi.org/10.25077/jsfk.7.1.31-38.2020>
- Rahmi, A., Roebiakto, E., & Lutpiatina, L. (2016). Potensi Ekstrak Rimpang

- Kencur (*Kaempferia galanga* L.) Menghambat Pertumbuhan *Candida albicans*. *Medical Laboratory Technology Journal*, 2(2), 70. <https://doi.org/10.31964/mltj.v2i2.94>
- Ramadhani, R. A., Riyadi, D. H. S., Triwibowo, B., & Kusumaningtyas, R. D. (2017). Review Pemanfaatan Design Expert untuk Optimasi Komposisi Campuran Minyak Nabati sebagai Bahan Baku Sintesis Biodiesel. *Jurnal Teknik Kimia Dan Lingkungan*, 1(1), 11. <https://doi.org/10.33795/jtkl.v1i1.5>
- Rowe, R. C., Sheskey, P. J., & Quinn, M. E. (2009). *Handbook of Pharmaceutical Excipients* (6th ed.). Pharmaceutical Press and American Pharmacist Association.
- Sahumena, M. H., Suryani, S., & Rahmadani, N. (2019). Formulasi Self-Nanoemulsifying Drug Delivery System (SNEDDS) Asam Mefenamat menggunakan VCO dengan Kombinasi Surfaktan Tween dan Span. *Journal Syifa Sciences and Clinical Research*, 1(2), 37–46. <https://doi.org/10.37311/jsscr.v1i2.2660>
- Salim, A. (2015). Formulasi Sediaan Emulgel Ekstrak Etanol Rimpang Kencur (*Kaempferia galanga* L) Dengan Menggunakan Carbopol 940 Sebagai Gelling Agent dan Gliserin Sebagai Humectan. In *Skripsi*.
- Savjani, K. T., Gajjar, A. K., & Savjani, J. K. (2012). Drug Solubility: Importance and Enhancement Techniques. *ISRN Pharmaceutics*, 2012(100 mL), 1–10. <https://doi.org/10.5402/2012/195727>
- Setiawan, I. P. P. (2015). Isolasi Etil P-Metoksisinamat Dari Kencur. *Jurnal Kesehatan*, 4(2), 1–4.
- Shahba, A. A. W., Mohsin, K., & Alanazi, F. K. (2012). Novel self-nanoemulsifying drug delivery systems (SNEDDS) for oral delivery of cinnarizine: Design, optimization, and in-vitro assessment. *AAPS PharmSciTech*, 13(3), 967–977. <https://doi.org/10.1208/s12249-012-9821-4>
- Suryani, S., Nafisah, A., & Mana'an, S. (2017). Optimasi Formula Gel Antioksidan Ekstrak Etanol Buah Bligo (*Benincasa hispida*) dengan Metode Simplex

- Lattice Design (SLD). *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal)*, 3(2), 150–156.
<https://doi.org/10.22487/j24428744.0.v0.i0.8815>
- Suryani, Sahumena, M. H., Alfiandi, Putrawansya, L. R. P., Adjeng, A. N. T., Aswan, M., & Ruslin. (2019). The Self-nanoemulsifying Drug Delivery System Formulation of Mefenamic Acid. *Asian Journal of Pharmaceutics*, 13(4), 287. <https://doi.org/https://dx.doi.org/10.22377/ajp.v13i04.3399>
- Suzana, S., Irawati, N., & Budiati, T. (2011). Synthesis Octyl P-Methoxycinnamate as Sunblock by Transesterification Reaction with the Starting Material Ethyl P- Methoxycinnamate. *Indonesian Journal of Cancer Chemoprevention*, 2(2), 217. <https://doi.org/10.14499/indonesianjcanchemoprev2iss2pp217-221>
- Syukri, Y., Kholidah, Z., & Chabib, L. (2019). Formulasi dan Studi Stabilitas Self-Nano Emulsifying Propolis menggunakan Minyak Kesturi , Cremophor RH 40 dan PEG 400. *Jurnal Sains Farmasi Dan Klimis*, 6(3), 265–273.
- Ujilestari, T., Martien, R., Ariyadi, B., Dono, N. D., & Zuprizal. (2018). Self-nanoemulsifying drug delivery system (SNEDDS) of Amomum compactum essential oil: Design, formulation, and characterization. *Journal of Applied Pharmaceutical Science*, 8(6), 14–21.
<https://doi.org/10.7324/JAPS.2018.8603>
- Umar, M. I., Asmawi, M. Z., Sadikun, A., Atangwho, I. J., Yam, M. F., Altaf, R., & Ahmed, A. (2012). Bioactivity-guided isolation of ethyl-p-methoxycinnamate, an anti-inflammatory constituent, from *Kaempferia galanga* L. extracts. *Molecules*, 17(7), 8720–8734.
<https://doi.org/10.3390/molecules17078720>
- Umar, M. I., Asmawi, M. Z., Sadikun, A., Majid, A. M. S. A., Al-Suede, F. S. R., Hassan, L. E. A., Altaf, R., & Ahamed, M. B. K. (2014). Ethyl-p-methoxycinnamate isolated from *kaempferia galanga* inhibits inflammation by suppressing interleukin- 1, tumor necrosis factor- α , and angiogenesis by blocking endothelial functions. *Clinics*, 69(2), 134–144.
[https://doi.org/10.6061/clinics/2014\(02\)10](https://doi.org/10.6061/clinics/2014(02)10)

- Usmani, A., Mishra, A., Arshad, M., & Jafri, A. (2019). Development and evaluation of doxorubicin self nanoemulsifying drug delivery system with *Nigella Sativa* oil against human hepatocellular carcinoma. *Artificial Cells, Nanomedicine and Biotechnology*, 47(1), 933–944. <https://doi.org/10.1080/21691401.2019.1581791>
- Uthia, R., Arifin, H., & Efrianti, F. (2017). Pengaruh hasil fraksinasi ekstrak daun kemangi (*Ocimum sanctum* L.) terhadap aktivitas susunan saraf pusat pada mencit putih jantan. *Farmasi Higea*, 9(1), 85–95.
- Wahyuningsih, I., & Latief, Y. (2021). Formulasi Self Nano Emulsifying Drug Delivery System (SNEDDS) Minyak Biji Jinten Hitam dengan Surfaktan Tween 80 dan Kosurfaktan Sorbitol (SNEDDS Formulation of Black Cumin Seed Oil using Tween 80 and Sorbitol as a Surfactant and Cosurfactant). *Jurnal Ilmu Kefarmasian Indonesia*, 19(1), 118–124.
- Weerapol, Y., Limmatvapirat, S., Nunthanid, J., & Srimornsak, P. (2014). Self-nanoemulsifying drug delivery system of nifedipine: Impact of hydrophilic-lipophilic balance and molecular structure of mixed surfactants. *AAPS PharmSciTech*, 15(2), 456–464. <https://doi.org/10.1208/s12249-014-0078-y>
- Winarti, L., Suwaldi, Martien, R., & Hakim, L. (2016). Formulation of self-nanoemulsifying drug delivery system of Bovine serum albumin using HLB (Hydrophilic-Lypophilic Balance) approach. *Indonesian Journal of Pharmacy*, 27(3), 117–127. <https://doi.org/10.14499/indonesianjpharm27iss3pp117>
- Zhang, Q. W., Lin, L. G., & Ye, W. C. (2018). Techniques for extraction and isolation of natural products: A comprehensive review. *Chinese Medicine (United Kingdom)*, 13(1), 1–26. <https://doi.org/10.1186/s13020-018-0177-x>