

DAFTAR PUSTAKA

- Adewale, I. *et al.* (2020) 'Natural anti-aging skincare: role and potential', *Biogerontology*, 0123456789.
- Adianto, C., Nugroho, A. A. and Maran, G. G. (2019) 'REVIEW POTENSI TROGAN-SPRAY: NANO SPRAY EKSTRAK AKAR WIDURI SEBAGAI PHYTOMEDICINE TERAPI ASMA', *Jurnal Ilmiah Penalaran dan Penelitian Mahasiswa*, 3(1), pp. 1–24.
- Agati, G. *et al.* (2013) 'Functional roles of flavonoids in photoprotection: New evidence, lessons from the past', *Plant Physiology and Biochemistry*, 72, pp. 35–45.
- Aharoni, A. and Galili, G. (2011) 'Metabolic engineering of the plant primary – secondary metabolism interface Asaph Aharoni and Gad Galili', *Current Opinion in Biotechnology*, 22(2), pp. 239–244.
- Akhtar, N. *et al.* (2011) 'Calendula extract: Effects on mechanical parameters of human skin', *Acta Poloniae Pharmaceutica - Drug Research*, 68(5), pp. 693–701.
- Akhtar Rasul (2012) 'Anti-aging potential of a cream containing milk thistle extract: Formulation and in vivo evaluation', *African Journal of Biotechnology*, 11(6), pp. 1509–1515.
- APARAJITA, V. and RAVIKUMAR, P. (2014) 'Liposomes As Carriers in Skin Ageing', *Int J Curr Pharm Res*, 6(3), pp. 1–7. Available at: http://www.researchgate.net/profile/Padmini_Ravikumar/publication/264234629_Liposomes_as_carriers_in_skin_ageing/links/53d3707a0cf2a7fbb2e9d416.pdf.
- Aramo (2012) 'Skin and Hair Diagnostic System'. Sugnam: Aram Huvis Korea Ltd, pp. 1–10.
- Banjarnahor, S. D. S. and Artanti, N. (2014) 'Antioxidant properties of flavonoids', *Medical Journal of Indonesia*, 23(4), pp. 239–244.
- Bonifácio, B. V. *et al.* (2014) 'Nanotechnology-based drug delivery systems and herbal medicines : a review', *International Journal of Nanomedicine*, 9, pp. 1–15.
- BPOM RI (2020) 'Cek Produk BPOM'. Jakarta: BPOM RI.
- Butarbutar, M. E. T. and Chaerunisaa, A. Y. (2020) 'Peran Pelembab dalam Mengatasi Kondisi Kulit Kering', *Majalah Farmasetika*, 6(1), pp. 56–69.
- Chaikul, P. *et al.* (2020) 'Anti-skin aging activities of green tea (*Camelliasinensis* (L) Kuntze) in B16F10 melanoma cells and human skin fibroblasts', *European Journal of Integrative Medicine*, 40(July), p. 101212.
- Che Sulaiman, I. S. *et al.* (2017) 'Predicting the optimum compositions of a transdermal nanoemulsion system containing an extract of *Clinacanthus nutans* leaves (L.) for skin antiaging by artificial neural network model', *Journal of Chemometrics*, 31(7), pp. 1–13.
- Chiang, H. M. *et al.* (2011) 'Coffea arabica extract and its constituents prevent photoaging by suppressing MMPs expression and MAP kinase pathway', *Food and Chemical Toxicology*, 49(1), pp. 309–318. doi: 10.1016/j.fct.2010.10.034.
- Choi, S. *et al.* (2016) 'WaveApigenin inhibits UVA-induced cytotoxicity in vitro and prevents signs of skin aging in vivo', *International Journal of Molecular*

- Medicine*, 38(2), pp. 627–634..
- Cutler, T. D. and Zimmerman, J. J. (2011) 'Ultraviolet irradiation and the mechanisms underlying its inactivation of infectious agents.', *Animal health research reviews / Conference of Research Workers in Animal Diseases*, 12(1), pp. 15–23.
- Dhurhani, C. E. and Novianto, A. (2018) 'Uji Kandungan Fenolik Total dan Pengaruhnya terhadap Aktivitas Antioksidan dari Berbagai Bentuk Sediaan Sarang Semut (*Myrmecodia pendens*)', *Jurnal Farmasi dan Ilmu Kefarmasian Indonesia*, 5(2), pp. 62–68.
- Elewa, R. and Zouboulis, C. C. (2014) 'Molecular mechanisms of action of topical antiaging compounds', *Journal of the Egyptian Women's Dermatologic Society*, 11(2), pp. 73–78.
- Elsayed Azab, A. *et al.* (2019) 'Oxidative stress and antioxidant mechanisms in human body', *Journal of Applied Biotechnology & Bioengineering*, 6(1), pp. 43–47.
- Ferrari, R. (2015) 'Writing narrative style literature reviews', *Medical Writing*, 24(4), pp. 230–235.
- Ginting, M. *et al.* (2020) 'Formulasi dan Uji Efektifitas Anti-Aging dari Masker Clay Ekstrak Etanol Kentang Kuning (*Solanum tuberosum* L.)', *Jurnal Dunia Farmasi*, 4(2), pp. 68–75.
- Gref, R. *et al.* (2020) 'Vitamin C – squalene bioconjugate promotes epidermal thickening and collagen production in human skin', *Scientific Reports*, pp. 1–12.
- Hakim, N. A., Arianto, A. and Bangun, H. (2018) 'Formulasi dan Evaluasi Nanoemulsi dari Extra Virgin Olive Oil (Minyak Zaitun Ekstra Murni) sebagai Anti-Aging', *Talenta Conference Series: Tropical Medicine (TM)*, 1(2), pp. 391–397.
- Hameed, A. *et al.* (2019) 'Scope of Nanotechnology in Cosmetics: Dermatology and Skin Care Products', 2019(2), pp. 9–16.
- Hamishehkar, H., Rahimpour, Y. and Kouhsoltani, M. (2013) 'Niosomes as a propitious carrier for topical drug delivery', *Expert Opinion on Drug Delivery*, 10(2), pp. 261–272.
- Hanum, T. I. (2018) 'Formulasi dan Uji Aktivitas Krim Ekstrak Beras Merah (*Oryza Nivara* L.) Sebagai Antiaging', *Talenta Conference Series: Tropical Medicine (TM)*, 1(1), pp. 237–244.
- Hutagaol, R. (2017) 'Formulation of Antiaging Gel from Roselle Calyces Extract', 7(12), pp. 33–37.
- Hwang, E. *et al.* (2014) 'Coriander leaf extract exerts antioxidant activity and protects against UVB-induced photoaging of skin by regulation of procollagen type I and MMP-1 expression', *Journal of Medicinal Food*, 17(9), pp. 985–995.
- Isfardiyana, S. H. and Safitri, S. R. (2014) 'Pentingnya melindungi kulit dari sinar ultraviolet dan cara melindungi kulit dengan sunblock buatan sendiri', *Jurnal Inovasi dan Kewirausahaan*, 3(2), pp. 126–133. Available at: <https://journal.uui.ac.id/ajie/article/view/7819>.
- Iskandar, B., Karsono and Silalahi, J. (2016) 'Preparation of spray nanoemulsion and cream containing vitamin E as anti-aging product tested in vitro and in vivo method', *International Journal of PharmTech Research*, 9(6), pp. 307–315.
- Izaac El, H. (2019) 'Multitasking Herbal Nanomedicine', *Nanoscale Reports*, 2(1), pp. 22–30.
- Jadoon, S. *et al.* (2015) 'Anti-aging potential of phytoextract loaded-pharmaceutical

- creams for human skin cell longevity', *Oxidative Medicine and Cellular Longevity*, 2015(Figure 1).
- Jafar, G., Adiyati, I. and Kartanagara, F. F. (2017) 'Pengembangan Formula dan Karakterisasi Nanoemulsi Ekstrak Kombinasi Daun Teh dan Mangkoka Yang Diinkorporasikan ke dalam Spray Sebagai Penuh Rambut', *Jurnal Pharmascience*, 4(2), pp. 155–166.
- Jo, K. *et al.* (2020) 'An Anthocyanin-Enriched Extract from *Vaccinium uliginosum* Improves Signs of Skin Aging in UVB-Induced Photodamage'.
- Kaul, S. *et al.* (2018) 'Role of Nanotechnology in Cosmeceuticals: A Review of Recent Advances', *Journal of Pharmaceutics*, 2018, pp. 1–19.
- Kementrian Kesehatan RI (2017) 'Analisis Lansia di Indonesia'. Jakarta: Kemenkes RI.
- Khan, B. A. *et al.* (2015) 'A novel cassia fistula (L.)-based emulsion elicits skin anti-aging benefits in humans', *Cosmetics*, 2(4), pp. 368–383.
- Khare, R., Upmanyu, N. and Jha, M. (2019) 'Exploring the Potential Effect of Methanolic Extract of *Salvia officinalis* Against UV Exposed Skin Aging: In vivo and In vitro Model', *Current Aging Science*, 14(1), pp. 46–55. doi: 10.2174/1874609812666190808140549.
- Kumar, R. and Sharma, M. (2018) 'Herbal nanomedicine interactions to enhance pharmacokinetics, pharmaco-dynamics, and therapeutic index for better bioavailability and biocompatibility of herbal formulations', *J. Mat. NanoSci*, 2018(1), pp. 35–58. Available at: <http://pubs.thesciencein.org/jmns>.
- Kwon, S. S. *et al.* (2015) 'Cell penetrating peptide conjugated liposomes as transdermal delivery system of *Polygonum aviculare* L. extract', *International Journal of Pharmaceutics*, 483(1–2), pp. 26–37.
- Leelapornpisid, P. *et al.* (2014) 'Nanoemulsion loaded with marigold flower extract (*Tagetes Erecta* linn) in gel preparation as anti-wrinkles cosmeceutical', *International Journal of Pharmacy and Pharmaceutical Sciences*, 6(2), pp. 231–236.
- Leelapornpisid, P. and Chansakaow, S. (2014) 'Development of cream containing nanostructured lipid carriers loaded marigold (*Tagetes Erecta* Linn) flowers extract for anti-wrinkles application DEVELOPMENT OF CREAM CONTAINING NANOSTRUCTURED LIPID CARRIERS LOADED', (April).
- Lestari, R. *et al.* (2020) 'Nano spray dari limbah kulit kakao sebagai agen anti bakteri klebsiella pneumonia', *Jurnal mahasiswa*, pp. 1–7.
- Lim, S. H. *et al.* (2018) 'Enhanced Skin Permeation of Anti-wrinkle Peptides via Molecular Modification', *Scientific Reports*, 8(1), pp. 1–11.
- Liu, L. *et al.* (2021) 'The Review of Anti-aging Mechanism of Polyphenols on *Caenorhabditis elegans*', 9(July), pp. 1–13.
- Loo, M. and Press, D. (2013) 'Effect of compositions in nanostructured lipid carriers (NLC) on skin hydration and occlusion', pp. 13–22.
- Loong, N. C. *et al.* (2015) 'Skin intervention of fullerene-integrated nanoemulsion in structural and collagen regeneration against skin aging', *EUROPEAN JOURNAL OF PHARMACEUTICAL SCIENCES*.
- Luxminarayan, L. *et al.* (2017) 'Asian Journal of Pharmaceutical Research and Development', *Asian Journal of Pharmaceutical Research and Development*, 5(2), pp. 1–8.
- Mahdi, E. S. *et al.* (2011) 'Formulation and in vitro release evaluation of newly

- Philips, N. *et al.* (2011) 'Beneficial regulation of matrix metalloproteinases for skin health', *Enzyme Research*, 2011(1).
- Piccioni, A. *et al.* (2017) 'Improving Skin Aging, Skin Hydration and Sensitive Skin with Four Specific Skin Care Products: Results from a Single-Centre, Observational, Prospective Study', *Journal of Cosmetics, Dermatological Sciences and Applications*, 07(01), pp. 48–56.
- Pittayapruerk, P. *et al.* (2016) 'Role of matrix metalloproteinases in Photoaging and photocarcinogenesis', *International Journal of Molecular Sciences*, 17(6).
- Pluemsamran, T., Onkoksoong, T. and Panich, U. (2012) 'Caffeic Acid and Ferulic Acid Inhibit UVA-Induced Matrix Metalloproteinase-1 through Regulation of Antioxidant Defense System in Keratinocyte HaCaT Cells', pp. 961–968.
- Poljšak, B., Dahmane, R. G. and Godić, A. (2012) 'Intrinsic skin aging: The role of oxidative stress', *Acta Dermatovenereologica Alpina, Pannonica et Adriatica*, 21(2), pp. 33–36.
- Poon, F., Kang, S. and Chien, A. L. (2015) 'Mechanisms and treatments of photoaging', *Photodermatology Photoimmunology and Photomedicine*, 31(2), pp. 65–74.
- Purwanto, U. R. E., Ariani, L. W. and Setyopuspito, A. (2019) 'Formulasi Serum Liposom Antosianin Dari Kulit Buah Naga Merah (*Hylocereus polyrhizus*)', *Cendikia Journal of Pharmacy*, 3(2), pp. 96–105.
- Rabe, J. H. *et al.* (2006) 'Photoaging: Mechanisms and repair', *Journal of the American Academy of Dermatology*, 55(1), pp. 1–19.
- Rasul, A. and Akhtar, N. (2011) 'Formulation and in vivo evaluation for anti-aging effects of an emulsion containing basil extract using non-invasive biophysical techniques', *DARU, Journal of Pharmaceutical Sciences*, 19(5), pp. 344–350.
- Sadick, N. S., Karcher, C. and Palmisano, L. (2009) 'Cosmetic dermatology of the aging face', *Clinics in Dermatology*, 27(3 SUPPL.), pp. S3–S12.
- Saewan, N. and Jimtaisong, A. (2015) 'Natural products as photoprotection', *Journal of Cosmetic Dermatology*, 14(1), pp. 47–63.
- Sahatpure, N. S. and Daud, F. S. (2018) 'Anti Ageing Herbs-A Review', *Ijsdr*, 3(10), p. 53.
- Seo, S. A. *et al.* (2020) 'Protective effects of Carica papaya leaf against skin photodamage by blocking production of matrix metalloproteinases and collagen degradation in UVB-irradiated normal human dermal fibroblasts', *South African Journal of Botany*, 131, pp. 398–405.
- Sharma, B. and Sharma, A. (2012) 'Future prospect of nanotechnology in development of anti-ageing formulations', *International Journal of Pharmacy and Pharmaceutical Sciences*, 4(SUPPL.3), pp. 57–66.
- Sjerobabski-Masnec, I. and Šitum, M. (2010) 'Skin aging', *Acta Clinica Croatica*, 49(4), pp. 515–518.
- Sugihartini, N. dan Nuryanti, E. (2017) 'Formulasi Krim Ekstrak Daun Kelor (*Moringa oleifera*) sebagai Sediaan Antiaging', *Berkala Ilmu Kesehatan Kulit dan Kelamin*, 29(1), pp. 1–7. Available at: [https://scholar.google.co.id/scholar?q=Formulasi+Krim+Ekstrak+Daun+Kelor+\(Moringa+oleifera\)+sebagai+Sediaan+Antiaging&hl=id&as_sdt=0&as_vis=1&oi=scholar](https://scholar.google.co.id/scholar?q=Formulasi+Krim+Ekstrak+Daun+Kelor+(Moringa+oleifera)+sebagai+Sediaan+Antiaging&hl=id&as_sdt=0&as_vis=1&oi=scholar).
- Sulistyoningrum, E. *et al.* (2019) 'Anti-aging effects of Muntingia calabura leaves extract in D-galactose-induced skin aging mouse model', *Journal of Applied Pharmaceutical Science*, 9(9), pp. 23–29.

- Suntres, Z. E. (2011) 'Liposomal Antioxidants for Protection against Oxidant-Induced Damage', 2011.
- Tapadiya, G. G., Kale, M. A. and Saboo, S. S. (2017) 'Impact of nanotechnology on global trade of herbal drugs: An overview', *International Journal of Green Pharmacy*, 11(3), pp. S371–S376.
- Teixeira, A. P. *et al.* (2014) 'Confocal raman spectroscopy: Determination of natural moisturizing factor profile related to skin hydration', *Revista Brasileira de Engenharia Biomedica*, 30(1), pp. 11–16.
- Thornton, M. J. (2013) 'Estrogens and aging skin.', *Advances in neurology*, 55(2), pp. 264–270.
- Tobin, D. J. (2017) 'Introduction to skin aging', *Journal of Tissue Viability*, 26(1), pp. 37–46.
- Umar, A. K. *et al.* (2020) 'Film-forming sprays for topical drug delivery', *Drug Design, Development and Therapy*, 14, pp. 2909–2925.
- United Nations (2020) *World population ageing 2020*, Department of Economic and Social Affairs.
- Venesia, N. F., Fachrial, E. and Lister, I. N. (2020) 'Effectiveness Test of Centella Asiatica Extract on Improvement of Collagen and Hydration in Female White Rat (*Rattus Norvegicus* Wistar)', *Technology, and Sciences (ASRJETS) American Scientific Research Journal for Engineering*, 65(1), pp. 98–107. Available at: <http://asrjetsjournal.org/>.
- Vierkötter, A. and Krutmann, J. (2012) 'Environmental influences on skin aging and ethnic-specific manifestations', *Dermato-Endocrinology*, 4(3), pp. 227–231.
- Villanueva, C. and Kross, R. D. (2012) 'Antioxidant-induced stress', *International Journal of Molecular Sciences*, 13(2), pp. 2091–2109.
- Wiles, R., Crow, G. and Pain, H. (2011) 'Innovation in qualitative research methods: A narrative review', *Qualitative Research*, 11(5), pp. 587–604.
- Yaghoubi, A. *et al.* (2015) 'Correlation of Serum Levels of Vitronectin, Malondialdehyde and Hs-CRP With Disease Severity in Coronary Artery Disease', *Journal of Cardiovascular and Thoracic Research*, 7(3), pp. 113–117.
- Yamaba, H. *et al.* (2016) 'Morphological change of skin fibroblasts induced by UV Irradiation is involved in photoaging', *Experimental Dermatology*, 25(May), pp. 45–51. doi: 10.1111/exd.13084.
- Zouboulis, C. C. *et al.* (2019) 'Aesthetic aspects of skin aging, prevention, and local treatment', *Clinics in Dermatology*, 37(4), pp. 365–372.