

DAFTAR PUSTAKA

- Agustina, E. *et al.* 2018, 'Identifikasi senyawa aktif dari ekstrak daun jambu air (*Syzygium aqueum*) dengan perbandingan beberapa pelarut pada metode maserasi', *Biotropic : The Journal of Tropical Biology*, vol. 2, no. 2, pp. 108–118.
- Alchaddad, M., Siadi, K. & Supartono 2015, 'Transesterifikasi etil p-metoksisinamat hasil isolasi rimpang kencur dengan vitamin C terkatalis lipase', *Indonesian Journal of Chemical Science*, vol. 4, no. 2, pp. 84-88.
- Amaliah, N., Salempa, P. and Muharram 2020, 'Isolasi dan identifikasi senyawa metabolit sekunder fraksi metanol batang belajang susu (*Scindapsus pictus* Hassk.)', *Jurnal Chemica*, vol. 21, no. 1, pp. 78–85.
- Amuamuta, A., Plengsuriyakarn, T. & Na-Bangchang, K. 2017, 'Anticholangiocarcinoma activity and toxicity of the *Kaempferia galanga* Linn. Rhizome ethanolic extract', *BMC Complementary and Alternative Medicine*, vol. 17, no. 1, pp. 1–11.
- Apriani, R. & Abdullah, F.F. 2021, 'Cytotoxic activity of ethyl - para - methoxycinnamate from cancer cells', *Jurnal Kimia Sains dan Aplikasi*, vol. 24, no. 1, pp. 22–28.
- Arief Ichwan, S.J., Sazeli, S. & Lestari, W. 2020, 'Analysis of the anti-cancer effect of ethyl-p-methoxycinnamate extracted cekur (*Kaempferia galanga*) on cancer cell lines with wild- type and null p53', *IIUM Journal of Orofacial and Health Sciences*, vol. 1, no. 1, pp. 28–33.
- Atun, S. 2014, 'Metode isolasi dan identifikasi struktural senyawa organik bahan alam', *Jurnal Konservasi Cagar Budaya*, vol. 8, no. 2, pp. 53–61.
- Beasley, M.M. *et al.* 2014, 'Comparison of transmission FTIR, ATR, and DRIFT spectra: implications for assessment of bone bioapatite diagenesis', *Journal of Archaeological Science*, vol. 46, no. 1, pp. 16–22.
- Behera, S. *et al.* 2012, 'UV-Visible spectrophotometric method development and validation of assay of paracetamol tablet formulation', *Journal of Analytical & Bioanalytical Techniques*, vol. 3, no. 6, pp. 1–6.
- Carey, F.A. & Giuliano, R.M. 2017, *Organic Chemistry*. 10th edn. USA: McGraw

Hill.

- Depkes RI 2017, *Farmakope Herbal Indonesia Edisi 2. II, Farmakope Herbal Indonesia. II*. Jakarta: Depkes RI.
- Elya, B. *et al.* 2016, 'Antibacterial tests against acne in vitro, the physical stability and patch test using cream containing ethyl p-methoxycinnamate extracted from *Kaempferia galanga* L., rhizoma', *Research Journal of Medicinal Plant*, vol. 10, no. 8, pp. 426–434.
- Fareza, M.S. *et al.* 2017, 'Transformasi etil p-metoksisinamat menjadi asam p - metoksisinamat dari kencur (*Kaempferia galanga* L.) beserta uji aktivitas antibakterinya', *Alchemy Jurnal Penelitian Kimia*, vol. 13, no. 2, pp. 176–190.
- Gandjar, G. & Rohman, A. 2007, *Kimia Analisis Farmasi*. Yogyakarta: Pustaka Pelajar.
- González, A.G., Herrador, M.Á. & Asuero, A.G. 2010, 'Intra-laboratory assessment of method accuracy (trueness and precision) by using validation standards', *Talanta*, vol. 82, no. 5, pp. 1995–1998.
- Harmita 2004, 'Petunjuk pelaksanaan validasi metode dan cara perhitungannya', *Majalah Kefarmasian*, vol. 1, no. 3, pp. 117–135.
- Haryoto, H. & Frista, A. 2019, 'Aktivitas antioksidan ekstrak etanol, fraksi polar, semipolar dan non polar dari daun mangrove kacang (*Rhizophora apiculata*) dengan metode DPPH dan FRAP', *J. Sains Kes. 2019*, vol. 2, no. 2, pp. 131–138.
- Horwitz, W. & Albert, R. 2006, 'The horwitz ratio (HorRat): a useful index of method performance with respect to precision', *Journal of AOAC International*, vol. 89, no. 4, pp. 1095–1109.
- Huang, L., Yagura, T. & Chen, S. 2008, 'Sedative activity of hexane extract of *Keampferia galanga* L. and its active compounds', *Journal of Ethnopharmacology*, vol. 120, no. 1, pp. 123–125.
- ICH 2005, *Validation of Analytical Procedures: Text and Methodology Q2(R1)*. Geneva: International Conference on Harmonization.
- Irawan, A. 2019, 'Kalibrasi spektrofotometer sebagai penjaminan mutu hasil', *Indonesian Journal of Laboratory*, vol. 1, no. 2, pp. 1–9.

- Jayanti, N.W. *et al.* 2019, 'Isolasi dan uji toksisitas senyawa aktif dari ekstrak metilena klorida (mtc) lengkuas putih (*Alpinia galanga* (L.)Willd)', *Chemistry Progress*, vol. 5, no. 2, pp. 100–108.
- Kusuma, I.M. 2016, 'Potensi antibakteri senyawa etil para metoksi sinamat terhadap bakteri jerawat', *Sainstech Farma*, vol. 9, no. 1, pp. 35–40.
- Liu, B. *et al.* 2010, 'Supercritical carbon dioxide extraction of ethyl p-methoxycinnamate from *Kaempferia galanga* L. rhizome and its apoptotic induction in human HepG2 cells', *Natural Product Research*, vol. 24, no. 20, pp. 1927–1932.
- Megantara, S. *et al.* 2019, 'Karakteristik morfologi tanaman kencur (*Kaempferia galanga* L.) dan aktivitas farmakologi', *Farmaka*, vol.17, no. 2, pp. 256–262.
- Mukkasombut, N., Weerachai, P. & Arunporn, I. 2020, 'Original article validation of HPLC method for the determination of anti-allergic compounds in ethanolic extract of prasaprophyai remedy , a thai traditional medicine', *Thammasat Medical Journal*, vol. 20, no. 1, pp. 74–83.
- Muti'ah, R., Hayati, E.K. & Triastutik, Y. 2013, 'Pemisahan dan identifikasi ekstrak kasar seskuiterpen daun bunga matahari (*Helianthus annuus* L.) dengan kromatografi lapis tipis', *Alchemy*, vol. 2, no. 3, pp. 190-194.
- Nofita, N., Rinawati, R. & Qudus, H.I. 2016, 'Validasi metode matrix solid phase dispersion (MSPD) spektrofotometri UV untuk analisis residu tetrasiklin dalam daging ayam pedaging', *Jurnal Kesehatan*, vol. 7, no. 1, pp. 136-143.
- Nuari, S., Anam, S. & Khumaidi, A. 2017, 'Isolasi dan identifikasi senyawa flavonoid ekstrak etanol buah naga merah (*Hylocereus polyrhizus* (F.A.C.Weber) Britton & Rose)', *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy)*, vol. 3, no. 2, pp. 118–125.
- Nurani, L.H., Asahi, A. & Susanti, H. 2020, 'Determination of EPMS content and anti-inflammatory test rhizome extract *Kaempferia galanga*, L by inhibition of protein denaturation method', *Pharmaciana*, vol. 10, no. 3, pp. 381-390.
- Pratiwi, S. & Runadi, D. 2016, 'Sintesis oktil para metoksisinamat dari bahan baku rimpang Kencur (*Kaempferia galangae* rhizoma): review', *Farmaka*, vol. 14, no. 3, pp. 109–118.
- Rachmaniar, R. *et al.* 2020, 'Pharmaceutical cocrystal of ethyl p-

- methoxycinnamate: formulation and characterization', *Advances in Health Sciences Research*, vol. 26, pp. 96–101.
- Rao 2018, 'Validation of analytical method', *Intechopen*, vol. 7, pp. 131-141.
- Riasari, H., Rachmaniar, R. & Wahyuni, S. 2019, 'Evaluation patch of rhizoma extract kencur (*Kaempferia galanga* L.) as anti-inflammatory with enhancer', *Indonesian Journal of Pharmaceutical Science and Technology*, vol. 6, no. 2, pp. 59-64.
- Rizalina, H. *et al.* 2018, 'Optimasi penentuan kadar metanol dalam darah menggunakan gas chromatography', *Indonesian Journal of Chemical Science*, vol. 7, no. 3, pp. 254–261.
- Rohman, A. 2016, *Validasi Penjaminan Mutu Metode Analisis Kimia*. Yogyakarta: UGM Press.
- Rostiana, O., Rosita, S.M.D. & Rahardjo, M. 2013, 'Standar Prosedur Operasional Budidaya Kencur', dalam *Standar Prosedur Operasional Budidaya Jahe, Kencur, Kunyit dan Temulawak Edisi 2*. Bogor: Balai Penelitian Tanaman Obat dan Aromatik.
- Sri, Y., Kusnadi & Purgiyanti 2020, 'Pengaruh perbedaan pelarut terhadap profil kromatografi lapis tipis pada ekstrak rimpang kencur (*Kaempferia galanga* L.)', *Jurnal Pharmacy*, vol. 2, pp. 1–12.
- Suhartati, T. 2017, *Dasar-Dasar Spektrofotometri UV-Vis dan Spektrometri Massa untuk Penentuan Struktur Senyawa Organik*. Bandar Lampung: AURA CV.
- Suzana, S., Irawati, N. & Budiati, T. 2011, 'Synthesis octyl p-methoxycinnamate as sunblock by transesterification reaction with the starting material ethyl p-methoxycinnamate', *Indonesian Journal of Cancer Chemoprevention*, vol. 2, no. 2, p. 217-221.
- Tarukbua, Y.S.F., Queljoe, E. De & Bodhi, W. 2018, 'Skrining fitokimia dan uji toksisitas ekstrak etanol daun brotowali (*Tinospora crispa* (L.) Hook F. & T) dengan metode brine shrimp lethality test (BSLT)', *Pharmacon*, vol. 7, no. 3, pp. 331-337.
- Umar, M.I. *et al.* 2012, 'Bioactivity-guided isolation of ethyl-p-methoxycinnamate, an anti-inflammatory constituent, from *Kaempferia*

- galanga L. extracts', *Molecules*, vol. 17, no. 7, pp. 8720–8734.
- Umar, M.I. *et al.* 2014, 'Ethyl-p-methoxycinnamate isolated from kaempferia galanga inhibits inflammation by suppressing interleukin- 1, tumor necrosis factor- α , and angiogenesis by blocking endothelial functions', *Clinics*, vol. 69, no. 2, pp. 134–144.
- Watson 2012, *Pharmaceutical Analysis: A Textbook for Pharmacy Students and Pharmaceutical Chemists*. British: Elsevier Ltd.
- Winahyu, D.A., Retnaningsih, A. & Aprilia, M. 2019, 'Penetapan kadar flavonoid pada kulit batang kayu raru (*Cotylelobium melanoxylon* p) dengan metode spektrofotometri uv-vis', *Jurnal Analisis Farmasi*, vol. 4, no. 1, pp. 29–36.
- Yusuf, B., Yusuf, A. & Nurliana, S. 2014, 'Analisa Pb 2+ pada lobster (*Panulirus* sp) dengan metode adisi standar spektrofotometer uv-vis menggunakan pengompleks ditizon', *Jurnal Kimia Mulawarman*, vol. 11, no. 2, pp. 56–58.
- Zhang, K., Wu, W. & Tian, S. 2020, 'Comparative study on the determination of ethyl p-methoxycinnamate in *Kaempferia galanga* rhizome by HPTLCS and HPLC', *Journal of Planar Chromatography - Modern TLC*, vol. 33, no. 1, pp. 51–57.

