

## DAFTAR PUSTAKA

- Alen, CH., Achin Kumar, Sami Qutob, Balazs Nyiri, Vinita Chauchan, dan Sangeeta Murugkar. (2017). *Raman micro-spectroscopy analysis of human lens epithelial cells exposed to a low dose range of ionizing radiation*. . Physics in Medicine & Biology, 6, 1-21.
- Bardies, M & Pihet, P. (2000). *Dosimetry and microdosimetry of targeted radiotherapy*. Current Pharmaceutical Design, 6, 1469-1502.
- Darmawati & Suharni. (2012). *Implementasi linear accelerator dalam penanganan kasus kanker*. Prosiding pertemuan dan presentasi ilmiah teknologi akselerator dan aplikasinya, 14, 36-47.
- Endo, S., Y. Onizuka, M. Ishikawa, M. Takada, Y. Sakurai, T. Kobayashi, K. Tanaka, M. Hoshi, dan K. Shizuma. (2004). *Microdosimetry of neutron field for boron neutron capture therapy at kyoto university reactor*. Radiation Protection Dosimetry, 110(1-4), 161-644.
- Hall, E.J & Giaccia, A.J. (2019). *Radiobiology for the radiologist: Eight edition*. Philadelphia: Wolters Kluwer.
- Hsu, F.Y, H.W. Hsiao, C-J Tung, H.M. Liu, F.I. Chou. (2009). *Microdosimetry study of THOR BNCT beam using tissue equivalent proportional counter*. Applied Radiation and Isotopes, 67, 175-178.
- Hu, N, H. Tanaka, T. Takata, S. Endo, S. Masunaga, M. Suzuki, dan Y. Sakurai. (2020). *Evaluation of PHITS for microdosimetry in BNCT to support radiobiological research*. Applied Radiation and Isotopes, 161(2020) 109148, 1-8.
- Kase, Yuki, Wataru Yamashita, Naruhiro Matsufuji, Kenta Takada, Takeji Sakae, Yoshiya Furusawa, Haruo Yamashita, dan Shigeyuki Murayama. (2012). *Microdosimetric calculation of relative biological effectiveness for design of therapeutic proton beams*. Jurnal of Radiation Research, 54, 485-493.
- Khan, M.F. (2014). *The physics of radiation therapy, The 5<sup>th</sup> edition*. New York: Lippincott Williams and Wilkins.
- Khasanah, D.S. (2020). *Karakterisasi radiasi pesawat linear accelerator (Linac) 6 MV dengan metode Monte Carlo*. Skripsi. Purwokerto: Universitas Jenderal Soedirman.
- Murshed, Hasan. (2019). *Fundamentals of radiation oncology (Third edition)*. Hal-59. USA: Elsevier Inc.
- Niita, K, Tatsuhiko Sato, Yosuke Iwamoto, Shintaro Hashimoto, Tatsuhiko Ogawa, Takuya Furuta, Shinichiro Abe, Takeshi Kai, Norihiro Matsuda, Yusuke Matsuya, Hunter Ratliff, Lan Yao, Pi-En Tsai, Hiroshi Iwase, Nobuhiro

- Shigyo, dan Lembit Sihwer. (2020). *User's Manual PHITS Ver.3.22*. Jepang: JAEA.
- Nurman, R & Bambang, S. (2007). *Kalibrasi keluaran berkas elektron pesawat pemercepat linear medik clinac 2100 no. seri 1402 di Rumah Sakit Umum Pusat Dr. Sutomo Surabaya*. Prosiding Pertemuan dan Presentasi Ilmiah Fungsional Pengembangan Teknologi Nuklir I: Jakarta.
- Oliver, Patricia.A.K & Thomson, Roman M. (2018). *Microdosimetric considerations for radiation response studies using raman spectroscopy*. Canada: Med Phys, 45(10), 4734-4743.
- Ongaro, C, Alba Zanini, U Nastasi, Jose Rodenas, Giuseppe Ottaviano, dan Claudio Manfredotti. (2000). *Analysis of photoneutron spectra produced in medical accelerators*. Physics in Medicine & Biology, 45(2000), 155-161.
- Pratiwi, U. (2006). *Aplikasi analisis citra detail phantom dengan metode konversi data digital ke data matrik untuk meningkatkan kontras citra menggunakan film imaging plate*. Skripsi. Surakarta: Universitas Sebelas Maret.
- Puchalska, M. & Sihver, L. (2015). *PHITS simulations of absorbed dose out-offield and neutron energy spectra for ELEKTA SL25 medical linear accelerator*. Physics in Medicine & Biology, 60(2015), 261-270.
- Podgorsak E, B. (2005). *Treatment Machines for External Beam Radiotherapy, in Radiation Oncology Physics: A Handbook for Teachers and Students*. Vienna. Austria: IAEA.
- Sato, Tatsuhiko, Yosuke Iwamoto, Shintaro Hasimoto, Tatsuhiko Ogawa, Takuya Furuta, Shin-ichiro Abe, Takeshi Kai, Pi-En Tsai, Norihiro Matsuda, Hiroshi Iwase, Nobuhiro Shigyo, Lembit Sihver, dan Koji Niita. (2018). *Features of particle and heavy ion transport code system (PHITS) version 3.02*. Journal of Nuclear Science and Technology, 55(6),684-690.
- Suswarno, S.P. (2015). *Optimasi komposisi aluminium oksida (Al<sub>2</sub>O<sub>3</sub>) untuk aplikasi alternatif phantom tulang kortikal*. Skripsi. Semarang: UNNES.
- Susworo, R. 2007. *Dasar-dasar radioterapi*. Jakarta: UI Press.
- Tsuruoka, C., Suzuki, M., Kanai, T., & Fujitaka, K. (2005). *LET and ion species dependence for cell killing in normal human skin fibroblasts*. Radiation Research, 163(5), 494-500.
- Villegas, F., Tilly, N., & Ahnesjo, A. (2013). *Monte Carlo calculated microdosimetric spread for cell nucleus-sized targets exposed to brachytherapy I<sub>125</sub> and Ir<sub>192</sub> sources and Co<sub>60</sub> cell irradiation*. Physics in Medicine & Biology, 58(2013), 6149-6162).
- Yu, Wentao, Hulqiang Long, Jin Gao, Yidi Wang, Yu Tu, Liang Sun, dan Na Chen. (2021). *Study on caenorhabditis elegans as a combined model of microdosimetry and biology*. Dose-Response: An International Journal, 1-