

DAFTAR PUSTAKA

- Alahmadi, M.A. 2014. High-Intensity Interval Training and Obesity. Riyadh. *Physiotherapies Journal*. Vol. 4 (3) : 1-6.
- Andiana, O., Prasetyo, Y. 2012. Pengaruh Latihan Interval Istirahat Aktif Dan Istirahat Pasif Terhadap Derajat Stres Oksidatif. *Buletin Penelitian Sistem Kesehatan*. Vol 14 (3) : 249–257
- Atmojo, S. 2017. Perbandingan Interval Training Dan Circuit Training Untuk Meningkatkan Daya Tahan Tubuh, Kekuatan, Reaksi Dan Kecepatan Pada Atlet Putra UKM Bola Tangan Unesa. *Jurnal UNESA*. Vol 1 (1) : 1-8
- Aro, C., Guzman, J., Munoz, M. 2015. Effect High Intensity Interval Training Versus Moderat Intensity Continuous Training on The Reduction of Oxidative Stress in Type 2 Diabetic Adult Patients: CAT. *Medwave* Vol 15(7) : 1–13.
- Arsana, I.N., Adiputra, N., Pangkahila, J.A. & Putra-Manuaba, I.B. 2013. *Garcinia Mangostana* L. Rind Extract and Physical Training Reduce Oxidative Stress in Wistar Rats During Maximal Physical Activity. *Indonesian Journal of Biomedical Sciences* Vol 7(2) : 63–68.
- Barret, K.E., Barman, S.M., Boitano, S., Brooks, H.L. 2010. *Ganong's Review of Medical Physiology 23rd Ed*. New York: Mc Graw Hill
- Bass, R., Eneli, I. 2014. Severe childhood obesity: An under-recognized and growing health problem. *Postgraduate Medical Journal* Vol 91(1081): 639-645
- Budi, A., Husnil, K., Aswiyanti, A. 2019. Perbedaan Kadar Malondialdehid Pada Dewasa Muda Obes Dan Non-Obes Di Fakultas Kedokteran Universitas Andalas. *Jurnal Kesehatan Andalas*. Vol 8 (2) : 21-25
- Candrawati, S. 2013. Pengaruh Aktivitas Fisik terhadap Stres Oksidatif. *Jurnal Mandala of Health* Vol 6 (1): 454–461
- CDC. 2016. Childhood Obesity Causes & Consequences - *Overweight & Obesity*. Diakses 10 Agustus 2020, from Centers for Disease Control and Prevention: <https://www.cdc.gov/obesity/childhood/causes.html>
- Cida, T., Sugianto, H., Ani, S. 2017. Perbedaan Kadar Glukosa Darah Pada Anak Dengan Indeks Massa Tubuh Normal Dan *Overweight* Di Sekolah Dasar Sang Timur Malang. *Jurnal Nursing News* Vol 2 (1) : 147-155
- Dahlan, S. 2014. *Statistik untuk Kedokteran dan Kesehatan*. Jakarta: Epidemiologi Indonesia.

- De Feo, P. 2013. Is high-intensity exercise better than moderate-intensity exercise for weightloss?. *Nutr.Metab.Cardiovasc. Dis.* 23 (11): 1037–1042.
- Dinas Kesehatan Provinsi Jawa Tengah. 2017. Profil Kesehatan Provinsi Jawa Tengah Tahun 2017. Dinas Kesehatan Jateng.
- Dirgantoro, E.W., Shadiqin, A, dan Aisyah, S. 2018. Pengaruh Bike *Interval training* terhadap Peningkatan Daya Tahan Jantung Paru Anggota Club Cycle Bajai. *Multilateral: Jurnal Pendidikan Jasmani dan Olahraga.* Vol 12(1): 13-17.
- Fimognari, C. 2015. Role of Oxidative RNA Damage in Chronic-Degeneratif Diseases. *Longevity Journal* Vol 1(1) : 1-10
- Gibala, J. Martin, Jonathan P. Little, Maureen McDonald, John A. Hawley. 2012. Physiological Adaptation to Low-Interval, High-Intensity Interval Training in Health and Disease. London. *The Journal Physiology.* Vol. 1 (1) : 1077-1084.
- Gillen, J.B., & Gibala, M.J., 2013. Is high-intensity interval training a time-efficient exercise strategy to improve health and fitness. *Appl Physio. Nutr Metab* Vol 39 (3): 409–412.
- Harun, R., Hardhono, S., Ali. 2017. Pemberian Tempe Menurunkan Kadar Malondialdehyde dan Meningkatkan Aktivitas Enzim Superoxide Dismutase Pada Tikus Dengan Aktivitas Fisik Tinggi. *Jurnal Gizi Pangan* Vol 12 (3) : 211-216
- Hendra, C., Manampiring, A.E, dan Budiarmo, F. 2016. Faktor-Faktor Risiko Terhadap Obesitas Pada Remaja di Kota Bitung. *Jurnal e-Biomedik* Vol. 4 (1) : 1-5
- Heryani. R. 2016. Pengaruh ekstrak buah naga merah terhadap profil lipid darah tikus putih hiperlipidemia. *Jurnal Ipteks Terapan* Vol 10 (1) : 8-17
- Hruby, A dan Hu, F.B. 2016. The epidemiology of obesity: a big picture. *Pharmacoeconomics* Vol 33(7): 673–689.
- Huang, C.J., Allister, M.J., Slusher, A.L., Webb, H.E., Mock, J.T., & Acevedo, E.O. 2015. Obesity-related oxidative stress: the impact of physical activity and diet manipulation. *Sport Med* Vol 1 (1): 1-10
- Juliana., Afriani. Y. 2018. Pengaruh pemberian jus jamur tiram putih (*Pleurotus ostreatus*) terhadap kadar malondialdehid pada atlet sepak bola. *Jurnal Ilmu Gizi Indonesia* Vol 2 (1) : 7-12
- Kapusta, A., Kuczyńska, B. & Puppel, K. 2018. Relationship between the degree of antioxidant protection and the level of malondialdehyde in high-performance Polish Holstein-Friesian cows in peak of lactation. *PloS one* Vol 13(3): 1-7

- Kementrian Republik Indonesia. 2018. Riset Kesehatan Dasar (Riskesdas) 2018. Jakarta. Badan Penelitian dan Pengembangan Kementerian Republik Indonesia.
- Kadhafi, Z. 2014. Biomarker stres oksidatif saat istirahat pada atlet sepak bola Indonesia. *Jurnal Kedokteran Indonesia* Vol 1(1) : 1-14
- Kong, Z., Xitao Fan, Shengyan Sun, Lili Song, Qingde Shi, Jinlei Nie. 2016. Comparison On High-Intensity Interval Training And Moderate-To-Vigorous Continuous Training For Cardiometabolic Health And Exercise Enjoyment In Obese Young Women: A Randomize Controlled Trial.. *Plos One* Vol 11 (7): 1-7
- Kravitz, Len., Zuhl, Micah. 2014. *High Intensity Interval Training vs Continuous Cardio Training: Battle of the Aerobic Titans*. USA : ACSM Health and Fitness Summit
- Kumar, V., Abbas, K. 2015. Buku Ajar Patologi Robbins Edisi 9. Malang : Elsevier
- Lidegaard, L.P., Schwennesen, N., Willaing, I., Færch, K. 2016. Barriers to and motivators for physical activity among people with Type 2 diabetes: patients' perspectives. *Diabet.Med.* Vol 33 (12): 1677–1685.
- Longo., Dan, L. et al. 2012. *Biology of Obesity in: Harrison's Principles of Internal Medicine 18th edition*. The McGraw-Hill Companies. Chapter 77.
- Mallol, M., G Mejuto, D Bentley, L Norton, J Torres-Unda, H Arrieta et al. 2016. Effects of 4 Weeks High-Intensity Training on Running and Cycling Performance in Well-trained Triathletes. *Sports and Exercise Medicine*. Vol. 3(1): 1-7
- Maud M., Fearnbach, S., Metz, L., Khammassi, M., Julian V., Cardenoux. 2020. Effect Of HIIT Versus MICT On Body Composition And Energy Intake In Dietary Restrained And Unrestrained Adolescent With Obesity. *Appl Physiol Nutr Metab* Vol 45(4) : 437-445.
- Nugraha, A., Khairun, N. 2017. Pengaruh High Intensity Interval Training (HIIT) Terhadap Kebugaran Kardiorespirasi. *Jurnal Unlam*. Vol 6 (1) : 1-5
- Ofei, F., 2005. Obesity - a preventable disease. *Ghana Med. J.* Vol 39 (3): 98–101.
- Park, S. Y., Kwak, Y. S. 2016. Impact of aerobic and anaerobic exercise training on oxidative stress and antioxidant defense in athletes. *Journal of Exercise Rehabilitation* Vol 12 (2): 113–118.
- Permatasari, D., Susy, P., Ali, I., Bagus, K. S., Luh, M., Sugijanto. Pelatihan Interval Intensitas Tinggi lebih efektif menurunkan Presentase Lemak Tubuh dibandingkan Pelatihan Kontinyu Submaksimal pada Siswa SMAN 4 Tasikmalaya. *Sports and Fitness Journal*. Vol. 5(2) : 10-20.

- Pingitore, A., Lima, G.P.P., Mastorchi, F., Quinones, A., Iervasi, G. 2015. Exercise and Oxidative Stress: Potential Effect of Antioxidant Dietary Strategies in Sport. *Journal Nutrition* Vol3 (1) : 916–922.
- Rahmawati, A. 2014. Mekanisme Terjadinya Inflamasi dan Stres Oksidatif pada Obesitas. *El-Hayah Biology Journal of UIN Indonesia* Vol 5(1) : 1– 8
- Ranitadewi, I., Ahmad,S., Hartanti, S. 2018. Pengaruh Pemberian Konseling Gizi Terhadap Porsen Lemak Tubuh Wanita *Overweight* dan Obesitas Peserta Senam Pilates. *Jurnal of Nutrion College*. Vol 7 (3) : 123-132
- Roriz, A.K. 2014. Evaluation of the accuracy of anthropometric clinical indicator of visceral fat in adult and elder. Brazil. *JournalPlosOne* Vol 9 (7) :1-7
- Santos, M. A. dos, Matzenbacher, F., Albarello, J. C. dos S., Halmenschlager, G. H. 2019. Comparison of epoc and recovery energy expenditure between hiit and continuous aerobic exercise training. *Revista Brasileira de Medicina Do Esporte*, 25(1), 20–23.
- Sarwer, D.B. & Polonsky, H.M. 2016. The psychosocial burden of obesity. *Endocrinol. Metab Clin*. Vol 45 (3): 677–688.
- Sastroasmoro, S., Ismael, S. 2014. *Dasar-dasar metodologi penelitian klinis*, 5th. Jakarta. : ed. Sagung Seto
- Sposta, S., Gussoni, M., Simone, P., Lorenzo. 2015. Training Efeects on ROS Production Determined by Electron Paramagnetic Resonance in Master Swimmers. *Oxidative Medicine and Celluler Longevity* Vol 1 (1) : 1-8
- Sinaga, R. & Fajar, A. 2010. Pengaruh Pemberian Vitamin C Terhadap Kadar Malondialdehid Dan Haemoglobin Atlet Pada Aktifitas Fisik Maksimal. *Jurnal FIK UNM*. Vol 1(1) :14-24
- Susantiningasih, T. 2015. Obesitas dan Stres Oksidatif. *JuKe Unila* vol 5 (9) : 89-93
- Sudarsono, N.C., et al., 2019. The effects of combined high-intensity interval and resistance training on glycemic control and oxidative stress in T2DM. *Asian J Sport. Med*. Vol 10 (3): e91841.
- Sugondo, S. 2017. *Obesitas dalam Buku Ajar Ilmu Penyakit Dalam* Edisi VI. Jakarta: Interna Publishing.
- Sherwood, L. 2014. *Fisiologi Manusia dari Sel ke Sistem*. Jakarta. EGC Penerbit Buku Kedokteran.
- Spirlandeli, A. L., Deminice, R. & Jordao, A. A. 2014. Plasma *malondialdehyde* as biomarker of lipid peroxidation: effects of acute exercise. *International journal of sports medicine* Vol 35(1) : 14-18

- Sylviana, N., Gunawan, H., Lesmana, R., Purba, A. & Akbar, I. B. 2017. The Effect of Astaxanthin and Regular Training on Dynamic Pattern of Oxidative Stress on Male under Strenuous Exercise. *Indonesian Journal of Clinical Pharmacy* Vol 6(1): 46-54.
- Sukadiyanto & Muluk, D. 2011. *Pengantar Teori Dan Metodologi Melatih Fisik*. Bandung : Lubuk Agung.
- Tjønnå, A.E., Lee, S.J., Rognmo, Ø., Stølen, T.O., Bye, A., Haram, P.M. 2008. Aerobic interval training versus continuous moderate exercise as a treatment for the metabolic syndrome: a pilot study. *Circulation J* Vol 118 (4): 346–354.
- Watulingas, I., Jornan, J. & Hedison.P. 2013. Pengaruh Latihan Fisik Aerobik Terhadap Vo2 Max Pada Mahasiswa Pria Dengan Berat Badan Lebih (*Overweight*). *Jurnal E-Biomedik* Vol 1(2) : 2013 : 1064-1068
- Wellman, K.F. & Bloomer, R.J. 2009. Acute Exercise and Oxidative Stress: a 30 year history. *MioMed Central* Vol 8(1): 1-25
- Weston, K. S., Ulrik W., Jeff, S. J. 2014. High Intensity Interval Training in Patient With Lifestyle-Induced Cardiometabolic Disease: A Systemic Review and Metaanalysis. *Br J Sports Med* Vol. 1(48) : 1227-1234.
- World Health Organization [WHO]. 2000. The Asia-Pacific Perspective : Redefining Obesity and It's Treatment. Western Asia Pacific Region : World Health Organization.
- Yosika, G ., Pamuji, S., Adi, P., Septyaningrum, P. 2020. Penurunan Malondialdehyde Serum Setelah Latihan Interval Dan Continuous Di Pagi Hari Pada Perempuan Obesitas. *Jurnal Sportif* Vol 6 (2) : 288-303
- Zaetun, S., Dewi, L. 2018. Profil Kadar MDA (Malondialdehyde) Sebagai Penanda Kerusakan Seluler Akibat Radikal Bebas Pada Tikus Yang Diberikan Air Beroksigen. *Jurnal Analis Medika Bio Sains* Vol 5(1) : 79 – 84.
- Zalukhu, M., Agustinus, R., Rizaldy,T. 2016. Proses Menua, Stres Oksidatif, dan Peran Antioksidan. *Jurnal CDK-245*. Vol. 43 (10) : 733-736
- Zulfahmidah., Fajriansyah ., Armanto,M. 2021. Hubungan Obesitas dan Stress Oksidatif. *UMI Medical Journal* Vol 6 (1) : 62-69