

## DAFTAR PUSTAKA

- Adak, S., Datta, S., Bhattacharya, S., Ghose, T. K., & Lahiri Majumder, A. (2020). Diversity analysis of selected rice landraces from West Bengal and their linked molecular markers for salinity tolerance. *Physiology and Molecular Biology of Plants*, 26(4), 669–682. <https://doi.org/10.1007/s12298-020-00772-8>.
- Aiello, D., Ferradini, N., Torelli, L., Volpi, C., Lambalk, J., Russi, L., & Albertini, E. (2020). Evaluation of cross-species transferability of SSR markers in *Foeniculum vulgare*. *Plants*, 9(2), 7–9. <https://doi.org/10.3390/plants9020175>.
- AL- Musawi, B. H., AL-Badeiry, N. A. H., & AL-Anbari, M. A. (2019). Efficiency of SSR markers system in accessing genetic variation for rice (*Oryza sativa* L.) genotypes. *Plant Archives*, 19(April), 318–325.
- Al-Ashkar, I., Alderfasi, A., Romdhane, W. Ben, Seleiman, M. F., El-Said, R. A., & Al-Doss, A. (2020). Morphological and genetic diversity within salt tolerance detection in eighteen wheat genotypes. *Plants*, 9(3), 1–21. <https://doi.org/10.3390/plants9030287>.
- Al-Rubaye, A. F., Hameed, I. H., & Kadhim, M. J. (2017). A Review: Uses of Gas Chromatography-Mass Spectrometry (GC-MS) technique for analysis of bioactive natural compounds of some plants. *International Journal of Toxicological and Pharmacological Research*, 9(01). <https://doi.org/10.25258/ijtpr.v9i01.9042>.
- Alamgir, A. N. M., Musa, M., & Ali, M. Y. (2007). Some aspects of mechanisms of NaCl stress tolerance in the seedlings of four rice genotypes. *Bangladesh Journal of Botany*, 36(2), 181–184. <https://doi.org/10.3329/bjb.v36i2.1510>.
- Babu, N. N., Krishnan, S. G., Vinod, K. K., Krishnamurthy, S. L., Singh, V. K., Singh, M. P., Singh, R., Ellur, R. K., Rai, V., Bollinedi, H., Bhowmick, P. K., Yadav, A. K., Nagarajan, M., Singh, N. K., Prabhu, K. V., & Singh, A. K. (2017). Marker aided incorporation of saltol, a major QTL associated with seedling stage salt tolerance, into *Oryza sativa* 'pusa basmati 1121.' *Frontiers in Plant Science*, 8(January), 1–14. <https://doi.org/10.3389/fpls.2017.00041>.
- Badan Penelitian dan Pengembangan Pertanian. (2008). <http://bbpadi.litbang.pertanian.go.id/index.php/varietas-padi/inbrida-padi-gogo-inpago/unsoed-parimas>
- Badan Penelitian dan Pengembangan Pertanian Varietas Inpago Unsoed. (2019). <http://www.litbang.pertanian.go.id/varietas/795/>.
- Badan Pusat Statistika. (2020). *Berita Resmi Statistik: Luas Panen dan Produksi Padi di Indonesia 2019*.

- Balai Besar Penelitian Tanaman Padi. (2020). *Sistem Informasi Plasma Nutfah Padi*. [http://bbpadi.litbang.pertanian.go.id/plasma/index.php-main%3Ddisp\\_padi\\_unggul%26noaksesi%3DAtomita%25202.html+%&cd=1&hl=id&ct=clnk&gl=id](http://bbpadi.litbang.pertanian.go.id/plasma/index.php-main%3Ddisp_padi_unggul%26noaksesi%3DAtomita%25202.html+%&cd=1&hl=id&ct=clnk&gl=id).
- Balitbangtan. (2014). *Varietas Inpari Unsoed 79 Agritan*. Badan Penelitian Dan Pengembangan Pertanian Kementerian Pertanian. <http://www.litbang.pertanian.go.id/varietas/1082/>.
- Bellés, J. M., Garro, R., Fayos, J., Navarro, P., Primo, J., & Conejero, V. (1999). Gentisic acid as a pathogen-inducible signal, additional to salicylic acid for activation of plant defenses in tomato. *Molecular Plant-Microbe Interactions*, *12*(3), 227–235. <https://doi.org/10.1094/MPMI.1999.12.3.227>.
- Chen, C., Norton, G. J., & Price, A. H. (2020). Genome-wide association mapping for salt tolerance of rice seedlings grown in hydroponic and soil systems using the bengal and assam aus panel. *Frontiers in Plant Science*, *11*(October), 1–18. <https://doi.org/10.3389/fpls.2020.576479>.
- Chen, J., Tai, L., Luo, L. A. N., Xiang, J., & Zhao, Z. (2021). Mapping QTLs for yield component traits using overwintering cultivated rice. *Journal of Genetics*, *0123456789*. <https://doi.org/10.1007/s12041-021-01279-1>.
- Cotsaftis, O., Plett, D., Johnson, A. A. T., Walia, H., Wilson, C., Ismail, A. M., Close, T. J., Tester, M., & Baumann, U. (2011). Root-specific transcript profiling of contrasting rice genotypes in response to salinity stress. *Molecular Plant*, *4*(1), 25–41. <https://doi.org/10.1093/mp/ssq056>
- Das, P., Nutan, K. K., Singla-Pareek, S. L., & Pareek, A. (2015). Understanding salinity responses and adopting ‘omics-based’ approaches to generate salinity tolerant cultivars of rice. *Frontiers in Plant Science*, *6*(September), 1–16. <https://doi.org/10.3389/fpls.2015.00712>.
- De Leon, T. B., Linscombe, S., & Subudhi, P. K. (2016). Molecular dissection of seedling salinity tolerance in rice (*Oryza sativa* L.) using a high-density GBS-based SNP linkage map. *Rice*, *9*(1). <https://doi.org/10.1186/s12284-016-0125-2>.
- Doyle, J. J., & L, D. J. (1990). Isolation of plant DNA from fresh tissue. *Focus*, *12*, 13–15.
- Emon, R. M., Islam, M. M., Halder, J., & Fan, Y. (2015). Genetic diversity and association mapping for salinity tolerance in Bangladeshi rice landraces. *Crop Journal*, *3*(5), 440–444. <https://doi.org/10.1016/j.cj.2015.04.006>.
- Escudero, N., Marhuenda-egea, F., & Lopez-Illorca, L. V. (2017). Chapter 8 Metabolomics. *Springer International Publishing, December*. <https://doi.org/10.1007/978-3-319-59224-4>.

- Faisal, A.-R. M., Biswas, S., Zerlin, T., Rahman, T., & Seraj, Z. I. (2017). Downregulation of the DST Transcription Factor Using Artificial microRNA to Increase Yield, Salt and Drought Tolerance in Rice. *American Journal of Plant Sciences*, 08(09), 2219–2237. <https://doi.org/10.4236/ajps.2017.89149>.
- Gaikwad, A. B. (2015). DNA quality : Electrophoresis , spectrophotometry and fluorometry. *IndaBook.Org*, 7–11. <http://88.198.249.35/preview/1sfRpOsXVqEEk7co2AEjcF6JMAI-OCTMohSg5AaWEAY,/DNA-quality-electrophoresis-spectrophotometry.html?query=DNA-quality-electrophoresis-spectrophotometry>.
- Ganie, S. A., Borgohain, M. J., Kritika, K., Talukdar, A., Pani, D. R., & Mondal, T. K. (2016). Assessment of genetic diversity of Saltol QTL among the rice (*Oryza sativa* L.) genotypes. *Physiology and Molecular Biology of Plants*, 22(1), 107–114. <https://doi.org/10.1007/s12298-016-0342-6>.
- Gregorio, G. B. (1997). *Screening rice for salinity tolerance*. 22.
- Grob, R. L.; Barry, E. F. (2004). Theory of Gas Chromatography. In *Gas Chromatography*. <https://doi.org/10.1016/B978-0-12-385540-4.00002-X>.
- Gupta, P., & De, B. (2017). Metabolomics analysis of rice responses to salinity stress revealed elevation of serotonin, and gentisic acid levels in leaves of tolerant varieties. *Plant Signaling and Behavior*, 12(7), 1–11. <https://doi.org/10.1080/15592324.2017.1335845>.
- Han, L., Qiao, Y., Zhang, S., Zhang, Y., Cao, G., Kim, J., Lee, K., & Koh, H. (2007). Identification of quantitative trait loci for cold response of seedling vigor traits in rice. *Journal of Genetics and Genomics*, 34(3), 239–246. [https://doi.org/10.1016/S1673-8527\(07\)60025-3](https://doi.org/10.1016/S1673-8527(07)60025-3).
- Handayani, F., Wulandari, R. A., & Murti, R. H. (2016). Genomic DNA extraction method from mature leaf of lai (*Durio kutejensis* Becc.). *Agrivita*. 38(1), 73–79. <https://doi.org/10.17503/agrivita.v38i1.659>.
- Harahap, A. S. (2017). Uji kualitas dan kuantitas DNA beberapa populasi pohon kapur Sumatera. *Journal of Animal Science and Agronomy Panca Budi*, 2(2), 1–6.
- Herlina, L., & Silitonga, T. S. (2016). Seleksi lapang ketahanan beberapa varietas padi terhadap infeksi hawar daun bakteri strain IV dan VIII. *Buletin Plasma Nutfah*, 17(2), 80. <https://doi.org/10.21082/blpn.v17n2.2011.p80-87>.
- Hill, C. B., Jha, D., Bacic, A., Tester, M., & Roessner, U. (2013). Characterization of ion contents and metabolic responses to salt stress of different arabidopsis AtHKT1;1 genotypes and their parental strains. *Molecular Plant*, 6(2), 350–368. <https://doi.org/10.1093/mp/sss125>.

- Himabindu, Y., Chakradhar, T., Reddy, M. C., Kanygin, A., Redding, K. E., & Chandrasekhar, T. (2016). Salt-tolerant genes from halophytes are potential key players of salt tolerance in glycophytes. *Environmental and Experimental Botany*, *124*, 39–63. <https://doi.org/10.1016/j.envexpbot.2015.11.010>.
- Hutajulu, H. F., Rosmayati, & Ilyas, S. (2013). Pengujian respons pertumbuhan beberapa varietas padi sawah (*Oryza sativa* L.) Akibat cekaman salinitas. *Jurnal Online Agroekoteknologi*, *1*(4), 1101–1109.
- Isminingsih, S., Rismawati, M., Susiyanti, & Rusmana. (2019). Keragaman plasma nutfah padi lokal Indonesia berbasis sifat aromatik dengan marka SSR. *Jurnal Ilmu Pertanian Tirtayasa*, *1*(1), 48–56.
- Jalil, M., Sakdiah, H., Deviana, E., & Akbar, I. (2016). Pertumbuhan dan produksi beberapa varietas padi (*Oryza sativa* L.) pada berbagai tingkat salinitas. *Jurnal Agrotek Lestari*, *2*(2), 63–74.
- Jena, K. K., & Mackill, D. J. (2008). Molecular markers and their use in marker-assisted selection in rice. *Crop Science*, *48*(4), 1266–1276. <https://doi.org/10.2135/cropsci2008.02.0082>.
- Jiménez-Arias, D., García-Machado, F. J., Morales-Sierra, S., García-García, A. L., Herrera, A. J., Valdés, F., Luis, J. C., & Borges, A. A. (2021). A beginner's guide to osmoprotection by biostimulants. *Plants*, *10*(2), 1–24. <https://doi.org/10.3390/plants10020363>.
- Kang, K., Park, S., Kim, Y. S., Lee, S., & Back, K. (2009). Biosynthesis and biotechnological production of serotonin derivatives. *Applied Microbiology and Biotechnology*, *83*(1), 27–34. <https://doi.org/10.1007/s00253-009-1956-1>.
- Khan, S., Javed, M. A., Jahan, N., & Manan, F. A. (2016). A Short review on the development of salt tolerant cultivars in rice. *International Journal of Public Health Science (IJPHS)*, *5*(2), 201. <https://doi.org/10.11591/ijphs.v5i2.4786>.
- Khush, G. ., & Virk., P. . (2005). IR varieties and their impact. In *International Rice Research Institute, Los Baños*.
- Kumar, V., Singh, A., Mithra, S. V. A., Krishnamurthy, S. L., Parida, S. K., Jain, S., Tiwari, K. K., Kumar, P., Rao, A. R., Sharma, S. K., Khurana, J. P., Singh, N. K., & Mohapatra, T. (2015). Genome-wide association mapping of salinity tolerance in rice (*Oryza sativa*). *DNA Research*, *22*(2), 133–145. <https://doi.org/10.1093/dnares/dsu046>.
- Kumari, R., Kumar, P., Sharma, V. K., & Kumar, H. (2019). Seedling stage salt stress response specific characterization of genetic polymorphism and validation of SSR markers in rice. *Physiology and Molecular Biology of Plants*, *25*(2), 407–419. <https://doi.org/10.1007/s12298-018-0623-3>.
- Kusano, M., Yang, Z., Okazaki, Y., Nakabayashi, R., Fukushima, A., & Saito, K. (2015). Using metabolomic approaches to explore chemical diversity in rice. *Molecular Plant*, *8*(1), 58–67. <https://doi.org/10.1016/j.molp.2014.11.010>.



- Lang, N. T., Phuoc, N. T., Ha, P. T. T., & Buu, B. C. (2017). Identifying QTLs associated and marker-assisted selection for salinity tolerance at the seedling, vegetative and reproductive stages in rice (*Oryza sativa* L.). *International Journal of Environment, Agriculture and Biotechnology*, 2(6), 2927–2935. <https://doi.org/10.22161/ijeab/2.6.20>.
- Lestari, P., Risliawati, A., & Koh, H. J. (2016). Identifikasi dan aplikasi marka berbasis PCR untuk identifikasi varietas padi dengan palatabilitas tinggi. *Jurnal AgroBiogen*, 8(2), 69. <https://doi.org/10.21082/jbio.v8n2.2012.p69-77>.
- Liu, C., Chen, K., Zhao, X., Wang, X., Shen, C., Zhu, Y., Dai, M., Qiu, X., Yang, R., Xing, D., Pang, Y., & Xu, J. (2019). Identification of genes for salt tolerance and yield-related traits in rice plants grown hydroponically and under saline field conditions by genome-wide association study. *Rice*, 12(1). <https://doi.org/10.1186/s12284-019-0349-z>.
- Mary Roshni, A., Saravanan, K. R., Prakash, M., Ranjith Raja Ram, S., & Harikrishnan, M. (2019). Molecular breeding for salinity tolerance through SSR markers in rice (*Oryza sativa* L.). *Plant Archives*, 19(2), 3777–3781.
- Mas'udah, S., Hapsari, L., & Fauziah. (2019). Cluster analysis of *Dioscorea alata* accessions of Purwodadi Botanic Gardens (Indonesia) collection based on morphological characteristic and SSR markers. *Cell Biology & Development*, 3(1), 6–12. <https://doi.org/10.13057/cellbioldev/t030102>.
- Mizan MFR, Rahman MM, Halder J, Rehana S, Begum, S. I. M. (2015). Genetic diversity and SSR marker assisted salt screening of rice (*Oryza sativa* L.). *Bioscience and Bioengineering Communication*, 1(November), 29–37. <http://www.bioscibioeng.com/wp-content/uploads/2015/10/Full-text.pdf%5Cnhhttp://www.bioscibioeng.com/wp-content/uploads/2015/10/Full-text.pdf>.
- Mohammadi-Nejad, G., Arzani, A., Rezai, A. M., Singh, R. K., & Gregorio, G. B. (2008). Assessment of rice genotypes for salt tolerance using microsatellite markers associated with the saltol QTL. *African Journal of Biotechnology*, 7(6), 730–736. <https://doi.org/10.4314/ajb.v7i6.58516>.
- Mohammadi, R., Mendioro, M. S., Diaz, G. Q., Gregorio, G. B., & Singh, R. K. (2014). Genetic analysis of salt tolerance at seedling and reproductive stages in rice (*Oryza sativa*). *Plant Breeding*, 133(5), 548–559. <https://doi.org/10.1111/pbr.12210>.
- Nam, M. H., Bang, E., Kwon, T. Y., Kim, Y., Kim, E. H., Cho, K., Park, W. J., Kim, B. G., & Yoon, I. S. (2015). Metabolite profiling of diverse rice germplasm and identification of conserved metabolic markers of rice roots in response to long-term mild salinity stress. *International Journal of Molecular Sciences*, 16(9), 21959–21974. <https://doi.org/10.3390/ijms160921959>.

- Oikawa, A., Matsuda, F., Kusano, M., Okazaki, Y., & Saito, K. (2008). Rice metabolomics. *Rice*, 1(1), 63–71. <https://doi.org/10.1007/s12284-008-9009-4>.
- Orata, F. (2012). Derivatization Reactions and Reagents for Gas Chromatography Analysis. *Advanced Gas Chromatography - Progress in Agricultural, Biomedical and Industrial Applications*, August. <https://doi.org/10.5772/33098>.
- Osawaru, M., Ogwu, M. C., & Imarhiagbe, O. (2015). Principal Component Analysis (PCA) as an ideal tool for analysing on-farm research data. *Biological and Environmental Sciences Journal for the Tropics*, 12(1), 514–522.
- Osorio, S., & Vallarino, J. G. (2017). Metabolite Profiling in Plants. *ELS*, 1–11. <https://doi.org/10.1002/9780470015902.a0020105.pub2>.
- Parthasarathy, A., Savka, M. A., & Hudson, A. O. (2019). The synthesis and role of  $\beta$ -alanine in plants. *Frontiers in Plant Science*, 10(July). <https://doi.org/10.3389/fpls.2019.00921>.
- Prusty, M. R., Kim, S. R., Vinarao, R., Entila, F., Egdane, J., Diaz, M. G. Q., & Jena, K. K. (2018). Newly identified wild rice accessions conferring high salt tolerance might use a tissue tolerance mechanism in leaf. *Frontiers in Plant Science*, 9(April), 1–15. <https://doi.org/10.3389/fpls.2018.00417>.
- PubChem*. (n.d.). Retrieved July 7, 2021, from <https://pubchem.ncbi.nlm.nih.gov/>.
- Purnomo, E., & Ferniah, R. S. (2018). Polimorfisme cabai rawit dan cabai gendot dengan penanda RAPD (*Random Amplified Polymorphic DNA*) menggunakan primer OPA-8. *Berkala Bioteknologi*, 1(1), 1–5.
- Putri, P. H., Wahyu, G., Susanto, A., & Taufiq, A. (2017). Toleransi genotipe kedelai terhadap salinitas. *Penelitian Pertanian Tanaman Pangan*, 1(3), 233–242.
- Qiu, Y. and D. R. (2014). *Gas Chromatography in Metabolomics Study*. In *Advances in Gas Chromatography*, Guo, X (Ed.) (pp. 83–101). Intech.Rijeka. <https://doi.org/http://dx.doi.org/10.5772/57397>.
- Rahman, M. A., Thomson, M. J., Shah-E-Alam, M., De Ocampo, M., Egdane, J., & Ismail, A. M. (2016). Exploring novel genetic sources of salinity tolerance in rice through molecular and physiological characterization. *Annals of Botany*, 117(6), 1083–1097. <https://doi.org/10.1093/aob/mcw030>.
- Rani, B., & Sharma, V. K. (2019). Microsatellite (SSR) markers assisted characterization of rice (*Oryza sativa* L.) genotypes in relation to salt tolerance. *Indian Journal of Biotechnology*, 18(2), 151–163.
- Reddy, I. N. B. L., Kim, B. K., Yoon, I. S., Kim, K. H., & Kwon, T. R. (2017). Salt tolerance in rice: focus on mechanisms and approaches. *Rice Science*, 24(3), 123–144. <https://doi.org/10.1016/j.rsci.2016.09.004>.

- Reflinur, B., & Lestari, P. (2015). Determination of gene locus in plant chromosomes with DNA marker. *J. Litbang Pert.*, 34(4), 177–186.
- Řezanka, T., Pádrová, K., & Sigler, K. (2019). Encyclopedia of Lipidomics. *Encyclopedia of Lipidomics*. <https://doi.org/10.1007/978-94-007-7864-1>.
- Rizko, N., Kusumaningrum, H. P., & Siti, R. (2020). Isolasi DNA daun jeruk bali merah (*Citrus maxima* Merr.). *Berkala Bioteknologi*, 3(2), 1–7.
- Roessner, U., & Beckles, D. M. (2012). Metabolomics for Salinity Research. *Plant Salt Tolerance*, 203–215. <https://doi.org/10.1007/978-1-61779-986-013>.
- Rohlf, F. J. (2000). *NTSYS-pc: Numerical Taxonomy and Multivariate Analysis System Version 2.1*. Exeter Publishing Setauket.
- Safitri, H., Sapta, B., Saraswati, I., & Wahyuning, S. (2017). Salinity tolerance of several rice genotypes at seedling stage. *Indonesian Journal of Agricultural Science*, 18(2), 63–68.
- Sajid Hussain, Muhammad Shaukat, M. A., & Chunquan Zhu, Q. J. and J. Z. (2019). *Salinity stress in arid and semi-arid climates: effects and management in field crops* (pp. 1–26). Intech.Rijeka. <https://doi.org/DOI: http://dx.doi.org/10.5772/intechopen.87982>.
- Samal, R., Sundar, P., Amit, R., & Dash, K. (2016). Genetic diversity in the rice landraces (*Oryza sativa* L.) of coastal Sundarbans (India) and their adaptation to the local saline condition investigated both at molecular and physiological level. *Acta Physiol Plant*. 38(56). <https://doi.org/10.1007/s11738-015-2046-x>.
- Santosa, B., Darmawati, S., Kartika, A. I., Nuroini, F., Ernanto, A. R., Salleh, M. N., Zulaikhah, S. T., & Ayuningtyas, A. (2020). Isolation , identification similarity and qualitative expression of metallothionein gene in ir-bagendit rice (*Oryza sativa*). *Pharmacognosy Journal*. 12(4), 709–715.
- Sari, V. K., & Murti, R. H. (2015). An effective method for DNA extraction of mature leaf of sapodilla (*Manilkara zapota* ( L . ) van Royen ). *Agrivita*. 37(1), 18–23.
- Shabir, G., Aslam, K., Khan, A. R., Shahid, M., Manzoor, H., Noreen, S., Khan, M. A., Baber, M., Sabar, M., Masood, S., & Arif, M. (2017). Rice molecular markers and genetic mapping: Current status and prospects. *Journal of Integrative Agriculture*, 16(9), 1879–1891. [https://doi.org/10.1016/S2095-3119\(16\)61591-5](https://doi.org/10.1016/S2095-3119(16)61591-5).
- Sinaga, A., Putri, L. A. P., & Bangun, M. K. (2017). Analisis pola pita andaliman (*Zanthoxylum acanthopodium* D.C) berdasarkan primer Opd 03, Opd 20, Opc 07, Opm 20, Opn 09. *Jurnal Agroekoteknologi Universitas Sumatera Utara*, 5(1), 55–64. <https://doi.org/10.32734/jaet.v5i1.14115>.

- Suhartini, T. (2017). Spesies padi liar (*Oryza* sp.) sebagai sumber gen ketahanan cekaman abiotik dan biotik pada padi budidaya. *Jurnal Penelitian Dan Pengembangan Pertanian*, 35(4), 197. <https://doi.org/10.21082/jp3.v35n4.2016.p197-207>.
- Suhartini, T., & Harjosudarmo, T. Z. p. (2017). Toleransi Plasma Nutfah Padi Lokal terhadap Salinitas (Tolerance of Local Rice Germplasm to Salinity). *Bul. Plasma Nutfah*, 23(1), 51–58. <http://103.213.119.214/index.php/bpn/article/view/7987>.
- Suprayogi, Susanti, D., & Putranto, A. S. D. (2012). Keragaan Agronomik Galur-Galur Padi Salin Unsoed Pada Lahan Non Salin. *Prosiding Seminar Nasional*.
- Suprihatno, B., Daradjat, A. A., Satoto, S.E, B., Widiarta, I. N., Setyono, A., Indrasari, S. D., Lesmana, O. S., & Sembiring, H. (2009). Deskripsi varietas padi. In *Badan Penelitian dan Pengembangan Pertanian Departemen Pertanian*. Balai Besar Penelitian Tanaman Padi%0ABadan Penelitian dan Pengembangan Pertanian Departemen Pertanian 2009.
- Syafaruddin, & Santoso, T. J. (2011). Optimasi teknik isolasi dan purifikasi DNA yang efisien dan efektif pada kemiri sunan (*Reutalis trisperma* ( Blanco ) Airy Shaw ). *Jurnal Littri*, 17(1), 11–17.
- Syahril, M. (2016). Penentuan parameter seleksi tidak langsung tanaman padi pada tanah salin melalui analisis lintas. *Agrosamudra, Jurnal Penelitian*, 3, 57–62.
- Talat, N. (2020). Alleviation of soil salinization and the management of saline soils, climate change, and soil interactions. In *Climate Change and Soil Interactions*. LTD. <https://doi.org/10.1016/b978-0-12-818032-7.00011-4>.
- Tolib, R., Kusmiyati, F., & Lukiwati, D. R. (2017). Pengaruh sistem tanam dan pupuk organik terhadap karakter agronomi turi dan rumput benggala pada tanah salin. *Journal of Agro Complex*, 1(2), 57. <https://doi.org/10.14710/joac.1.2.57-64>.
- Ugroho, K. R. N., Lamet, S., & Estari, P. U. J. I. L. (2017). Keragaman genetik 24 varietas padi sawah dan padi gogo (*Oryza sativa* L.) Indonesia berdasarkan marka SSR. *Scripta Biologica*, 4, 5–10.
- Utama, M. Z. H., Haryoko, W., & Munir, R. (2009). Penapisan varietas padi toleran salinitas pada lahan rawa di kabupaten pesisir selatan. *Indonesian Journal of Agronomy*, 37(2), 101–106. <https://doi.org/10.24831/jai.v37i2.1401>.
- Vieira, M. L. C., Santini, L., Diniz, A. L., & Munhoz, C. de F. (2016). Microsatellite markers: What they mean and why they are so useful. *Genetics and Molecular Biology*, 39(3), 312–328. <https://doi.org/10.1590/1678-4685-GMB-2016-0027>.



- Wang, Z., Chen, Z., Cheng, J., Lai, Y., Wang, J., Bao, Y., Huang, J., & Zhang, H. (2012). QTL analysis of Na<sup>+</sup> and K<sup>+</sup> concentrations in roots and shoots under different levels of NaCl stress in rice (*Oryza sativa* L.). *PLoS ONE*, 7(12), 1–9. <https://doi.org/10.1371/journal.pone.0051202>.
- Waziri, A., Kumar, & Purty, R. (2016). Saltol QTL and their role in salinity tolerance in rice. *Austin J Biotechnol Bioeng. Austin J Biotechnol Bioeng*, 3(3), 1067–3.
- Yadav, S., Anuradha, G., Kumar, R. R., Vemireddy, L. R., Sudhakar, R., Donempudi, K., Venkata, D., Jabeen, F., Narasimhan, Y. K., & Marathi, B. (2015). Identification of QTLs and possible candidate genes conferring sheath blight resistance in rice (*Oryza sativa* L.). *SpringerPlus*. <https://doi.org/10.1186/s40064-015-0954-2>.

