

DAFTAR PUSTAKA

- Al-Dhabi, A. N., Ali Esmail, G., Mohammed Ghilan, A.-K., Valan Arasu, M., Duraipandiyar, V., & Ponnuragan, K. (2020). Characterization and fermentation optimization of novel thermo stable alkaline protease from *Streptomyces* sp. Al-Dhabi-82 from the Saudi Arabian environment for eco-friendly and industrial applications. *Journal of King Saud University - Science*, 32(1), 1258–1264. <https://doi.org/https://doi.org/10.1016/j.jksus.2019.11.011>
- Al-ghazali, L., & Omran, R. (2017). Optimization of medium composition for antibacterial metabolite production from *Streptomyces* sp. *Asian Journal of Pharmaceutical and Clinical Research*, 10(9), 381-385. <https://doi.org/10.22159/ajpcr.2017.v10i9.19813>
- Anderson, A., & Wellington, E. m. . (2001). The taxonomy of *Streptomyces* and related genera. *International Journal of Systematic and Evolutionary Microbiology*, 51(3), 797–814. <https://doi.org/10.1099/00207713-51-3-797>
- Apriliana, K. D. (2019). Isolasi dan karakterisasi enzim protease dari aktinomisetes. *Skripsi*. FMIPA Unsoed.
- Archer, N. K., Mazaitis, M. J., Costerton, J. W., Leid, J. G., Powers, M. E., & Shirliff, M. E. (2011). *Staphylococcus aureus* biofilms: properties, regulation, and roles in human disease. *Virulence*, 2(5), 445–459. <https://doi.org/10.4161/viru.2.5.17724>
- Asnani, A., Ryandini, D., & Suwandri. (2016). Screening of marine actinomycetes from segara anakan for natural pigment and hydrolytic activities. *IOP Conference Series: Materials Science and Engineering*, 107, 12056. <https://doi.org/10.1088/1757-899x/107/1/012056>
- Atlas, R. M. (2004). *Handbook of microbiological media fourth edition volume 1*. CRC Press: USA.
- Balasubramanian, S., Othman, E. M., Kampik, D., Stopper, H., Hentschel, U., Ziebuhr, W., Oelschlaeger, T. A., & Abdelmohsen, U. R. (2017). Marine sponge-derived *Streptomyces* sp. SBT343 extract inhibits *Staphylococcal* biofilm formation. *Frontiers in Microbiology*, 8, 236. <https://doi.org/10.3389/fmicb.2017.00236>
- Belbase, A., Pant, N. D., Nepal, K., Neupane, B., Baidhya, R., Baidya, R., & Lekhak, B. (2017). Antibiotic resistance and biofilm production among the strains of *Staphylococcus aureus* isolated from pus/wound swab samples in a tertiary care hospital in Nepal. *Annals of Clinical Microbiology and Antimicrobials*, 16(1), 15-19. <https://doi.org/10.1186/s12941-017-0194-0>
- Bhakyashree, K., & Krishnan, K. (2018). Actinomycetes mediated targeting of

- drug resistant MRSA pathogens. *Journal of King Saud University - Science*, 32(1), 260-264. <https://doi.org/10.1016/j.jksus.2018.04.034>
- Bister, B., Bischoff, D., Ströbele, M., Riedlinger, J., Reicke, A., Wolter, F., Bull, A. T., Zähler, H., Fiedler, H.-P., & Süssmuth, R. D. (2004). Abyssomicin C-A polycyclic antibiotic from a marine *Verrucospora* strain as an inhibitor of the p-aminobenzoic acid/tetrahydrofolate biosynthesis pathway. *Angewandte Chemie*, 43(19), 2574–2576. <https://doi.org/10.1002/anie.200353160>
- Bixler, G. D., & Bhushan, B. (2012). Biofouling: lessons from nature. *Philosophical Transactions of The Royal Society A: Mathematical, Physical and Engineering Sciences*, 370(1967), 2381-2417. <https://doi.org/10.1098/rsta.2011.0502>
- Bjarnsholt, T., Alhede, M., Alhede, M., Eickhardt-Sørensen, S. R., Moser, C., Kühl, M., Jensen, P. Ø., & Høiby, N. (2013). The in vivo biofilm. *Trends in Microbiology*, 21(9), 466–474. <https://doi.org/10.1016/j.tim.2013.06.002>
- Boucher, H. W., & Corey, G. R. (2008). Epidemiology of methicillin-resistant *Staphylococcus aureus*. *Clinical Infectious Diseases*, 46(5), 344–349. <https://doi.org/10.1086/533590>
- Chamikara, P. (2016). *Advanced study on selected taxonomic groups of bacteria and archaea: actinomycetes*. Sri Lanka: University of Kelaniya.
- Clarke, K. G. (2013). *Microbiology. Bioprocess Engineering*. Woodhead Publishing: Cambridge.
- CLSI. (2019). Performance standards for antimicrobial susceptibility testing, 29th ed. CLSI supplement M100. CLSI: Wayne, PA.
- Deshpande, J., & Joshi, M. (2011). Antimicrobial resistance: the global public health challenge. *International Journal of Students Research*, 1(2), 41-44. <https://doi.org/10.5549/IJSR.1.2.41-44>
- Dhananjayan, V., Selvan, N., & Dhanapal, K. (2012). Isolation, characterization, screening and antibiotic sensitivity of actinomycetes from locally (near MCAS) collected soil samples. *Journal of Biological Sciences*, 10(6), 514–519. <https://doi.org/10.3923/jbs.2010.514.519>
- Dias, C., Aires, A., & Saavedra, M. J. (2014). Antimicrobial activity of isothiocyanates from cruciferous plants against methicillin-resistant *Staphylococcus aureus* (MRSA). *International Journal of Molecular Sciences*, 15(11), 19552–19561. <https://doi.org/10.3390/ijms151119552>
- Dircks, P., & Davies, D. (2003). *Biofilm Basics*. <http://www.biofilm.montana.edu/biofilm-basics/index.html>
- González, J. B. (2018). Production: Physiological Advantages in Solid-State

Fermentation. *Current Developments in Biotechnology and Bioengineering*, 257-283. <https://doi.org/10.1016/B978-0-444-63990-5.00013-X>

- Goodfellow, M., Kämpfer, P., Busse, H. J., Trujillo, M. E., Suzuki, K. I., Ludwig, W., & Whitman, W. B. (2012). *Bergey's manual® of systematic bacteriology*, 2nd ed. Springer-Verlag:New York.
- Hardy, K. J., Hawkey, P. M., Gao, F., & Oppenheim, B. A. (2004). Methicillin resistant *Staphylococcus aureus* in the critically ill. *British Journal of Anaesthesia*, 92(1), 121–130. <https://doi.org/10.1093/bja/ae008>
- Høiby, N., Bjarnsholt, T., Givskov, M., Molin, S., & Ciofu, O. (2010). Antibiotic resistance of bacterial biofilms. *International Journal of Antimicrobial Agents*, 35(4), 322–332. <https://doi.org/10.1016/j.ijantimicag.2009.12.011>
- Hudzicki, J. (2009). Kirby-Bauer Disk Diffusion Susceptibility Test Protocol Author Information. *American Society For Microbiology*. <https://www.asm.org/Protocols/Kirby-Bauer-Disk-Diffusion-Susceptibility-Test-Pro>
- Iniyani, A. M., Joseph, F. R. S., Kannan, R. R., & Vincent, S. G. P. (2016). Anti-MRSA potential of phenolic compound isolated from a marine derived actinomycete *Micromonospora* sp. ICN36. *Indian Journal of Geo-Marine Sciences*, 45(10), 1279-1287. <http://nopr.niscair.res.in/handle/123456789/35714>
- Jacob, J., Rajendran, R. U., Priya, S. H., Purushothaman, J., & Saraswathy Amma, D. K. B. N. (2017). Enhanced antibacterial metabolite production through the application of statistical methodologies by a *Streptomyces nogalater* NIIST A30 isolated from Western Ghats forest soil. *Plos One*, 12(4). <https://doi.org/10.1371/journal.pone.0175919>
- Jawetz, Melnick, & Adelberg. (2013). *Mikrobiologi kedokteran* (25th ed.). Salemba Medika: Jakarta.
- Kolla, J., & Muvva, V. (2008). Production of extracellular protease by *Streptomyces albidoflavus*. *Asian Journal of Biochemistry*, 3(3), 198–202. <https://doi.org/10.3923/ajb.2008.198.202>
- Konai, M. M., & Haldar, J. (2017). Fatty acid comprising lysine conjugates: anti-MRSA agents that display in vivo efficacy by disrupting biofilms with no resistance development. *Bioconjugate Chemistry*, 28(4), 1194–1204. <https://doi.org/10.1021/acs.bioconjchem.7b00055>
- Lee, J.-H., Park, J.-H., Cho, H. S., Joo, S. W., Cho, M. H., & Lee, J. (2013). Antibiofilm activities of quercetin and tannic acid against *Staphylococcus aureus*. *Biofouling*, 29(5), 491–499. <https://doi.org/10.1080/08927014.2013.788692>
- León, Q. J., Aponte-Ubillus, J., Rojas, R., Cuadra, D., Ayala, N., Tomás, G., &

- Guerrero, M. (2011). Study of marine actinomycetes isolated from the central coast of Peru and their antibacterial activity against methicillin-resistant *Staphylococcus aureus* and vancomycin-resistant *Enterococcus faecalis*. *Revista Peruana de Medicina Experimental y Salud Publica*, 28(2), 237–283. <https://doi.org/10.1590/S1726-46342011000200010>
- Madigan, M. T., & Martinko, J. M. (2006). *Brock biology of microorganisms*. 11th ed. Pearson Prentice-Hall: Inc. New Jersey.
- Maier, R. ., Pepper, I. ., & Gerba, C. . (2009). *Environmental microbiology*. Academic press of Elsevier: Arizona.
- Memariani, H., Memariani, M., & Ghasemian, A. (2019). An overview on anti-biofilm properties of quercetin against bacterial pathogens. *World Journal of Microbiology and Biotechnology*, 35(143). <https://doi.org/10.1007/s11274-019-2719-5>
- Mohanraj, G., & Sekar, T. (2013). Isolation and screening of actinomycetes from marine sediments for their potential to produce antimicrobials. *International Journal Life Science Pharma Research*, 2(3), 115–126.
- Morán, A., Gutiérrez, S., Martínez-Blanco, H., Ferrero, M. A., Monteagudo-Mera, A., & Rodríguez-Aparicio, L. B. (2014). Non-toxic plant metabolites regulate *Staphylococcus* viability and biofilm formation: a natural therapeutic strategy useful in the treatment and prevention of skin infections. *Biofouling*, 30(10), 1175–1182. <https://doi.org/10.1080/08927014.2014.976207>
- Murray, R. K., Granner, D. K., & Rodwell, V. W. (2009). *Biokimia Harper ed.27*. Buku Kedokteran EGC: Jakarta.
- Nathwani, D., Morgan, M., Masterton, R. G., Dryden, M., Cookson, B. D., French, G., & Lewis, D. (2008). Guidelines for UK practice for the diagnosis and management of methicillin-resistant *Staphylococcus aureus* (MRSA) infections presenting in the community. *The Journal of Antimicrobial Chemotherapy*, 61(5), 976–994. <https://doi.org/10.1093/jac/dkn096>
- O'Toole, G. A. (2011). Microtiter dish biofilm formation assay. *Journal of Visualized Experiments*, (47). <https://doi.org/10.3791/2437>
- Oja, T., Galindo, P. S. M., Taguchi, T., Manner, S., Vuorela, P. M., Ichinose, K., Metsä-Ketelä, M., & Fallarero, A. (2015). Effective antibiofilm polyketides against *Staphylococcus aureus* from the pyranonaphthoquinone biosynthetic pathways of *Streptomyces* species. *Antimicrobial Agents and Chemotherapy*, 59(10), 6046–6052. <https://doi.org/10.1128/AAC.00991-15>
- Pandey, A., Shukla, A., & Majumdar, S. (2011). Utilization of carbon and nitrogen sources by *Streptomyces kanamyceticus* M 27 for the production

- of an Anti bacterial antibiotic. *African Journal Of Biotechnology*, 4(9).
- Peeters, E., Nelis, H., & Coenye, T. (2008). Resistance of planktonic and biofilm-grown *Burkholderia cepacia* complex isolates to the transition metal gallium. *The Journal of Antimicrobial Chemotherapy*, 61(5), 1062–1065. <https://doi.org/10.1093/jac/dkn072>
- Pelczar, M. J., & Chan, E. C. S. (2008). *Element of Microbiology*, 1st ed. UI Press: Jakarta.
- Pratiwi, S. U. T., Lagendijk, E., Weert, S., Idroes, R., Hertiani, T., & Hondel, C. (2015). Effect of *Cinnamomum burmannii* Nees ex Bl. and *Massoia aromatica* Becc. essential oils on planktonic growth and biofilm formation of *Pseudomonas aeruginosa* and *Staphylococcus aureus* in vitro. *International Journal of Applied Research in Natural Products*, 8(2), 1–13.
- Rajan, B. M., & Kannabiran, K. (2014). Extraction and identification of antibacterial secondary metabolites from marine *Streptomyces* sp. VITBRK2. *International Journal of Molecular and Cellular Medicine*, 3(3), 130-137.
- Rasmussen, K., Reilly, C., Li, Y., & Jones, R. S. (2016). Real-time imaging of anti-biofilm effects using CP-OCT. *Biotechnology and Bioengineering*, 113(1), 198–205. <https://doi.org/10.1002/bit.25701>
- Ratnakomala, S., Apriliana, P., Fahrurrozi, Lisdiyanti, P., & Wien, K. (2016). Aktivitas antibakteri aktinomisetes laut dari pulau enggano. *Berita Biologi*. <https://doi.org/10.14203/beritabiologi.v15i3.2258>
- Renner, L. D., & Weibel, D. B. (2011). Physicochemical regulation of biofilm formation. *MRS Bulletin*, 36(5), 347–355. <https://doi.org/10.1557/mrs.2011.65>
- Sanawar, H., Pinel, I., Farhat, N. M., Bucs, S. S., Zlopasa, J., Kruithof, J. C., Witkamp, G. J., van Loosdrecht, M. C. M., & Vrouwenvelder, J. S. (2018). Enhanced biofilm solubilization by urea in reverse osmosis membrane systems. *Water Research X*, 1, <https://doi.org/10.1016/j.wroa.2018.10.001>
- Sandasi, M., Leonard, C. M., & Viljoen, A. M. (2010). The in vitro antibiofilm activity of selected culinary herbs and medicinal plants against *Listeria monocytogenes*. *Letters in Applied Microbiology*, 50(1), 30–35. <https://doi.org/10.1111/j.1472-765X.2009.02747.x>
- Sathish, S. K., & Rao, K. V. B. (2012). In-vitro antimicrobial activity of marine actinobacteria against multidrug resistance *Staphylococcus aureus*. *Asian Pacific Journal of Tropical Biomedicine*. [https://doi.org/10.1016/S2221-1691\(12\)60230-5](https://doi.org/10.1016/S2221-1691(12)60230-5)
- Schierle, C. F., De la Garza, M., Mustoe, T. A., & Galiano, R. D. (2009).

Staphylococcal biofilms impair wound healing by delaying reepithelialization in a murine cutaneous wound model. *Wound Repair and Regeneration*, 17(3), 354–359. <https://doi.org/10.1111/j.1524-475X.2009.00489.x>

- Sharma, M., & Manhas, R. K. (2019). Purification and characterization of actinomycins from *Streptomyces* strain M7 active against methicillin resistant *Staphylococcus aureus* and vancomycin resistant *Enterococcus*. *BMC Microbiology*, 19(44). <https://doi.org/10.1186/s12866-019-1405-y>
- Skogman, M. E., Vuorela, P. M., & Fallarero, A. (2016). A platform of anti-biofilm assays suited to the exploration of natural compound libraries. *Journal of Visualized Experiments*, (118), 54829. <https://doi.org/10.3791/54829>
- Subramani, R., & Aalbersberg, W. (2012). Marine actinomycetes: an ongoing source of novel bioactive metabolites. *Microbiological Research*, 167(10), 571–580. <https://doi.org/10.1016/j.micres.2012.06.005>
- Sunaryanto, R., & Handayani, B. H. (2016). Penentuan kombinasi medium terbaik galaktosa dan sumber nitrogen pada proses produksi etanol. *Jurnal Bioteknologi & Biosains Indonesia*, 2(1),. <https://doi.org/10.29122/jbbi.v2i1.531>
- Susilowati, D. N., Hastuti, R. D., & Yuniarti, E. (2007). Isolasi dan karakterisasi aktinomisetes penghasil antibakteri Enteropatogen *Escherichia Coli* K1.1, *Pseudomonas Pseudomallei* 02 05, dan *Listeria Monocytogenes* 5407. *Jurnal AgroBiogen*, 3(1), 15–23. <https://doi.org/10.21082/jbio.v3n1.2007.p15-23>
- Suzuki, N., Ohtaguro, N., Yoshida, Y., Hirai, M., Matsuo, H., Yamada, Y., Imamura, N., & Tsuchiya, T. (2015). A compound inhibits biofilm formation of *staphylococcus aureus* from *streptomyces*. *Biological and Pharmaceutical Bulletin*, 38(6), 889-892. <https://doi.org/10.1248/bpb.b15-00053>
- Tarver, T. (2009). Biofilms: A threat to food safety. In *Food technology*, 5(63).
- Utami, E. R. (2012). Antibiotika, resistensi, dan rasionalitas terapi. *Sainstis*, 124–138. <https://doi.org/10.18860/sains.v0i0.1861>
- Wardani, R. Y., & Agustini, R. (2017). Pengaruh konsentrasi yeast hydrolysate enzymatic (YHE) sebagai suplemen media kultur untuk pertumbuhan *Lactobacillus bulgaricus*. *UNESA Journal of Chemistry*, 6(1), 25–31.
- Weber, T., Charusanti, P., Musiol-Kroll, E. M., Jiang, X., Tong, Y., Kim, H. U., & Lee, S. Y. (2015). Metabolic engineering of antibiotic factories: new tools for antibiotic production in actinomycetes. *Trends in Biotechnology*, 33(1), 15–26. <https://doi.org/10.1016/j.tibtech.2014.10.009>

- WHO. (2018). *Antimicrobial resistance*. <https://www.who.int/news-room/factsheets/detail/antimicrobial-resistance>
- Winarsih, S., Khasanah, U., & Alfatah, A. H. (2019). Aktivitas antibiofilm fraksi etil asetat ekstrak daun putri malu (*Mimosa pudica*) pada bakteri methicilin-resistant *Staphylococcus aureus* (MRSA) secara in vitro. *Majalah Kesehatan*. <https://doi.org/10.21776/ub.majalahkesehatan.006.02.1>
- You, Y., Xue, T., Cao, L., Zhao, L., Sun, H., & Sun, B. (2014). *Staphylococcus aureus* glucose-induced biofilm accessory proteins, GbaAB, influence biofilm formation in a PIA-dependent manner. *International Journal of Medical Microbiology* 304(5–6), 603–612. <https://doi.org/10.1016/j.ijmm.2014.04.003>
- Zin, N., & Othman, M. (2012). Pengaruh sumber nitrogen terhadap pertumbuhan endofit *Streptomyces* SUK 02 dan aktiviti antifungus. *Malaysian Journal of Health Sciences*, 10(1), 35–39.

