

DAFTAR PUSTAKA

- Abdel-Latif, A., & Osman, G. (2017). Comparison of three genomic DNA extraction methods to obtain high DNA quality from maize. *Plant Methods*, 13, 1. <https://doi.org/10.1186/s13007-016-0152-4>
- Ansari, M. A., Khan, H. M., Khan, A. A., Cameotra, S. S., & Alzohairy, M. A. (2015). Anti-biofilm efficacy of silver nanoparticles against MRSA and MRSE isolated from wounds in a tertiary care hospital. *Indian Journal of Medical Microbiology*, 33(1), 101–109. <https://doi.org/10.4103/0255-0857.148402>
- Asnani, A., Luviriani, E., & Oedjijono, O. (2020). Activity of Actinomycetes Isolated from Mangrove Segara Anakan Cilacap toward Methicillin-resistant *Staphylococcus aureus* (MRSA). *Jurnal Kimia Sains Dan Aplikasi*, 23(1), 1–7. <https://doi.org/10.14710/jksa.23.1.1-7>
- Asnani, A., Ryandini, D., & Suwandri, S. (2015). *Karakterisasi dan Identifikasi Spesies Aktinomisetes K-3E*. <https://doi.org/10.13140/RG.2.1.4469.1922>
- Asnani, A., Ryandini, D., & Suwandri, S. (2016). Screening of Marine Actinomycetes from Segara Anakan for Natural Pigment and Hydrolytic Activities. *IOP Conference Series: Materials Science and Engineering*, 107, 12056. <https://doi.org/10.1088/1757-899X/107/1/012056>
- Barka, E. A., Vatsa, P., Sanchez, L., Gaveau-Vaillant, N., Jacquard, C., Klenk, H.-P., Clément, C., Ouhdouch, Y., & van Wezel, G. P. (2016). Taxonomy, Physiology, and Natural Products of Actinobacteria. *Microbiology and Molecular Biology Reviews*, 80(1), 1 LP – 43. <https://doi.org/10.1128/MMBR.00019-15>
- Barona-Gómez, F., Wong, U., Giannakopoulos, A. E., Derrick, P. J., & Challis, G. L. (2004). Identification of a cluster of genes that directs desferrioxamine biosynthesis in *Streptomyces coelicolor* M145. *Journal of the American Chemical Society*, 126(50), 16282–16283. <https://doi.org/10.1021/ja045774k>
- Bentley, S. D., Chater, K. F., Cerdeño-Tárraga, A.-M., Challis, G. L., Thomson, N. R., James, K. D., Harris, D. E., Quail, M. A., Kieser, H., Harper, D., Bateman, A., Brown, S., Chandra, G., Chen, C. W., Collins, M., Cronin, A., Fraser, A., Goble, A., Hidalgo, J., ... Hopwood, D. A. (2002). Complete genome sequence of the model actinomycete *Streptomyces coelicolor* A3(2). *Nature*, 417(6885), 141–147. <https://doi.org/10.1038/417141a>
- Blin, K., Kim, H. U., Medema, M. H., & Weber, T. (2019). Recent development of antiSMASH and other computational approaches to mine secondary metabolite biosynthetic gene clusters. *Briefings in Bioinformatics*, 20(4), 1103–1113. <https://doi.org/10.1093/bib/bbx146>
- Blin, K., Shaw, S., Steinke, K., Villebro, R., Ziemert, N., Lee, S. Y., Medema, M. H., & Weber, T. (2019). antiSMASH 5.0: updates to the secondary metabolite genome mining pipeline. *Nucleic Acids Research*, 47(W1), W81–W87. <https://doi.org/10.1093/nar/gkz310>
- Chen, R., Wong, H. L., & Burns, B. P. (2019). New Approaches to Detect Biosynthetic Gene Clusters in the Environment. *Medicines (Basel)*,

- Switzerland), 6(1).* <https://doi.org/10.3390/medicines6010032>
- Choi, S.-S., Kim, H.-J., Lee, H.-S., Kim, P., & Kim, E.-S. (2015). Genome Mining of Rare Actinomycetes and Cryptic Pathway Awakening. *Process Biochemistry, 50*. <https://doi.org/10.1016/j.procbio.2015.04.008>
- Cooper, H. N., Cortes, J., Bevitt, D. J., Leadlay, P. F., & Staunton, J. (1993). Analysis of a gene cluster from *S. longisporoflavus* potentially involved in tetronasin biosynthesis. *Biochemical Society Transactions, 21*(1), 31S. <https://doi.org/10.1042/bst021031s>
- Davies, D. (2003). Understanding biofilm resistance to antibacterial agents. *Nature Reviews Drug Discovery, 2*(2), 114–122. <https://doi.org/10.1038/nrd1008>
- Ehtisham, M., Wani, F., Wani, I., & Nissar, S. (2016). Polymerase Chain Reaction (PCR): Back to Basics. *Indian Journal of Contemporary Dentistry, 4*, 30–35. <https://doi.org/10.5958/2320-5962.2016.00030.9>
- Genilloud, O. (2017). Actinomycetes: still a source of novel antibiotics. *Natural Product Reports, 34*(10), 1203–1232. <https://doi.org/10.1039/C7NP00026J>
- Gloster, H. M. (Ed.). (2008). *Complications in Cutaneous Surgery*. Springer. <https://doi.org/https://doi.org/10.1007/978-0-387-73152-0>
- Gokulan, K., Khare, S., & Cerniglia, C. (2014). Metabolic Pathways: Production of Secondary Metabolites of Bacteria. In *Encyclopedia of Food Microbiology* (pp. 561–569). <https://doi.org/10.1016/B978-0-12-384730-0.00203-2>
- Gürtler, H., Pedersen, R., Anthoni, U., Christophersen, C., Nielsen, P. H., Wellington, E. M., Pedersen, C., & Bock, K. (1994). Albaflavenone, a sesquiterpene ketone with a zizaene skeleton produced by a streptomycete with a new rope morphology. *The Journal of Antibiotics, 47*(4), 434–439. <https://doi.org/10.7164/antibiotics.47.434>
- Hagström, Å., Pinhassi, J., & Zweifel, U. (2000). Biogeographical diversity among marine bacterioplankton. *Aquatic Microbial Ecology - AQUAT MICROB ECOL, 21*, 231–244. <https://doi.org/10.3354/ame021231>
- Hailes, H. C., Jackson, C. M., Leadlay, P. F., Ley, S. V., & Staunton, J. (1994). Biosynthesis of tetronasin: Part 1 introduction and investigation of the diketide and triketide intermediates bound to the polyketide synthase. *Tetrahedron Letters, 35*(2), 307–310.
- Harir, M., Bendif, H., Bellahcene, M., Fortas, & Rebecca Pogni, Z. (2018). Streptomyces secondary metabolites. *Basic Biology and Applications of Actinobacteria*. <https://doi.org/10.5772/intechopen.79890>
- Helfrich, E. J. N., Lin, G.-M., Voigt, C. A., & Clardy, J. (2019). Bacterial terpene biosynthesis: challenges and opportunities for pathway engineering. *Beilstein Journal of Organic Chemistry, 15*, 2889–2906.
- Herlina, Asnani, A., & Diastuti, H. (2017). The Application of Red Pigments from Streptomyces K-4B and Dayak Onions (*Eleutherine palmifolia*(L.) Merr.) In Colouring Glycerine Soap. *IOP Conference Series: Materials Science and Engineering, 172*, 12023. <https://doi.org/10.1088/1757-899x/172/1/012023>
- Humphries, R. M., Ambler, J., Mitchell, S. L., Castanheira, M., Dingle, T., Hindler, J. A., Koeth, L., Sei, K., & Testing, C. M. D. and S. W. G. of the S.

- on A. S. (2018). CLSI Methods Development and Standardization Working Group Best Practices for Evaluation of Antimicrobial Susceptibility Tests. *Journal of Clinical Microbiology*, 56(4), e01934-17. <https://doi.org/10.1128/JCM.01934-17>
- Ikeda, H., Shin-ya, K., & Omura, S. (2013). Genome mining of the *Streptomyces avermitilis* genome and development of genome-minimized hosts for heterologous expression of biosynthetic gene clusters. *Journal of Industrial Microbiology & Biotechnology*, 41. <https://doi.org/10.1007/s10295-013-1327-x>
- Instruction Manual Quick-DNA™ Fungal/Bacterial Miniprep Kit Catalog No. D6005.* (n.d.). Diakses pada tanggal 6 Maret 2020, dari https://files.zymoresearch.com/protocols/_d6005_quick-dna_fungal-bacterial_miniprep_kit.pdf
- Ishida, S., Arai, M., Niikawa, H., & Kobayashi, M. (2011). Inhibitory effect of cyclic trihydroxamate siderophore, desferrioxamine E, on the biofilm formation of *Mycobacterium* species. *Biological & Pharmaceutical Bulletin*, 34(6), 917–920. <https://doi.org/10.1248/bpb.34.917>
- Kemung, H. M., Tan, L. T.-H., Khan, T. M., Chan, K.-G., Pusparajah, P., Goh, B.-H., & Lee, L.-H. (2018). Streptomyces as a Prominent Resource of Future Anti-MRSA Drugs. *Frontiers in Microbiology*, 9, 2221. <https://doi.org/10.3389/fmicb.2018.02221>
- Kormanec, J., Novakova, R., Mingyar, E., & Feckova, L. (2014). Intriguing properties of the angucycline antibiotic auricin and complex regulation of its biosynthesis. *Applied Microbiology and Biotechnology*, 98(1), 45–60. <https://doi.org/10.1007/s00253-013-5373-0>
- Kumar, P. S., Raj, J. P. P., Duraipandian, V., & Ignacimuthu, S. (2012). Antibacterial activity of some actinomycetes from Tamil Nadu, India. *Asian Pacific Journal of Tropical Biomedicine*, 2(12), 936–943. [https://doi.org/10.1016/S2221-1691\(13\)60003-9](https://doi.org/10.1016/S2221-1691(13)60003-9)
- Li, Q., Chen, X., Jiang, Y., & Jiang, C. (2016). *Morphological Identification of Actinobacteria*. <https://doi.org/10.5772/61461>
- Linton, K. J., Cooper, H. N., Hunter, I. S., & Leadlay, P. F. (1994). An ABC-transporter from *Streptomyces longisporoflavus* confers resistance to the polyether-ionophore antibiotic tetronasin. *Molecular Microbiology*, 11(4), 777–785. <https://doi.org/10.1111/j.1365-2958.1994.tb00355.x>
- Liu, W.-T., Lamsa, A., Wong, W. R., Boudreau, P. D., Kersten, R., Peng, Y., Moree, W. J., Duggan, B. M., Moore, B. S., Gerwick, W. H., Linington, R. G., Pogliano, K., & Dorrestein, P. C. (2014). MS/MS-based networking and peptidogenomics guided genome mining revealed the stenothricin gene cluster in *Streptomyces roseosporus*. *The Journal of Antibiotics*, 67(1), 99–104. <https://doi.org/10.1038/ja.2013.99>
- Low, Z. J., Pang, L. M., Ding, Y., Cheang, Q. W., Le Mai Hoang, K., Thi Tran, H., Li, J., Liu, X.-W., Kanagasundaram, Y., Yang, L., & Liang, Z.-X. (2018). Identification of a biosynthetic gene cluster for the polyene macrolactam sceliphrolactam in a *Streptomyces* strain isolated from mangrove sediment. *Scientific Reports*, 8(1), 1594. <https://doi.org/10.1038/s41598-018-20018-8>

- Madigan, M. T., Martinko, J. M., & Parker, J. (2003). *Brock biology of microorganism*. Pearson Education.
- Motohashi, K., Irie, K., Toda, T., Matsuo, Y., Kasai, H., Sue, M., Furihata, K., & Seto, H. (2008). Studies on terpenoids produced by actinomycetes. 5-dimethylallylindole-3-carboxylic Acid and A80915G-8"-acid produced by marine-derived Streptomyces sp. MS239. *The Journal of Antibiotics*, 61, 75–80. <https://doi.org/10.1038/ja.2008.113>
- Nadina, R. Q., Pujiyanto, S., Wijanarka, & Fahrurrozi. (2019). Skrining aktivitas antibakteri dan identifikasi molekuler berdasarkan gen 16s rRNA isolat aktinomiset asal pulau enggano dan bali. *Berkala Bioteknologi*, 2(2).
- Nurkanto, A., & Agusta, A. (2015). Identifikasi molekular dan karakterisasi morfo-fisiologi actinomycetes penghasil senyawa antimikroba. *Jurnal Biologi Indonesia*, 11(2195–203). <https://doi.org/https://doi.org/10.14203/jbi.v11i2.2193>
- Parija, S. C. (2009). *Textbook of microbiology & immunology*. Elsevier.
- Peng, Q., Gao, G., Lü, J., Long, Q., Chen, X., Zhang, F., Xu, M., Liu, K., Wang, Y., Deng, Z., Li, Z., & Tao, M. (2018). Engineered Streptomyces lividans Strains for Optimal Identification and Expression of Cryptic Biosynthetic Gene Clusters. *Frontiers in Microbiology*, 9, 3042. <https://doi.org/10.3389/fmicb.2018.03042>
- Prasetio, M., Barliana, & Melisa, I. (2016). Article review: Gen meca sebagai faktor munculnya Methicillin Resistant Staphylococcus aureus (MRSA). *Farmaka*, 14(3), 53–61.
- Prihanto, A. A., Timur, H. D. L., Jaziri, A. A., Nurdiani, R., & Pradarameswari. (2018). Isolasi dan identifikasi bakteri endofit mangrove Sonneratia alba penghasil enzim gelatinase dari pantai sendang biru, malang, jawa timur. *Indonesia Journal of Halal*, 1(1), 31–42.
- Rany, A. N. J. M. (2020). Kemampuan Aktinomisets Asal Sedimen Mangrove Dalam Menghasilkan Antibakteri dan Antibiofilm Staphylococcus epidermidis. *Tesis*. Fakultas Biologi Unsoed.
- Rinanda, T. (2011). Analisis sekuensing 16S rRNA di bidang mikrobiologi. *Jurnal Kedokteran Syiah Kuala*, 11(3), 172–177.
- Sathish, K. S. R., & Kokati, V. B. R. (2012). In-vitro antimicrobial activity of marine actinobacteria against multidrug resistance Staphylococcus aureus. *Asian Pacific Journal of Tropical Biomedicine*, 2(10), 787–792. [https://doi.org/10.1016/S2221-1691\(12\)60230-5](https://doi.org/10.1016/S2221-1691(12)60230-5)
- Sharma, M., & Manhas, R. K. (2019). Purification and characterization of actinomycins from Streptomyces strain M7 active against methicillin resistant Staphylococcus aureus and vancomycin resistant Enterococcus. *BMC Microbiology*, 19(1), 44. <https://doi.org/10.1186/s12866-019-1405-y>
- Son, S., Hong, Y.-S., Jang, M., Heo, K. T., Lee, B., Jang, J.-P., Kim, J.-W., Ryoo, I.-J., Kim, W.-G., Ko, S.-K., Kim, B. Y., Jang, J.-H., & Ahn, J. S. (2017). Genomics-Driven Discovery of Chlorinated Cyclic Hexapeptides Ulleungmycins A and B from a Streptomyces Species. *Journal of Natural Products*, 80(11), 3025–3031. <https://doi.org/10.1021/acs.jnatprod.7b00660>
- Soni, N. K., & Soni, V. (2010). *Fundamentals of botany* (Vol. 1). Tata McGraw

- Hill Education Private Limited.
- Stoll, A., Brack, A., & Renz, J. (1951). Nocardamin, ein neues Antibioticum aus einer Nocardia-Art. *Pathobiology*, 14(2), 225–233. <https://doi.org/10.1159/000159979>
- Sukmawati, S. (2018). Isolasi Bakteri Selulolitik dari Limbah Kulit Pisang. *Biotropic : The Journal of Tropical Biology*, 2(1 SE-Articles), 46–52. <https://doi.org/10.29080/biotropic.2018.2.1.46 - 51>
- Sulistiyani, T. R., & Widhyastuti, N. (2011). Isolasi, seleksi, dan identifikasi molekuler aktinomisetes penghasil antibiotik. *Widyariset*, 14(3), 541–548.
- Suzuki, N., Ohtaguro, N., Yoshida, Y., Hirai, M., Matsuo, H., Yamada, Y., Imamura, N., & Tsuchiya, T. (2015). A Compound Inhibits Biofilm Formation of *Staphylococcus aureus* from *Streptomyces*. *Biological & Pharmaceutical Bulletin*, 38(6), 889–892. <https://doi.org/10.1248/bpb.b15-00053>
- Ueki, M., Suzuki, R., Takamatsu, S., Takagi, H., Uramoto, M., Ikeda, H., & Osada, H. (2009). Nocardamin Production by *Streptomyces avermitilis*. *Actinomycetologica*, 23, 34–39. <https://doi.org/10.3209/saj.SAJ230203>
- Waturangi, D., Rahayu, B., Lalu, K., Michael, & Mulyono, N. (2016). Characterization of bioactive compound from actinomycetes for antibiofilm activity against Gram-negative and Gram-positive bacteria. *Malaysian Journal of Microbiology*, 12. <https://doi.org/10.21161/mjm.80915>
- Wu, C., van der Heul, H. U., Melnik, A. V., Lübben, J., Dorrestein, P. C., Minnaard, A. J., Choi, Y. H., & van Wezel, G. P. (2019). Lugdunomycin, an Angucycline-Derived Molecule with Unprecedented Chemical Architecture. *Angewandte Chemie (International Ed. in English)*, 58(9), 2809–2814. <https://doi.org/10.1002/anie.201814581>
- Xiao, Y., Li, S., Niu, S., Ma, L., Zhang, G., Zhang, H., Zhang, G., Ju, J., & Zhang, C. (2011). Characterization of tiacuminicin B biosynthetic gene cluster affording diversified tiacuminicin analogues and revealing a tailoring dihalogenase. *Journal of the American Chemical Society*, 133(4), 1092–1105. <https://doi.org/10.1021/ja109445q>
- Zhang, C., Ding, W., Qin, X., & Ju, J. (2019). Genome Sequencing of *Streptomyces olivaceus* SCSIO T05 and Activated Production of Lobophorin CR4 via Metabolic Engineering and Genome Mining. *Marine Drugs*, 17(10), 593. <https://doi.org/10.3390/md17100593>
- Zhao, B., Lin, X., Lei, L., Lamb, D. C., Kelly, S. L., Waterman, M. R., & Cane, D. E. (2008). Biosynthesis of the sesquiterpene antibiotic albaflavenone in *Streptomyces coelicolor* A3(2). *The Journal of Biological Chemistry*, 283(13), 8183–8189. <https://doi.org/10.1074/jbc.M710421200>