

DAFTAR PUSTAKA

- Adams, C.G. (1970)- A reconsideration of the East Indian Letter classification of the Tertiary. Bull. Brit. Mus. (Nat. Hist.), Geol. 19, 3, p. 87-137. (Classic review of Late Paleocene- Recent larger foram zonation, known as East Indian Letter Classification)
- Adam, C. G., 1983, Neogene Larger Foraminifera, Evolutionary and Geological Events in the Context of Datum Planes, In: Ikebe, N. and Tsuchi, R. (Eds.), Pacific Neogene Datum Planes, Univ. Tokyo Press
- Adams, C.G. & P. Frame (1979)- *Observations on Cyclocypeus (Cyclocypeus) Carpenter and Cyclocypeus (Katacyclocypeus) Tan (Foraminifera)*. Bull. Brit. Mus. Nat. Hist. (Geol.) 32, 1, p. 3-17.
- Asikin, S., 1994, *Evolusi Geologi Jawa Tengah Dan Seitarnya Ditinjau Dari Segi Teori Tektonik – Dunia Yang Baru*. Institut Teknologi Bandung, Bandung.
- Asikin, S., Harsolumakso, A. A., Busono H., dan Gafoer S, 1992, *Geologic Map Of Kebumen Quadrangle, Java, Scale 1:100.000*. Geological Research and Development Centre, Bandung.
- Bemmelen, van, R.W., 1949, *The Geology of Indonesia*, Martinus Nyhoff, The Haque, Nederland.
- Berg, Gert D. van den, dkk. 1996. *Pleistocene Zoogeographic Evolution of Java (Indonesia) and Glacio-Eustatic Sea Level Fluctuations : A Background for the Presence of Homo*. Indo-Pacific Prehistory Association Bulletin, 14(1), 7-21.
- Billman, H.G., L. Hottinger & H. Oesterle (1980)- Neogene to Recent rotaliid foraminifera from the Indo- Pacific Ocean; their canal system, their classification and their stratigraphic use. Schweiz. Paleont. Abhandl. 101, p. 71-113.
- Blow, W.H., 1969, Late Middle Eocene to Recent Planktonic Foraminiferal Biostratigraphy: International Conference Planktonic Microfossils 1st, Geneva (1967), Proc. Leiden, E.J. Brill. V.1. hlm. 199 – 422
- Boggs, S.JR. 2006. *Principles of Sedimentology and Stratigraphy*, 4th Edition. Pearson Prentice Hall: United States of America.
- Bolli, H. M., dan Saunders, J. B. 1986. Oligocene to Holocene Low Latitude Planktic Foraminifera, dalam Plankton Stratigraphy, editor: Bolli, H.M., Saunders, J.B., dan Perch-Nielsen, K., Cambridge University Press, hlm. 155 – 26
- Bown, P. R. Calcareous nannoplankton evolution: a tale of two oceans. Micropaleontology 51, Department of Earth Sciences, University College London, 299-308
- Bramlette, M. N. & Wilcoxon, J. A. 1967. Middle Tertiary calcareous nannoplankton of the Cipero Section, Trinidad, W.I. Tulane Stud. Geol., 5, 93-131. Catuneanu, O. 2003. *Principles of Sequence Stratigraphy*. Amsterdam : Elsevier.

- Bukry, D. 1973a. Low-latitude coccolith biostratigraphic zonation. Initial Rep. Deep Sea drill. Proj., 15, 685-703
- Chaproniere, G.C.H. (1984)- The Neogene larger foraminiferal sequence in the Australian and New Zealand regions and its relevance to the East Indies Letter Stage classification. *Palaeogeogr., Palaeoclim., Palaeoecol.* 46, p. 25-35.
- Clarke, W.J. & W.H. Blow (1969)- The inter-relationship of some Late Eocene, Oligocene and Miocene larger foraminifera and plankton biostratigraphic indices. In: P. Bronnimann & H.H. Renz (eds.) *Proc. First Int. Conf. Planktonic Microfossils*, Geneva 1967, Brill, Leiden, 2, p. 82-97.
- Drooger, C.W. (1963)- Evolutionary trends in the Miogypsinidae. In: R. von Koenigswald (ed.) *Evolutionary trends in foraminifera*, Elsevier, Amsterdam, p. 315-349.
- Fleuty, M.J., 1964, The description of folds. London: Proceedings of the Geologists' Association 75: 461-492
- Grimsdale, T.F, dan Markoven, F.P.C.M., 1955, The ratio between pelagic and benthonic foraminifera, IV Word Petroleum Congress Proceedings, Section 1, Roma, hlm. 473-491
- Gorsel, V J. T., 1988, Biostratigraphy in Indonesia: Methods, Pitfalls and New Directions, Proceedings Indonesian Petroleum Association Seventeenth Annual Convention, Indonesia, hlm. 275 - 300
- Haak, R. & J.A. Postuma (1975)- The relation between the tropical planktonic foraminiferal zonation and the Tertiary Far East Letter Classification. *Geol. Mijnbouw* 54, 3-4, p. 195-198.
- Hadiwisastra S and Kumai H 2000 Biostratigraphy of Calcareous Nannofossils in the Paleogene chaotic sediment in the Karangsambung area, Central Java, Indonesia *Journal of Geosciences, Osaka City University* 43 21-30
- Harsolumakso, Agus Handoyo dan Dardji Noeradi, 1996, *Deformasi pada Formasi Karangsambung, di daerah Luk Ulo, Kebumen, Jawa Tengah*. *Buletin Geologi* 26, 45-54.
- Harsolumakso, Agus Handoyo, C. Prasetyadi, Benyamin Sapiie, dan M. E. Suparka, 2006. *The Luk Ulo-Karangsambung Complex of Central Java, Indonesia; From Subduction to Collision Tectonics*. *Proceeding Persidangan Bersama UKM – ITB* 2006.
- Hay, W. W. & Mohler, H. P. 1967. Calcareous nannoplankton from early Tertiary rocks at Pont Labau, France, and Paleocene-Eocene correlations. *J. Paleontol.*, 41, 1505-41.
- Hendrizen Marfasran. 2017. *A review of biostratigraphic studies in the olistostrome deposits of Karangsambung Formation*. Bandung : Pusat Penelitian Geoteknologi LIPI.

- Ho Kiam Fui (1976)- Morphogenetic trend of *Lepidocyclina* and its application in time stratigraphy. *Geol. Mijnbouw* 55, 3-4, p. 147-158.
- Isnaniawardhani Vijaya. 2017. *Prinsip dan Aplikasi Biostratigrafi*. Bandung : Unpad Press.
- Kamtono, 1995. Penafsiran Penampang Gaya Berat Dua Dimensi dan Implikasinya Terhadap Kedudukan Blok-blok Melange Luk Ulo, Karangsambung Jawa Tengah, Thesis S-2 Geofisika Terapan, Program Pasca Sarjana ITB
- Kapid R and Harsolumakso H 1996 Studi nannoplankton pada Formasi Karangsambung dan Totogan di Daerah Luk Ulo, Kebumen, Jawa Tengah *Buletin Geologi*
- Komisi Sandi Stratigrafi Indonesia. 1996. *Sandi Stratigrafi Indonesia*. Ikatan Ahli Geologi Indonesia : Indonesia.
- K. Perch, and Nielsen., “Cenozoic calcareous nannoplankton”, Chapter 10 in H.M. Bolli., J.B. Saunders & Perch K-Nielsen., *Plankton Stratigraphy.*, Cambridge Earth Science Series, Cambridge Univ. Press, Cambridge, (1985).
- LeRoy, L.W. (1944)- Miocene foraminifera from Sumatra and Java, Netherlands East Indies. 1. Miocene foraminifera of Central Sumatra, Netherlands East Indies. *Quart. Colorado School Mines* 39, 3, p. 1-69.
- Lohmann, H. 1902. Die Coccolithopboridae, eine Monographic der Coccolithen bildenden Flagellaten, Zllgleich ein Beitrag Zlii Kenntnis des Mittlmeerauftriebs. *Arch. Protistenk.*, t, 89-165
- Martini, E. 1971. Standard Tertiary and Quaternary Calcareous Nannoplankton Zonation, *Proceedings of the II Planktonic Conference, Roma, 1970*, A. Farinacci, ed., Ediziioni Tecnoscienza, Rome, hlm. 739-785
- MacGillavry, H.J. (1962)- Lineages in the genus *Cycloclypeus* Carpenter. *Proc. Kon. Nederl. Akad. Wetensch.* B65, 5, p. 429-458.
- Okada, H dan Bukry, D. 1980. Supplementary Modification and Introduction of Code Numbers to the Low Latitude Coccolith Biostratigraphic Zonation (Bukry, 1973; 1975), *Marine Micropaleontology Volume 5*, hlm. 321-325
- Nichols, Gary. 2009. *Sedimentology and Stratigraphy Second Edition*. John Wiley & Sons, Ltd. Publication, United Kingdom.
- Pamungkas Diyan, Zulfana Iza, dan Herawan Tomy H.. 2017. *Analisis Fasies Sekuen Stratigrafi Untuk Menentukan Lingkungan Pengendapan Dari Formasi Penosogan Zona Serayu Selatan Jawa Tengah*. Yogyakarta. UGM.
- Pettijohn, F.J., 1975. *Sedimentary Rocks*. New York-Evanston-San FransiscoLondon: Harper & Row Publishers

- Phleger, Fred and Parker L. Frances, 1951. *Foraminifera Species, Part II*, Scripps Institution of Oceanography, La Jolla, Californi
- Pulunggono A dan Martodjojo S. 1994. *Perubahan Tektonik Paleogen-Neogen Merupakan Peristiwa Tektonik Terpenting di Jawa*. Proceeding Geologi dan Geoteknik Pulau Jawa.
- Polhaupessy A.A , 2009. *Polen Paelogen-Neogen Dari Daerah Nanggulan Dan Karangsambung*. Geo-Sciences , Pusat Survei Geologi , Bandung.
- Puswanto Eko, Afif Muhammad, Hidayat Edi, dan Raharjo Puguh Dwi. 2016. *Mekanisme Deformasi Lempung Bersisik Formasi Karangsambung Di Sungai Gebang, Kebumen*. Kebumen, UPT. Balai Informasi dan Konservasi Kebumian Karangsambung.
- Raju, D.S.N. (1974)- Study of Indian Miogypsinidae. Utrecht Micropal. Bull. 9, 148 p.
- Rickard. 1972. Classification of Translational Fault Slip: Geological Society of America.
- Ridwan Januar. 2018. *Diatom as an alternative for biostratigraphy research in Karangsambung*. Bandung : Pusat Penelitian Geoteknologi LIPI.
- Reading, H.G. 2009. *Sedimentary Environments : Processes, Facies, and Stratigraphy*. Victoria : Blackwell Science Ltd, a Blackwell Publishing company.
- Soeka, S., Suminta, E. Thayib & T. Sudjaah (1980)- Neogene benthonic foraminiferal biostratigraphy and datum-planes of East-Jawa basin. Proc. 9th Ann. Mtg. Indon. Geol. Assoc. (IAGI), Yogyakarta, p.
- Tan Sin Hok (1939)- The results of phylomorphogenetic studies of some larger foraminifera (a review). De Ingen. in Nederl.-Indie (IV), 6, 7, p. 93-97.
- Tipsword, H. L., Setzer, F. M., & Smith F. L. Jr., 1966, Interpretation of depositional environment in Gulf Coast petroleum exploration from paleoecology and related stratigraphy. Transaction G. C. Assoc. Geol. Soc: America
- Tucker, Maurice E. 2003. *Sedimentary Rocks in the Field Third Edition*. England, John Wiley & Sons Ltd.
- Van der Vlerk, I.M. & J.H.F. Umbgrove (1927)- Tertiaire gidsforaminiferen van Nederlandsch Oost Indie. Wetensch. Meded. Dienst Mijnbouw Nederl. Oost-Indie 6, p. 1-45.
- Van der Vlerk, I.M. & J.A. Postuma (1967)- Oligo-Miocene Lepidocyclinas and planktonic foraminifera from East Java and Madura, Indonesia. Proc. Kon. Nederl. Akad. Wetensch., B, 70, 4, p. 392-399.
- Van Gorsel, J.T. (1988)- Biostratigraphy in Indonesia: methods, pitfalls and new directions. Proc. 17th Ann. Conv. Indon. Petrol. Assoc., Jakarta, 1, p. 275-300.

Van Vessem, E.J. (1978)- Study of Lepidocyclinidae from Southeast Asia, particularly from Java and Borneo. Utrecht Micropal. Bull. 19, p. 1-163

Walker, R.G. 2006. *Facies Models Revisited*. Oklahoma : SEPM

Zuidam, R.A. van, 1985. *Aerial Photo-Interpretation in Terrain Analysis and Geomorphologic Mapping*. ITC, Smits Publ., Enschede, The Hague

