DAFTAR PUSTAKA

[1] T. Danisman, I. M. Bilasco, C. Djeraba, dan N. Ihaddadene, “Drowsy driver detection system using eye blink patterns,” dalam *2010 International Conference on Machine and Web Intelligence*, 2010, hlm. 230–233, doi: 10.1109/ICMWI.2010.5648121.

[2] U. Trutschel, B. Sirois, D. Sommer, M. Golz, dan D. Edwards, “PERCLOS: An Alertness Measure of the Past,” 2017, hlm. 172–179, doi: 10.17077/drivingassessment.1394.

[3] Tiesheng Wang dan Pengfei Shi, “Yawning detection for determining driver drowsiness,” dalam *Proceedings of 2005 IEEE International Workshop on VLSI Design and Video Technology, 2005.*, 2005, hlm. 373–376, doi: 10.1109/IWVDVT.2005.1504628.

[4] M. Omidyeganeh, A. Javadtalab, dan S. Shirmohammadi, “Intelligent driver drowsiness detection through fusion of yawning and eye closure,” dipresentasikan pada Virtual Environments Human-Computer Interfaces and Measurement Systems (VECIMS), 2011 IEEE International Conference on, 2011, hlm. 18–23, doi: 10.1109/VECIMS.2011.6053857.

[5] L. Pauly dan D. Sankar, “Detection of drowsiness based on HOG features and SVM classifiers,” dalam *2015 IEEE International Conference on Research in Computational Intelligence and Communication Networks (ICRCICN)*, 2015, hlm. 181–186, doi: 10.1109/ICRCICN.2015.7434232.

[6] R. C. Gonzalez, R. E. Woods, dan R. E. Woods, *Digital Image Processing*. Prentice Hall, 2008.

[7] “dlib C++ Library.” [Daring]. Tersedia pada: http://dlib.net/. [Diakses: 28-Des-2019].

[8] S. Chau, J. Banjarnahor, D. Irfansyah, dan S. Kumala, “Analisis Pendeteksian Pola Wajah Menggunakan Metode Haar-Like Feature,” *J. Inform. Telecommun. Eng.*, vol. 2, hlm. 69, Jan 2019, doi: 10.31289/jite.v2i2.2133.

[9] RD. Kusumanto, Wahyu S. Pambudi, dan Alan N. Tompunu, “Aplikasi Sensor Vision untuk Deteksi MultiFace dan Menghitung Jumlah Orang,” dipresentasikan pada Seminar Nasional Teknologi Informasi & Komunikasi Terapan 2012 (Semantik 2012), Semarang, 2012.

[10] P. Viola dan M. Jones, “Robust Real-Time Face Detection,” *Int. J. Comput. Vis.*, vol. 57, hlm. 137–154, Mei 2004, doi: 10.1023/B:VISI.0000013087.49260.fb.

[11] T. Soukupova, “Real-Time Eye Blink Detection using Facial Landmarks,” hlm. 8.

[12] rifalfahrudin, “Normalisasi Database 1NF, 2NF, & 3NF,” *IT Rifal fahrudin*, 27-Sep-2015. [Daring]. Tersedia pada: https://rifalfahrudin.wordpress.com/2015/09/27/normalisasi-database-1nf-2nf-3nf/. [Diakses: 05-Feb-2020].

[13] “i·bug - resources - 300 Faces In-the-Wild Challenge (300-W), ICCV 2013.” [Daring]. Tersedia pada: https://ibug.doc.ic.ac.uk/resources/300-W/. [Diakses: 02-Jan-2020].