

DAFTAR PUSTAKA

- Abdel Bar, F. M., Abbas, G. M., Gohar, A. A., & Lahloub, M. F. I. (2019). Antiproliferative activity of stilbene derivatives and other constituents from the stem bark of *Morus nigra L.* *Natural Product Research*, 0(0), 1–8.
- Agut, Raül. , Falomir, Eva. , Murga, Juan. , Mart, Celia. , Gil-edo, Raquel., Pla, Alberto. , Carda, Miguel. , Marco, J Alberto. (2020). Synthesis of Combretastatin A-4 and 3'-Aminocombretastatin A-4 derivatives with Aminoacid Containing Pendants and Study of their Interaction with Tubulin and as Downregulators of the VEGF, hTERT and c-Myc Gene Expression. *Molecules*, 25(660), 1-18.
- Ananto, A. D. (2017). Analisis Hubungan Kuantitatif Struktur dan Aktivitas untuk Merancang Insektisida Baru Turunan Karbamat Menggunakan Metoda Semiempirik PM3. *Al-Kimia*, 5(2), 100-108.
- Ananto, A. D., Erwinayanti, G. A. P. S., & Muliasari, H. (2018). Desain Turunan Fluorouinolon Baru sebagai Zat Antibakteri terhadap *S. typhimurium* melalui Komputasi Kimia. *Jurnal Kedokteran Unram*, 7(2), 1-5.
- Arba, Muhammad. (2019). *Buku Ajar Farmasi Komputasi*. Deepublish. Yogyakarta.
- Arba, M., Andriansyah, R., & Leonita, M. (2016). Studi Hubungan Kuantitatif Struktur Aktivitas Senyawa Turunan Meisoindigo Sebagai Inhibitor CDK4. *Jurnal Kimia Riset*, 1(2), 129-134.
- Armunanto, R., & Sudiono, S. (2004). Relation of electronic structures with their antimalarial activities on artemisinin derivatives. *Indonesian Journal of Chemistry*, 4(3), 212-217.
- Ariyanto. (2007) Penetuan Sifat Lipofilisitas Senyawa Turunan Kalanon secara Kimia Komputasi dan Analisis Hubungan Sifat Lipofilisitas terhadap Aktivitas Anti Toksoplasma. *Skripsi*. Jurusan Famasi, Univeritas Sanata Dharma, Yogyakarta..
- Chang, R. & Goldsby, K.A. (2016), *Chemistry, 12th edn*, Mc Graw Hill Education, New York.
- Chowdhury, M. Z. I., & Turin, T. C. (2020). Variable selection strategies and its importance in clinical prediction modelling. *Family Medicine and Community Health*, 8(1).
- Comşa, Ş., Cîmpean, A. M., & Raica, M. (2015). The story of MCF-7 breast cancer cell line: 40 Years of experience in research. *Anticancer Research*, 35(6), 3147–3154.
- Davis, A.M., King, F.D., (1994). *Medicinal Chemistry Principles and Practice*, The Royal Society of Chemistry, Lomdon
- Doan, T. M. H., Nguyen, T. L., Trinh, T. T. Van, Vu, V. N., Phi, T. D., Litaudon, M., Roussi, F., Chau, V. M., & Pham, V. C. (2019). Cytotoxic Phenolic

- Compounds from Fruit Glandular Trichomes of *Macaranga tanarius*. *Journal of Analytical Methods in Chemistry*, 2019, 7–12.
- Everitt, B.S. & Skrondall, A. 2010, *The Cambridge Dictionary Of Statictic Fourth Edition*, 4th edn, Cambridge University Press, Edinburgh.
- Fleming, Ian., 2010, *Molecular Orbitals and Organic Chemical Reactions*, John Wiley & Sons Ltd, United Kingdom.
- Husna, Ridhatul. Emdeniz. Imelda. 2013. Studi Toksisitas Floroanilin Berdasarkan Hubungan Kuantitatif Struktur Aktifitas (HKSA) Beberapa Amina Aromatis. *Jurnal Kimia Unand*. Vol 2. Nomor 4
- Draper, D.K. dan Smith. (1981), *Analisis Regresi Terapan*, terjemahan oleh Bambang Sumantri, Gramedia, Jakarta.
- Hussain, K.A., Radhi, W.A.H. & Ismael, S.M.H. (2012), Quantitative structure-activity relationships (QSAR) study and improving it of some schiff-base ligands as anticancer for prostate cancer, *Journal of Chemical and Pharmaceutical Research*, vol. 4, no. 3, pp. 1702–7.
- Iswanto, P., Saputri, M. P., & Paramita, S. (2020). Qualitative Structure Activity Relationship Analysis of 1, 3, 4-Thiadiazole Derivatives as Anti-Inflammatory using Parameterized Model 3 Method. In *Journal of Physics: Conference Series* (Vol. 1494, p. 012031).
- Jones, A. R. (2018). *Best Fit Lines & Curves: And Some Mathe-Magical Transformations* (Vol. 3). Routledge.
- Kern dan Li Di, E.H. & Di, L. (2016). *Drug-like Properties: Concepts, Structure Design and Methods: from ADME to Toxicity Optimization*. Elsevier. California. USA.
- Lewars, E.G. (2011). *Computational Chemistry Introduction to the Theory and Applications of Molecular and Quantum Mechanics Second Edition*. Springer, New York
- Mandal, D. K. (2018). *Pericyclic Chemistry: Orbital Mechanisms and Stereochemistry*. Elsevier.
- Mardianingrum, R. (2018). Hubungan Kuantitatif Struktur-Aktivitas Antimalaria Senyawa Turunan Quinoline-Pyrazolopyridine. *Journal of Pharmacopolium*, 1(3).Springer, New York.
- McMurry, John., (2012), *Organic Chemistry 8 edition*, Graphic World Inc, USA.
- Muchtaridi, Yanuar., A., Megantara, S., Purnomo, H. (2018). Kimia Medisinal: *Dasar-dasar Dalam Perancangan Obat edisi Pertama*, Prenadamedia Group, Jakarta.
- Muranaka, K. (2001). Anticancer Activity of Estradiol Derivates: A Quantitative Structure-Activity Relationship Approach. *J.Cem.Educ.* 78, 1390 – 139.
- Nantasesamat, C., Isarankura-Na-Ayudhya, C., & Prachayasittikul, V. (2010). Advances in computational methods to predict the biological activity of compounds. *Expert Opinion on Drug Discovery*, 5(7), 633–654.

- Onuki, R., Kawasaki, H., Baba, T., dan Taira, K. (2003). Analysis of A Mitochondrial Apoptotic Pathway Using Bid-Targeted Ribozymes in Human MCF7 Cells in the Absence of A Caspase-3-Dependent Pathway, *Antisense and Nucleic Acid Drug Development*, 13 (2): 75-82.
- Roy, K., Kar, S., & Das, R. N. (2015). Understanding the basics of QSAR for applications in pharmaceutical sciences and risk assessment. Academic press.
- Segun, P. A., Ogbole, O. O., Ismail, F. M. D., Nahar, L., Evans, A. R., Ajaiyeoba, E. O., & Sarker, S. D. (2019). Bioassay-guided isolation and structure elucidation of cytotoxic stilbenes and flavonols from the leaves of *Macaranga barteri*. *Fitoterapia*, 134(February), 151–157.
- Sembiring, R.K. (2003). Analisis regresi edisi 2, 30-31, 210, Penerbit ITB, Bandung
- Sherbet, G. V. (2019). Combretastatin analogues in cancer biology: A prospective view. *Journal of Cellular Biochemistry*, 121(3), 2127–2138.
- Siswandono. (2016). *Kimia Medisinal Jilid Satu Edisi Kedua*, Airlangga University Press, Surabaya.
- Smoliga JM, Baur JA, Hausenblas HA. (2011). Resveratrol and health-a comprehensive review of human clinical trials. *Mol Nutr Food Res*. 55(8):1129–1141.
- Tahir, I., Mudasir., Yulistia, I., Mustofa., (2005), Quantitative Structure-Activity Relationship Analysis (QSAR) Of Vincadiformine Analogues As The Antiplasmodial Compounds of The Chloroquinosensible Strain, *Indo. J. Chem*, 5(3):255-260.
- Tanaka, A., Nakamura, K., Nakanishi, I., Fujivara, H. (1994). A Novel and Useful Descriptor for Hydrophobicity, Partition Coefficient Micellar-Water, and Its Application to a QSAR Study of Antiplatelet agents, *Journal Medicinal Chemistry* 37, 4563-4566.
- Tandon, R., Nigst, T. A., & Zipse, H. (2013). Inductive Effects through Alkyl Groups—How Long is Long Enough?. European *Journal of Organic Chemistry*, 2013(24), 5423-5430.
- Tozer, G.M., Kanthou, C., Parkins, C.S., Hill, S.A. (2002). The biology of the combretastatins as tumour vascular targeting agents. *Int. J. Exp. Pathol.* 83, 21–38.
- Varsha, K., Sharma, A., Kaur, A., Madan, J., Pandey, R. S., Jain, U. K., & Chandra, R. (2017). Natural plant-derived anticancer drugs nanotherapeutics: a review on preclinical to clinical success. In *Nanostructures for Cancer Therapy* (pp. 775-809). Elsevier
- Vaulina Y.D., E., Chasani, M. & Abdulghani, M. (2012). Hubungan Kuantitatif Struktur-Aktivitas (HKSA) Antikanker Senyawa Turunan Kalanon Dengan Metode Semi Empiris PM3 (Parameterized Model 3), *Molekul*, vol. 7, no. 2, p. 130.
- Wei, J.J., Kawaguchi, Y., Li, F.C., Zakin, J. L., Hart, D.J., Zhang, Y. (2009). Drag Reducing And Heat Transfer Characteristics Of A Novel Zwitterionic

- Surfactant Solution, *International Journal Heat Mass Transfer.*, 52(15-16): 3547-3554.
- Widyaningsih, S., Purwati, P. & Riyadi, R. (2007), Pemodelan Senyawa Turunan Asam Karbamat Sebagai Senyawa Antikanker Menggunakan Metode Semiempiris AM1, *Molekul*, vol. 2, no. 2, p. 59.
- Wilson MA, Rimando AM, Wolkow CA. (2008), Methoxylation Enhances Stilbene Bioactivity in *Caenorhabditis Elegans*, *BMC Pharmacol.*, 8:15
- Yanuarti, Dominika Anny. (2007). Hubungan Kuantitatif Struktur-Aktivitas Senyawa Vinkadiformina dan Turunannya sebagai Senyawa Antimalaria Berdasarkan Parameter Teoretis Hasil Perhitungan Semiempiris, *Skripsi.*, Jurusan Famasi, Univeritas Sanata Dharma, Yogyakarta.
- Yeni, Y., Supandi, S., & Khalishah, Y. (2018). HKSA dan Penambatan Molekuler Senyawa Turunan Kumarin sebagai Anti Kanker Kolon. *Bioeduscience*, 2(1), 45.
- Young, D.C. 2001, *Computational Chemistry: A Practical Guide for Applying Techniques to Real-World Problems*, ACM SIGKDD Explorations Newsletter, vol. 4, John Wiley & Sons, New York.
- Yusthinus T. Male, Wayan Sutapa, Yulian A. D. Pusung. (2018). Prediksi Potensi Antikanker Senyawa Turunan Xanthone Menggunakan Hubungan Kuantitatif Struktur Dan Aktivitas (HKSA), *Chem. Prog.* Vol. 11, No.1
- Yusthinus, Male. T., Sutapa, I. W., & Ranglalin, O. M. (2015). Computational Study Natural Color Essence (Dyes) As Active Material On Organic Solar Cell With Density Functional Theory (DFT). *Indonesian Journal of Chemical Research*, 2(2), 205-212.
- Zampieri, L., Bianchi, P., Ruff, P., dan Arbuthnot, P. (2002). Differential Modulation by Estradiol of P-glycoprotein Drug Resistance Protein Expression in Cultured MCF7 and T47D Breast Cancer Cells, *Anticancer Res.*, 22 (4): 2253-9.
- Zhang, N. L., Zhu, Y. H., Huang, R. M., Fu, M. Q., Su, Z. W., Cai, J. Z., Hu, Y. J., & Qiu, S. X. (2012). Two New Stilbenoids From *Cajanus cajan*. *Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences*, 67(12), 1314–1318.