

DAFTAR PUSTAKA

- Aliyah, Siti, H., Nelsiani, T., Nastiti, W. 2015. Usia pasien kaitannya dengan klinikopatologi squamous cell carcinoma (SCC) rongga mulut. *Riset Informasi Kesehatan*. 5(2): 124.
- Anthony, J., Gopalan, V., Smith, R.A., Lam, A.K. 2012. Carcinoma eks pleomorphic adenoma: a comprehensive review of clinical pathological and molecular data. *Head and Neck Pathological*. 6(1):1-9.
- Aoiki, T., Tsukinoko, K., Ota, Y., Otsuru, M., Kaneko, A. 2004. Expression of cycloxygenase 2, Bcl2 and Ki67 in pleomorphic adenoma with special reference to tumor proliferation and apoptosis. *Oral Oncogen*. 40(9). 954-957.
- Azwar, Nelsiani, Nastiti, F. 2016. Hubungan ekspresi P53, Bcl2, c-Myc dan MMP-9 dengan gambaran klinikopatologi karsinoma sel skuamosa kepala leher. *Indonesian Journal of otorhinolaryngology*. 6(1). 15-20.
- Ballenger, J. J. 2008. *Penyakit Telinga, Hidung, Tenggorok, Kepala dan Leher*. edisi 13. Binarupa Aksara. Jakarta. h. 3-75.
- Baratawidjaja, 2014. *Imunologi dasar*. FKUI. Jakarta. h. 560-572.
- Bhandari, A., Karki, S., Sayami, G. 2018. Carcinoma eks pleomorphic adenoma of the parotid gland with cardiac metastasis. *Journal of Pathology of Nepal*. 8: 1422-1424
- Carlson, E.R. 2008. *Tekstbook and Color Atlas of Salivary Gland Pathology Diagnosis and Management*. A John Wiley & Sons Inc. Washington. h. 340-352.
- Cassidy, J, Bisset, D, Obe, R.A.J.S. 2002. *Oxford Handbook of Oncology*. Oxford University Press. London. h. 690-717.
- Collins, L.C., Botero, M.L., Schnitt, S.J. 2005. Bimodal frequency distribution of estrogen receptor immunohistochemical staining result in breast cancer. *American Journal of Clinicopathology*. 123:16-20.
- Dharmayanti, N.I., 2003. Kajian biologi molekuler gen supresor tumor p53 sebagai target gen dalam pengobatan kanker. *Wartazoa*. 13(3):99-107.
- Fatchiyah., 2006. *Gel Elektrofosis*. Laboratorium Sentral Biologi Molekuler dan Seluler Universitas Brawijaya. Malang. h. 124-135.

- Gothwal, A.K, Kamath, A, Paaskar, R.S. 2012. Pleomorfik adenoma of the palate :*acase report. Journal of Clinicaland Diagnostic Research*.6(6): 1-8.
- Hasan, C.Y., Rahmat, M.M. 2012. Pleomorfik adenoma pada palatum.*Majalah KedokteranGigi*. 19(1): 39-42.
- Hupp, J.R, Elis, E., Tucker, M.R. 2004. *Comtemporary Oral and Maxillofacial Surgery*, Elsevier. St.Louis. h. 542-560.
- Holmberd, K.V., Hoffman, M.P. 2014. Anatomy. biogenesis and regeneration of salivary gland.*Monogr Oral Sci*. 24(1): 1-13.
- Igor, B.B., Boecker, W. 2010, *Immunohistochemistry Basic and Methods*. Springer,. Hamburg. h. 724-753.
- Janjua, O.S., Qureshi, S.M., Khan, T.S., Alamgi, W. 2012. Bcl2 protein expression in mucoepidermoid carcinoma of salivary gland: a single institution experience.*Hemtol Oncol Stem Cell Ther*.5(2): 96-100.
- Kaur, H., Gupta, S. 2013. An Analysis of the expression of Bcl2. podoplanin and lympa angiogenesis in benignant and malignant salivary gland tumor. *J Clin Exp Pathol*. 3(3): 145-150.
- Kertanadi, N, Sudipta, M, Ardika, G. 2014. Parotidektomi superfisialis pada adenoma pleomorfik parotis. *Jurnal Ilmiah Kedokteran*. 45(1): 43-46.
- Kusuma, N., 2015. *Fisiologi dan Patologi Saliva*, Andalan University Press. Padang. h. 368-382.
- Lacroix, M. 2006. Significance detection and markers of disseminated breast cancer cells. *Endocrine Related Cancer*. 13: 1033-1067
- Lenka, S. P, Subrat, K. P, Santosh, K. S, Harshmohan, P, Sujit, S. 2013. Pleomorfik adenoma of hard plate. *Internasional Journal ofScientifik and Research Publication*. 1(1): 1-3.
- Manjunatha, B.S., Kumar, G.S., Rayhanath,V. 2011. Immunohistochemical expression of Bcl2 in benigna and malignat tumor. *Medical Oral Patologi*. 1(6): 503-507.
- Mubeen, K, Vijayalakhsmi, K.R Abishek, R. P. 2011. Benign pleomorphic adenoma of minor salivary gland of palate. *Journal of Dental Oral Hygiene*. 3(6): 82-8.
- Nunez, M.A.G., Godoy,G.P., Soares,R.C., Sauza,L.B.D, Fresti,R.D.A., Queruz, L.MG. 2008. Immunohistochemical expression of PCNA. P53 and Bcl2 in pleomorfikadenoma.Inj.J.Morphol.26(3):527-572.

- Nurhayati, S., Lusiyanti, Y. 2006. Apoptosis dan respon biologik sel sebagai faktor rognosa radioterapi kanker. *Buletin Alara*. 7(3): 57-66.
- Pallavi, N., Nalabolu, G.R., Hiremeth, S.K.S. 2018. Bcl2 and c-Myc expression in oral dysplasia and oral squamous cell carcinoma: an immunohistochemical study to assess tumor progression. *Journal of Oral and Maxillofacial Pathology*. 22(3): 325-331.
- Prakoeswa, C.R.S. 2008. Peran p53 pada patogenesis karsinoma sel basal. *Berkah Ilmu Kesehatan Kulit dan Kelamin*. 20(2): 261-265.
- Rawi, A., Omer, H., Kawas, A. 2010. Immunohistochemical analysis of P53 and Bcl2 in benign and malignant salivary gland tumor. *Jurnal Oral Pathology Medical*. 39(1): 48-55.
- Salido, G.M., Rosado, J.A. 2009. *Apoptosis :Involvement of Oxidative Stress and Intracellular Ca²⁺/Homeostasis*. Springer. USA. 267-272.
- Santoso, B.S., Kentijono, W.A., Suraso, B. 2012. Correlation between bcl2 protein expression with nasopharyngeal tumor towards radiotherapy on undifferentiated nasopharyngeal malignancy patient. *Jurnal THT-KL*. 5(1):1-3.
- Sari, L.M., 2010. Apoptosis: mekanisme molekuler kematian sel. cakra donya. *Dental Journal*. 10(2): 65-70
- Shurthi, M, Kini, R, Naik, V, Naik, G.Y.R, Kumar, N, Kumar, J. 2015. Pleomorphic adenoma of palate: a case report. *International Journal of Advance Health Science*. 2(1):13-15.
- Sindura, C.S., Babu, C., Mysorekam, V., Kuman, V. 2013. Study of immunohistochemical demonstration of Bcl2 protein in ameloblastoma and keratocystic odontogenic tumor. *Journal of Oral and Maxillofacial Pathology*. 17(2):176-180.
- Sumarsetyo, B., 2010. Adenoma pleomorfik pada palatum. *Stomatognathic Jurnal Kedokteran Gigi UNEJ*. 7(3): 15-18.
- Syafriadi, M. 2008, *Patologi Mulut Tumor Neoplastik dan Non Neoplastik Rongga Mulut*. Andi Offset. Yogyakarta.
- Tarakj, B., Kujan, O., Nassani, M. Z. 2010. Immunohistochemical expression of P53 in pleomorphic adenoma and carcinoma of pleomorphic adenoma. *Journal of Cancer Epidemiology*:1-8.

- Trandafirescu, M., Cotutiu, C., Cojocaru, E., Foia, L. 2012. Immunohistochemical aspects in pleomorphic adenoma. *Related to its Histogenesis and Malignazation*. 4(4): 11-16.
- Wulansari, I.P., Sandhika, W. 2016. Ekspresi CK-18 dan SMA pada karsinoma mukoepidermoid dan adenoma kelenjar liur. *Majalah Patologi*. 25(3). 17-21.

