

DAFTAR PUSTAKA

- Afshar, R., Sanavi, S., Salimi, J., Ahmadzadeh, M. 2010. Hematological profile of chronic kidney disease (CKD) patients in Iran, in pre-dialysis stages and after initiation of hemodialysis. *Saudi J Kidney Dis Transpl*, 21:368-71
- Armah, S. M., Boy, E., Chen, D., Candal, P., & Reddy, M. B. 2015. Regular consumption of a high-phytate diet reduces the inhibitory effect of phytate on nonheme-iron absorption in women with suboptimal iron stores. *The Journal of nutrition*, 145(8), 1735-1739.
- Ashton, D. 2014. Blood Transfusion during Hemodialysis: An Evidence-Based Procedure. *Nephrology nursing journal: journal of the American Nephrology Nurses' Association*. 41. 424-8.
- Babitt, J. L., & Lin, H. Y. 2012. Mechanisms of anemia in CKD. *Journal of the American Society of Nephrology*, 23(10), 1631-1634.
- Balitbang Kemenkes RI. 2013. *Riset Kesehatan Dasar*; RISKESDAS. Jakarta: Balitbang Kemenkes RI
- Baradero M. 2009. *Seri Asuhan Keperawatan Klien Gangguan Ginjal*. Penerbit Buku Kedokteran EGC. Jakarta.
- Brissot, P., Ropert, M., Le Lan, C., & Loréal, O. 2012. Non-transferrin bound iron: a key role in iron overload and iron toxicity. *Biochimica et Biophysica Acta (BBA)-General Subjects*, 1820(3), 403-410.
- Brissot, P., Troadec, M. B., Loréal, O., & Brissot, E. 2019. Pathophysiology and classification of iron overload diseases; update 2018. *Transfusion Clinique et Biologique*, 26(1), 80-88.
- Cabantchik, Z.I., 2014. Labile iron in cells and body fluids: physiology, pathology, and pharmacology. *Frontiers in pharmacology*, 5(45).
- Camaschella, C. 2017. New insights into iron deficiency and iron deficiency anemia. *Blood reviews*, 31(4), 225-233.
- Delima, D. and Tjitra, E., 2017. Faktor risiko penyakit ginjal kronik: Studi kasus kontrol di empat rumah sakit di Jakarta tahun 2014. *Indonesian Bulletin of Health Research*, 45(1), pp.17-26.
- Dorgalaleh, A., Mahmudi, M., Tabibian, S., Khatib, Z. K., Tamaddon, G. H., Moghaddam, E. S., Moradi, E. 2013. Anemia and thrombocytopenia in acute and

- chronic renal failure. *International journal of hematology-oncology and stem cell research*, 7(4), 34.
- Dummer, P. D., Limou, S., Rosenberg, A. Z., Heymann, J., Nelson, G., Winkler, C. A., & Kopp, J. B. (2015, May). APOL1 kidney disease risk variants: an evolving landscape. *Seminars in nephrology*, 35(3), pp. 222-236.
- Erlita, D. 2016. Hubungan Kadar Feritin Serum, Serum Iron Dan Total Iron Binding Capacity Dengan Kejadian Restless Legs Syndrome Pada Penderita Penyakit Ginjal Kronik Yang Menjalani Hemodialisis. *Tesis*. Fakultas Kedokteran Universitas Syiah Kuala. 65 halaman.
- Fishbane, S., Spinowitz, B. 2018. Update on Anemia in ESRD and Earlier Stages of CKD: Core Curriculum 2018. *American Journal of Kidney Diseases*. 71 (3), pp. 423-435
- Hider, R.C.; Kong, X. 2013. Chapter 8. Iron: Effect of Overload and Deficiency. In Astrid Sigel, Helmut Sigel and Roland K. O. Sigel (ed.). *Interrelations between Essential Metal Ions and Human Diseases. Metal Ions in Life Sciences*. 13. Springer. pp. 229–294.
- Hill, N. R., Fatoba, S. T., Oke, J. L., Hirst, J. A., O'Callaghan, C. A., Lasserson, D. S., & Hobbs, F. D. 2016. Global Prevalence of Chronic Kidney Disease - A Systematic Review and Meta-Analysis. *PloS one*, 11(7)
- Jha, V., Garcia-Garcia, G., Iseki, K., Li, Z., Naicker, S., Plattner, B., Saran, R., Wang, A. Y., Yang, C. W. 2013. Chronic kidney disease: global dimension and perspectives. *Lancet*. Vol 382 (9888): 260-72.
- Kahdina, M., Mardiana, N., & Fauziah, D. 2018. Levels of Hemoglobin, Leukocytes, and Platelets of Chronic Kidney Disease Patients Undergoing Hemodialysis in Surabaya. *Biomolecular and Health Science Journal*, 1(1), 29-33.
- Kang, H. T., Linton, J. A., Kwon, S. K., Park, B. J., & Lee, J. H. 2016. Ferritin Level Is Positively Associated with Chronic Kidney Disease in Korean Men, Based on the 2010-2012 Korean National Health and Nutrition Examination Survey. *International journal of environmental research and public health*. 13(11), 1058.
- Kazancıoğlu, R. 2013. Risk factors for chronic kidney disease: an update. *Kidney international supplements*, 3(4), 368–371.
- KDIGO. 2017. Clinical Practice Guideline Update for the Diagnosis, Evaluation, Prevention, and Treatment of Chronic Kidney Disease–Mineral and Bone Disorder (CKD-MBD). *Kidney Int Suppl*. 7(1): 1-59
- Kowdley, K.V., Belt, P., Wilson, L.A., Yeh, M.M., Neuschwander-Tetri, B.A., Chalasani, N., Sanyal, A.J., Nelson, J.E. and NASH Clinical Research Network.

2012. Serum ferritin is an independent predictor of histologic severity and advanced fibrosis in patients with nonalcoholic fatty liver disease. *Hepatology*, 55(1), pp.77-85.
- Lesjak, M. 2015. *Role of polyphenols in iron homeostasis*. University College London.
- Lu, J. L., Kalantar-Zadeh, K., Ma, J. Z., Quarles, L. D., & Kovesdy, C. P. 2014. Association of body mass index with outcomes in patients with CKD. *Journal of the American Society of Nephrology*, 25(9), 2088-2096.
- Lutz, J., Menke, J., Sollinger, D., Schinzel, H., & Thürmel, K. 2014. Haemostasis in chronic kidney disease. *Nephrology Dialysis Transplantation*, 29(1), 29-40.
- Manousou, P., Kalambokis, G., Grillo, F., Watkins, J., Xirouchakis, E., Pleguezuelo, M., Leandro, G., Arvaniti, V., Germani, G., Patch, D. and Calvaruso, V. 2011. Serum ferritin is a discriminant marker for both fibrosis and inflammation in histologically proven non-alcoholic fatty liver disease patients. *Liver International*, 31(5), pp.730-739
- Muñoz, M., Gómez-Ramírez, S., Campos, A., Ruiz, J., & Liunbruno, G. M. 2015. Pre-operative anaemia: prevalence, consequences and approaches to management. *Blood Transfusion*, 13(3), 370–379.
- Naseer, M. R., & Patra, K. C. 2015. Correlation of serum iron and serum calcium levels in children with febrile seizures. *Int J Contemp Pediatr*, 2, 406-10.
- Patambo, K. Gambaran status besi pada penderita penyakit ginjal kronik yang menjalani hemodialisis. *eCl*. 2014;2(2), 25-6
- Patel, M. S., & Carson, J. L. 2009. Anemia in the Preoperative Patient. *The Medical Clinics of North America*, 93(5), 1095–1104.
- Patel, M., & Ramavataram, D. V. 2012. Non transferrin bound iron: nature, manifestations and analytical approaches for estimation. *Indian journal of clinical biochemistry: IJCB*, 27(4), 322–332.
- Pedrini, L. A., Winter, A. C., Cerino, F., Zawada, A. M., Garbelli, M., Feuersenger, A., Feliciani, A., Ruggiero, P., Civardi, S., Amato, C., Canaud, B., Stuard, S., Karch, A., Gauly, A. 2019. Clinical outcomes of hemodialysis patients in a public-private partnership care framework in Italy: a retrospective cohort study. *BMC nephrology*, 20(1), 35.
- Perhimpunan Nefrologi Indonesia. 2017. *10th Annual Report of Indonesian Renal Registry*.
- Pernefri. 2001. *Manajemen Anemia pada Gagal Ginjal Kronik*. Perhimpunan Nefrologi Indonesia.

- Pietrangelo, A. 2016. Iron and the liver. *Liver international*, 36, 116-123.
- Porter, J., Elalfy, M., Viprakasit, V., Giraudier, S., Chan, L., Lai, Y., El-Ali, A., Martin, N. and Cappellini, M. 2012. Serum Ferritin, Labile Plasma Iron and Transferrin Saturation: Comparison Between Underlying Anemias with Transfusional Iron Overload Before and After Treatment with Deferasirox. *Blood Journal* 120:2126
- Provatopoulou, S. T., & Ziroyiannis, P. N. 2011. Clinical use of erythropoietin in chronic kidney disease: outcomes and future prospects. *Hippokratia*. 15(2), 109–115.
- Rerambiah, L. K., Rerambiah, L. E., Bengone, C., & Siawaya, J. F. D. 2014. The risk of transfusion-transmitted viral infections at the Gabonese National Blood Transfusion Centre. *Blood transfusion*, 12(3), 330.
- Said, S, K., Hany, S, E., Mahmoud, M, E., Enas, S.E., Ahmed, A, Z. 2014. Study of possible correlation between inflammation and bone mineral disorders in chronic kidney disease. *IJRSR*.5:125661.
- Sasaki, K., Ikuta, K., Tanaka, H., Ohtake, T., Torimoto, Y., Fujiya, M., & Kohgo, Y. 2011. Improved quantification for non-transferrin-bound iron measurement using high-performance liquid chromatography by reducing iron contamination. *Molecular Medicine Reports*, 4, 913-918.
- Sastroasmoro. 2014. *Dasar-dasar Metodologi Penelitian Klinis*. Jakarta: Sagung Seto
- Seki, M., Nakayama, M., Sakoh, T., Yoshitomi, R., Fukui, A., Katafuchi, E., & Kitazono, T. 2019. Blood urea nitrogen is independently associated with renal outcomes in Japanese patients with stage 3–5 chronic kidney disease: a prospective observational study. *BMC nephrology*, 20(1), 115.
- Shander, A., Lobel G.P., Javidroozi, M. 2016. Anesthesia for Patients with Anemia. *Anesthesiol Clin*, 34(4):711-730
- Shastri, I., & Belurkar, S. 2019. The spectrum of red blood cell parameters in chronic kidney disease: A study of 300 cases. *Journal of Applied Hematology*, 10(2), 61.
- Su, S., Lin, C., Kao, S. *et al.* 2015. Risk factors and their interaction on chronic kidney disease: A multi-centre case control study in Taiwan. *BMC Nephrol*, 16, 83
- Susilawati, N. 2014. Hubungan Kadar Ureum Dengan Nilai Hematokrit Pada Penderita Gagal Ginjal Kronik. *Politeknik Kesehatan Bandung*.
- Suwitra, K., Setiati, S., Alwi I., Sudoyo A.W., Simadibrata, M., Setiyohadi, B., Syam, A.F. 2014. Buku Ajar Ilmu Penyakit Dalam (6th ed). *Interna Publishing*. p. 2159-65.
- Thomas, R., Kanso, A., & Sedor, J. R. (2008). Chronic kidney disease and its complications. *Primary care: Clinics in office practice*, 35(2), 329-344.

- Van Bladel, E. R., de Jager, R. L., Walter, D., Cornelissen, L., Gaillard, C. A., Boven, L. A., & Fijnheer, R. 2012. Platelets of patients with chronic kidney disease demonstrate deficient platelet reactivity in vitro. *BMC nephrology*, 13(1), 127.
- Wish, J. B., Aronoff, G. R., Bacon, B. R., Brugnara, C., Eckardt K, U., Ganz, T., Macdougall I, C., Núñez J., Perahia, A, J., Wood, J, C. 2018. Positive Iron Balance in Chronic Kidney Disease: How Much is Too Much and How to Tell? *Am J Nephrol*, 12(5).
- Yahouédéhou, S. C. M. A., Carvalho, M. O. S., Oliveira, R. M., Santiago, R. P., da Guarda, C. C., Carvalho, S. P., Gonçalves, M. D. S. 2018. Sickle cell anemia patients in use of hydroxyurea: association between polymorphisms in genes encoding metabolizing drug enzymes and laboratory parameters. *Disease markers*, 15(7).

