

DAFTAR PUSTAKA

- Adrovic, F. 2012. *Gamma Radiation*. InTech. Kroasia. h.97-189.
- Aquino, K.A.S., Araujo, E.S., Guedes, S.M.L. 2010. Influence of a hindered amine stabilizer on optical and mechanical properties of poly(methyl methacrylate) exposed to gamma irradiation. *J Appl Polym Sci*. 116: 748-753.
- Al-Saadi, M.H. 2014. Effectiveness of chemical and microwave disinfection on denture biofilm fungi and the influence of disinfection on denture base adaptation. *J Indian Prosthodont Soc*. 14(1): 24-30.
- Alwan, T.J. 2019. Effects of gamma irradiation on the physical properties of PAni.MWCNT/PMMA films. *Journal of Physical Studies*. 23(3): 3710.1-3710.6.
- Anusavice, K.J., Shen, C., Rawls, H.R. 2013. *Phillips' Science of Dental Materials 12th Edition*. Elsevier. Missouri. h.61-487.
- Aschi. 2013. *Fixed and removable prosthodontics 2nd ed*. Tottenham. Churchill. Livingstone. h.74.
- Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan Republik Indonesia. 2018. *Riset Kesehatan Dasar (Riskesdas) 2018*. Menkes RI. Jakarta. h.184.
- Badunggawa, P., Sandi, I.N., Merta, I.W. 2009. Bahaya radiasi dan cara proteksinya. *Medicina*. 40: 47-51.
- Bosworth, L.A., Gibb, A., Downes, S. 2012. Gamma irradiation of electrospun poly(ϵ -caprolactone) fibers affects material properties but not cell response. *Journal of Polymeric Science*: 1-7.
- Brondani, M.A., Saminu, F., Feng, H. 2010. A conventional microwave oven for denture cleaning: a critical review. *Gerodontology*. 29(2): 6-15.
- Cahyana, A., Marzuki, A., Cari. 2014. Analisa SEM (*scanning electron microscope*) pada kaca TZN yang dikristalkan sebagian. *Prosiding Mathematics and Sciences Forum*: 23-26.
- Dahar, E., Handayani, S. 2017. Pengaruh penambahan zirkonium oksida pada bahan basis gigi tiruan resin akrilik polimerisasi panas terhadap kekuatan impak dan transversal. *Jurnal Ilmiah PANNMED*. 12(2): 194-199.
- Faot, F., Panza, L.H.V., Garcia, R.C.M.R., Cury, A.A.D.B. 2009. Impact and flexural strength, and fracture morphology of acrylic resins with impact modifiers. *Dent Journal*. 3: 137-143.

- Ferasima, R., Zulkarnain, M., Nasution, H. 2013. Pengaruh penambahan serat kaca dan serat polietilen terhadap kekuatan impak dan transversal pada bahan basis gigitiran resin akrilik polimerisasi panas. *IDJ*. 2(1): 27-37.
- Gaib, Z. 2013. Faktor-faktor yang berpengaruh terhadap terjadinya kandidiasis eritematosa pada pengguna gigi tiruan lengkap. *e-Gigi*. 1(2): 1-14.
- Gajwani-Jain, S., Magdum, D., Karagir, A., Pharane, P. 2015. Denture cleanser: a review. *IOSR-JDMS*. 14(2): 94-96.
- Garcia, O.P., Albuquerque, M.C.C.D., Aquino, K.A.D.S., Araujo, P.L.B.D., Araujo, E.S.D. 2015. Use of lead (II) sulfide nanoparticles as stabilizer for pmma exposed to gamma irradiation. *Material Research*. 18(2): 365-372.
- Garg, R. 2010. Denture hygiene different strategies. *Webmedical Central Dentistry*. 1(10): 2-7.
- Gunadi, H.A., Margo, A., Burhan, L., Suryatenggara F., Setiabudi, L. 2012. *Buku Ajar Ilmu Geligi Tiruan Sebagian Lepas*. Hipokrates. Jakarta. h.151.
- Hamid, D.M.A. 2013. Microhardness of flexible denture base materials: effect of microwave and chemical disinfection methods. *Egypt Dent J*. 59(2): 1383-1392.
- Hatrack, C.D., Eakle, W.S. 2016. *Dental Materials: Clinical Applications for Dental Assistans and Dental Hygienist*. Elsevier. Missouri. h.302.
- Herwanda, Idawani, M., Rahmayani, L. 2013. Perilaku pemakai gigi tiruan terhadap pemeliharaan kebersihan gigi tiruan lepasan (denture wearer's behavior towards removable denture cleansing care). *Jurnal PDGI*. 62: 83-88.
- Inkson, B.J. 2016. *Materials Characterization Using Nondestructive Evaluation (NDE) Methods*. Woodhead Publising. Inggris. h.26-29.
- Jha, R.S., Bajpai, R. 2016. Effect of gamma irradiation on polyvinyl chloride, polymethyl methacrylate and their polymer bends. *IRJET*. 3(9): 1594-1598.
- Karthikeyan, S., Leoney, A., Ali, S.A. 2018. Denture disinfectants used in prosthodontics- a review. *International Journal of Contemporary Medical Research*. 5(3): 19-22.
- Khalaf, H.A.R. 2013. Effect of siwak on certain mechanical properties of acrylic resin. *Journal of Oral Research*. 1(1): 39-49.
- Khalifa, N., Allen, P.F., Abu-Bakr, N.H., dkk. 2012. Factor associated with tooth loss and prosthodontic status among sundanese adult. *J Oral Sci*. 54(4): 303-312
- Manappallil, J.J. 2016. *Basic Dental Materials Fourth Edition*. Jaypee Brothers Medical Publishers (P) Ltd. India. h.541.

- Mazor, E., Zilberman, M. 2017. Effect of gamma-irradiation sterilization on the physical and mechanical properties of a hybrid wound dressing. *Polym Adv Technol.* 28: 41-52.
- Mohammed, A., Abdullah, A. 2018. Scanning electron microscopy (SEM): a review, *Proceedings of 2018 International Conference on Hydraulic and Pneumatic-HERVEX:* 1-9.
- Mohammed, M.A.A. 2011. Effect of Gamma Radiation Sterilization Versus Disinfection on Removable Partial Dentures (Microbiological Study). *Tesis.* Faculty of Oral and Dental Medicine. Departement of Removable Prosthodontics. Cairo University. Egypt. (Tidak dipublikasikan).
- Mowade, T.K., Dange, S.P., Thakre, M.B., Kamble, V.D. 2012. Effect of fiber reinforcement on impact strength of heat polymerized polymethyl methacrylate denture base resin: in vitro study and SEM analysis. *Journal Adv Prosthodont.* 4: 30-36.
- Munker, T.J.A.G., van de Vijfeijken, S.E.C.M., Mulder, C.S., dkk. 2018. Effects of sterilization on the mechanical properties of poly(methyl methacrylate) based personalized medical devices. *J MECH BEHAV BIOMED.* 81: 168-172.
- Nobile, C.J., Johnson, A.D. 2015. *Candida Albicans* biofilms and human disease. *ANNU REV MICROBIOL.* 69: 71–92.
- Olewi, J.K., Hamad, Q.A. 2018. Studying the mechanical properties of denture base materials fabricated from polymer composite materials. *Al-Khwarizmi Engineering Journal.* 14(3): 100-111.
- Peracini, A., Davi, L.R., Ribeiro, N.Q., dkk. 2010. Effect of denture cleansers on physical properties of heat-polymerized acrylic resin. *J Pros Res.* 54: 78-83.
- Prasad, H., Kalavanthy, Mohammed, H.S. 2011. Effect of glass fiber and silane treated glass fiber reinforcement on impact strength of maxillary complete denture. *Annals and Essences of Dentistry Journal.* 3(4): 7-12.
- Putranti, D.T. 2015. Pengaruh perendaman basis gigi tiruan resin akrilik polimerisasi panas dalam minuman tuak aren terhadap kekasaran permukaan dan kekuatan impak. *Jurnal Material Kedokteran Gigi.* 4(2): 43-53.
- Said, M, M., Otaki, M., Kazama, S., Hassen, A. 2011. Development of a DNA-dosimeter system as biomarker to monitor the effects of pulsed ultraviolet radiation. *Afr J Microbiol.* 6(24): 5153-5161.
- Sakaguchi, R., Ferracane J., Powers, J. 2018. *Craig's Restorative Dental Materials 14th Edition.* Mosby. London. h.140-141.

- Sitorus, Z., Maghfirah, A., Romania, Y., Humaidi, S. 2014. Sifat mekanik gigi tiruan akrilik dengan penguat serat gelas. *Indonesian Journal of Applied Physic.* 4(2): 183-191.
- Suga, M., Asahina, S., Sakuda, Y., dkk. 2014. Recent progress in scanning electron microscopy for the characterization of fine structural details of nano materials. *Prog Solid State Chem*: 1-21.
- Wahab, S.A., Adhani, R., Widodo. 2017. Perbandingan karakteristik pengguna gigi tiruan yang dibuat di dokter gigi dengan tukang gigi di Banjarmasin (Tinjauan terhadap Pengetahuan dan Biaya Pembuatan Gigi Tiruan). *Dentino Jurnal Kedokteran Gigi.* 1(1): 50-55.
- Wahjuni, S., Mandanie, S.A. 2017. Pembuatan protesa kombinasi dengan castable extracoronar attachments (prosedur laboratorium). *J Voc HS.* 1: 75-81.
- Wahjuni, S., Rejeki, S., Wafi, A.S. 2019. Pembuatan *unilateral over denture* dengan retensi kombinasi *horizontal* dan *vertical attachment* (prosedur laboratoris). *JVHS.* 3: 11-16.
- Wijayanto, S.O., Bayuseno, A.P. 2014. Analisis kegagalan material pipa *ferrule nickel alloy N06025* pada *waste heat boiler* akibat suhu tinggi berdasarkan pengujian: mikrofografi dan kekerasan. *JTM (S-1).* 1(4): 33-39.
- Yunus, M., Najamudin, Kurniadi. 2016. Pengaruh perlakuan *quenching-tempering* terhadap kekuatan impak pada baja karbon sedang. *Jurnal Teknik Mesin Universitas Bandar Lampung.* 2(1): 19-25.