

DAFTAR PUSTAKA

- Akhsyari, F.Z., Rahayuningsih, F.B. 2017. Karakteristik Pasien Diabetes Mellitus di RSUD Dr Soehadi Prijonegoro Sragen Tahun 2015. *Naskah Publikasi*. Universitas Muhammadiyah Surakarta, Surakarta.
- Alfiyah, S.W. 2010. Faktor Risiko yang Berhubungan dengan Kejadian Penyakit Diabetes Melitus pada Pasien Rawat Jalan di Rumah Sakit Umum Pusat Dr. Kariadi Semarang Tahun 2010. *Tesis*. Semarang.
- American Diabetes Association. 2018. Classification and Diagnosis of Diabetes : Standards of Medical Care in Diabetes 2019. *Diabetes Care*. Vol 42 (Suppl 1) : S13-S28.
- American Diabetes Association. 2018. Standards of Medical Care in Diabetes 2018. *Diabetes Care*. Vol 40 (Suppl 1) : S11-S24.
- Anguizola J, Matsuda R, Barnaby OS, Hoy KS, Wa C, DeBolt E, *et al.* 2013. Glycation of Human Serum Albumin. *Clin Chim Acta*. Vol 425:64-76.
- Anisha, A.G., Pownall, H.J., Hamilton, D.J. 2015. Estrogen: An Emerging Regulator of Insulin Action and Mitochondrial Function. *Journal of Diabetes Research*. Vol 2015(7) :1-9.
- Araneta, M.R.G., Kanaya, A.M., Hsu, W.C., Chang, H.K., Grandinetti, A., Boyko, E.J., *et al.* 2015. Optimum BMI Cut Points to Screen Asian Americans for Type 2 Diabetes. *Diabetes Care*. Vol 38(5):814-820.
- Awad, N., Yuanita, A.L., Pandelaki, K. 2013. Gambaran Faktor Resiko Pasien Diabetes Melitus tipe II di Poliklinik Endokrin Bagian/SMF FK-UNSRAT RSUD Prof. Dr. R.D Kandou Manado Periode Mei 2011-Oktober 2011. *Jurnal e-Biomedik (eBM)*. Vol 1(1):45-49.
- Bahori, M., Nasution, N., Theodorus. 2014. Efek Latihan Fisik Intensitas Sedang terhadap Kadar Albumin Urin Mahasiswa Akademi Keperawatan Kesdam IISriwijaya Palembang Tahun 2013. *MKS*. Vol 46(3) : 199-204.
- Buraerah, H. 2010. Analisis Faktor Risiko Diabetes Melitus tipe 2 di Puskesmas Tanrutedong, Sidenreg Rappan. *Jurnal Kedokteran Indonesia*. Vol 35(4):228.
- Carter, C.E., Gansevoort, R.T., Scheven, L., Heerspink, H.J.L., Shlipak, M.G., de Jong, P.E., *et al.* 2012. Influence of Urine Creatinine on the Relationship between the Albumin-to-Creatinine Ratio and Cardiovascular Events. *Clin J Am Soc Nephrol*. Vol 7(4):595-603.
- Charisma, A.M. 2017. Korelasi Kadar Rata-Rata Glukosa Darah Puasa dan 2 Jam Post Prondial Tiga Bulan Terakhir dengan Nilai HbA1c pada Pasien Diabetes Mellitus Prolanis BPJS Kabupaten Kediri Periode Mei-Agustus 2017. *J Kesehatan Masyarakat Indonesia*. Vol 12(2):1-11.
- Chavan, V.U., Durgawale, P.P., Sayyed, A.K., Sontakk, A.V., Attar, N.R., Patel,S.B., *et al.* 2011. A Comparative Study of Clinical Utility of Spot

- Urine Samples with 24-h Urine Albumin Excretion for Screening of Microalbuminuria in Type 2 Diabetic Patients. *Ind J Clin Biochem*. Vol 26(3):283-289.
- Chiang, Shu Chiung., Jenn, Kuen Lee., Chih, Hung Chen., Lee, Ming Chuang., Kun, Wu Tsan., Wayne, Huey Heng. 2011. Justifying the high prevalence of microalbuminuria for type 2 diabetic patients in taiwan with conditional probability approach. *Journal of The Chinese Medical Association*. Vol 74(1): 3-10.
- Dahlan, M.S. 2014. *Statistik Umum Kedokteran dan Kesehatan*. Salemba Medika, Jakarta.
- Decroli, E. 2019. *Diabetes Melitus Tipe 2*. Edisi 1. Dalam *Dasar-Dasar Terjadinya DM Tipe 2*. Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Andalas, Padang. Hal 4-6.
- DeFronzo, R.A. 2013. From the Triumvirate to the Ominous Octet: A New Paradigm for the Treatment of Type 2 Diabetes Mellitus. *Diabetes*. Vol 58: 773-795.
- Dharma, S.P. 2014. *Penyakit Ginjal Deteksi Dini dan Pencegahan*. CV Solusi Distribusi, Yogyakarta.
- E.S. Satria, H., Decroli, E., Afriwardi. 2018. Faktor Risiko Pasien Nefropati Diabetik yang Dirawat di Bagian Penyakit Dalam RSUP Dr. M. Djamil Padang. *Jurnal Kesehatan Andalas*. Vol 7(2):149-153.
- Edwina, D.A., Manaf, A., Efrida. 2015. Pola Komplikasi Kronis Penderita Diabetes Melitus Tipe 2 Rawat Inap di Bagian Penyakit Dalam RS Dr. M. Djamil Padang Januari 2011-Desember 2012. *Jurnal Kedokteran Andalas*. Vol 4(1) : 012-106.
- Eklblom-bak, E., Hellenius, M.L., Eklblom, B. 2010. Are We Facing a New Paradigma of Inactivity Physiology. *Br J Sports Med*. 20(20) : 1-2.
- Elfiani, Halim, R., Hakir, M.H. 2019. Hubungan antara Kadar TGF- β 1 dengan kadar Albumin dalam Urin Pasien DM Tipe 2 dengan Nefropati Diabetik. *JMJ*. Vol 7 (1) :73-81.
- Erickson, S.C., Le, L., Zakharyan, A., *et al.* 2012. New Onset Treatment-Dependent Diabetes Mellitus and Hyperlipidemia Associated With Atypical Antipsychotic Use in Older Adults Without Schizophrenia or Bipolar Disorder. *J Am Geriatr Soc*. Vol. 60:474-479.
- Farmer, A. 2012. Use of HbA1c in The Diagnosis of Diabetes. *BMJ*. Vol 345:1-2.
- Fatimah, R.N. 2015. Diabetes Melitus Tipe 2. *J Majority*. Vol 4(5):93-101.
- Fatmawati, A. 2010. Faktor Risiko Kejadian Diabetes Melitus Tipe 2 Pasien Rawat Jalan (Studi Kasus di Rumah Sakit Umum Daerah Sunan Kalijaga Demak). *Tesis*. Universitas Negeri Semarang, Semarang.

- Fatrinawati, Windarwati, dan Sianipar, O. 2018. Accuracy of Albumin Creatinine Ratio in Comparison with Albumin Excretion Rate for Diagnosis Diabetic Nephropathy in Type 2 Diabetes Mellitus. *J Med Sci*. Vol 50(3) : 303-312.
- Freitas, P.A.C., Ehlert, L.R., Camargo, J.L. 2017. Glycated Albumin : A Potential Biomarker in Diabetes. *Archives of Endocrinology and Metabolism*. Vol 61(3):296-304.
- Gan, T., Liao, B., Xu, G. 2018. The Clinical Usefulness of Glycated Albumin in Patients with Diabetes and Chronic Kidney Disease : Progress and Challenges. *J Diabetes Complications*. Vol 32(9):876-884.
- Gan, T., Liu, X., Xu, G. 2018. Glycated Albumin Versus HbA1c in The Evaluation of Glycemic Control in Patients with Diabetes and CKD. *Kidney International Reports*. Vol 3:542-554.
- Giacco, F. dan Brownlee, M. 2010. Oxidative Stress and Diabetic Complications. *Circ Res*. Vol 107(9):1058-1070.
- Guyton, A.C. dan Hall, J.E. 2014. *Buku Ajar Fisiologi Kedokteran Edisi 12*. Elsevier, Singapura.
- Haque, N., Debnath, B.C., Ibrahim, M., Sirajuddin, K., Majumder, M., Hossain, M.S. 2011. Association of HbA1c with Urinary ACR & eGFR in Type-2 Diabetes Mellitus. *Pulse Journal*. Vol 5(1):6-11.
- Harefa, E. 2011. *Standardization and Recent Updates*. Prodia Laboratories, Makassar.
- Heerspink, H.J., Gansevoort, R.T., Brenner B.M., Cooper, M.E., Parving, H.H., Shahinfar, S., *et al.* 2010. Comparison of Different Measures of Urinary Protein Excretion for Prediction of Renal Events. *J Am Soc Nephrol*. Vol 21(8):1355-1360.
- Huang, X., Zhou, Y., Xu, B., Sun, W., Lin, L., Sun, J., *et al.* 2015. Glycated Haemoglobin A1c is Associated with Low-Grade Albuminuria in Chinese Adults. *BMJ*. Vol 5:1-8.
- Idowu, A.A., Ajose, A.O., Adedeji, A.T., Adegoke, A.O., Jimoh, K.A. 2017. Microalbuminuria, Other Markers of Nephropathy and Biochemical Derangements in Type 2 Diabetes Mellitus : Relationships and Determinants. *Ghana Med J*. Vol 51(2):56-63.
- International Diabetes Federation. 2017. *IDF Diabetes Atlas 8th Edition*. International Diabetes Federation, Brussel.
- Jameson, J.L., Fauci, A.S., Kasper, D.L., Hauser, S.L., Longo, D.L., Loscalzo, J. 2018. *Harrison's Principles of Internal Medicine 20th Edition*. McGraw-Hill Education, New York.
- Juliani, D. 2013. Cystatin C, HbA1c, dan Rasio Albumin Kreatinin. *Indonesian Journal of Clinical Pathology and Medical Laboratory*. Vol 19(3):167-173.

- Kaku, K. 2010. Pathophysiology of Type 2 Diabetes and Its Treatment Policy. *Journal of the Japan Medical Association*. Vol 53(1) : 41-46.
- Kang, S.H., Park, J.W., Do, J.Y., Cho, K.H. 2016. Glycated Hemoglobin a1c Level is Associated with High Urinary Albumin/Creatinine Ratio in Non-diabetic Adult Population. *Ann Med*. Vol 48(6):477-484.
- Kardika, I.B.W., Herawati, S., Yasa, I.W.P.S. 2013. Preanalytic and Interpretation Blood Glucose for Diagnose Diabetic Melitus. *E-Jurnal Medika Udayana*. Vol 2(10) : 1707-1721.
- Kariadi, S.H. 2009. *Diabetes: Panduan Lengkap untuk Diabetisi*. Mizan Media Utama, Jakarta.
- Kementerian Kesehatan Republik Indonesia. 2008. *Pedoman Teknis Pengukuran Faktor Risiko Diabetes Melitus*. Direktorat PPT, Dirjend PP dan PL, Jakarta.
- Kementerian Kesehatan Republik Indonesia. 2009. *Kategori Usia* (online). Diakses melalui <http://kategori-umur-menurut-Depkes.html> tanggal 28 Oktober 2019.
- Kementerian Kesehatan Republik Indonesia. 2018. *Hasil Utama Riskesdas 2018*. Kementerian Kesehatan Republik Indonesia, Jakarta.
- Khosdel, R.A., Mirzababaie, H., Angoorani, H. 2014. The Value of Exercise Stress Testing for renal-Cardiac Risk Assessment in Military Personnel : Exploring The Hidden Half!. *J Arch Mil Med*. Vol 2(1) : 1-12.
- Kim, I.Y., Kim, M.J., Lee, D.W., *et al.* 2015. Glycated Albumin is a More Accurate Glycemic Indicator than Hemoglobin A1c in Diabetic Patients with Pre-Dialysis Chronic Kidney Disease. *Nephrology*. Vol 20:715–720.
- Koga, M. 2014. *1,5-Anhydroglucitol And Glycated Albumin In Glycemia*. In: *Makowski GS, Ed. Advances In Clinical Chemistry*. Elsevier Science & Technology, Amsterdam. Hal 269-301.
- Kwon, E., Ahn, C. 2012. Low Hemoglobin Concentration is Associated with Several Diabetic Profiles. *Korean J Intern Med*. Vol 27(3):273-274.
- Lee, E.S., Tang, W.E. 2015. The Prevalence of Albuminuria among Diabetic Patients in A Primary Care Setting in Singapore. *Singapore Med J*. Vol 56(12) : 681-686.
- MacIsaac, R.J., Ekinci, E.I., Jerums, G. 2014. Markers of and Risk Factors for The Development and Progression of Diabetic Kidney Disease. *Am J Kidney Dis*. Vol 63 : S39–S62.
- McFarlane, P., Cherney, D., Gilbert, R.E., and Senior, P. 2018. Chronic Kidney Disease in Diabetes. *Can J Diabetes*. Vol 42 (2018) : S201-S209.
- Miller, W.G., Bruns, D.E., Hortin, G.L., Sanberg, S., Aakre, M., McQueen, M.J., *et al.* 2009. Current Issues in Measurement and Reporting of Urinary Albumin Excretion. *Clin Chem*. Vol 55(1) : 24-38.

- Morris, K.R, Riley, D.R., Doug, M., Deeks, J.J., Kilby, D.M. 2012. Diagnostic Accuracy of Spot Urinary Protein and Albumin Creatinine Ratios or Detection of Significant Proteinuria or Adverse Pregnancy Outcome in Patients with Suspected Pre-Eclampsia: Systematic Review and Meta-Analysis. *BMJ*. Vol 345 : 1-12.
- Nah, E.H., Cho, S., Kim, S., Cho, H.I. 2017. Comparison of Urine Albumin-to-Creatinine Ratio (ACR) between ACR Strip Test and Quantitative Test in Prediabetes and Diabetes. *Ann Lab Med*. Vol 37 : 28-33.
- Nasrulloh, A. 2012. Pogram Latihan Body Building dapat Meningkatkan Massa Otot Mahasiswa IKORA FIK UNY. *J MIKI*. Vol 2 : 89-93.
- National Kidney Foundation (NKF). 2013. *Diabetic and Chronic Kidney Disease, Stages 1-4*. NKF, New York. Hal 6.
- NHS Foundation Trust. 2011. *Test Database Creatinine Urine*. University Hospitals Birmingham, United Kingdom.
- Nicoll, D., Lu, C.M., McPhee, S.J. 2017. *Pocket Guide to Diagnostic Tests, 7th Edition*. McGrawHill-Education, New York.
- Oktaviani, M.A., Notobroto, H.B. 2014. Perbandingan Tingkat Konsistensi Normalitas Distribusi Metode *Kolmogorov-Smirnov, Lilliefors, Shapiro-Wilk*, dan *Skewness-Kurtosis*. *Jurnal Biometrika dan Kependudukan*. Vol 3(2) : 127-135.
- Ozougwu, J.C., Obimba, K.C., Belonwu, C.D., Unakalamba, C.B. 2013. The Pathogenesis and Pathophysiology of Type 1 and Type 2 Diabetes Mellitus. *Journal of Physiology and Pathophysiology*. Vol 4(4) : 46-57.
- Paputungan, S., Sanusi, H. 2014. Peranan Pemeriksaan Hemoglobin A1c pada Pengelolaan Diabetes Melitus. *Cermin Dunia Kedokteran*. Vol 41(9):650-55.
- Patel, S.S., Molnar, Z.M., Tayek, A.J., Ix, H.J., Noori, N., Benner, D., *et al*. 2013. Serum Creatinine as a Marker of Muscle Mass in Chronic Kidney Disease : Results of a Cross-Sectional Study and Review of Literature. *J Cachexia Sarcopenia Muscle*. Vol 4(1):19-29.
- Perhimpunan Dokter Spesialis Patologi Klinik dan kedokteran Laboratorium Indonesia (PDS PATKLIN). 2017. *Pedoman Nasional Praktek Klinik Patologi Klinik*. PDS PATKLIN, Jakarta.
- Perkins, B.A., Krolewski, A.S. 2009. Early Nephropathy in Type 1 Diabetes:The Importance of Early Renal Function Decline. *Curr Opin Nephrol Hypertens*. Vol 18: 233–240.
- Perkumpulan Endokrinologi Indonesia (PERKENI). 2015. *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia*. PB PERKENI, Jakarta. Hal 7-51.
- Pole, D., Kayande, S., Khare, A., dan Kowale, A. 2018. Does Controlled and Uncontrolled Type II Diabetes Mellitus Affect Median Nerve

- Conduction Parameters? – An Analytical Study. *IOSR Journal of Dental and Medical Sciences (IOSR-JDMS)*. Vol 17(4) : 46-49.
- Polit, D.F. dan Beck, C.T. 2012. *Nursing Research : Generating and Assessing Evidence for Nursing Practice 9th edition*. McGraw-Hill, New York.
- Price, S.A., Wilson, L.M. 2012. *Patofisiologi : Konsep Klinis Proses-Proses Penyakit Edisi 6 Vol 2*. EGC, Jakarta.
- Putri, N.H.K., Isfandiari, M.A. 2013. Hubungan Empatt Pilar Pengendalian DM Tipe 2 dengan Rerata Kadar Gula Darah. *Jurnal Berkala Epidemiologi*. Vol 1(2) : 234-243.
- Qiao, Y.C., Chen, Y.L., Pan, Y.H., Ling W., Tian, F., Zhang, X.X, *et al.* 2017. Changes of Transforming Growth Factor Beta 1 in Patients with Type 2 Diabetes and Diabetic Nephropathy : A PRISMA-Compliant Systemic Review and Meta Analysis. *Medicine*. Vol 96(15):e6583.
- Raghav, A., Ahmad, J. 2014. Glycated Serum Albumin : A Potential Disease Marker and an Intermediate Index of Diabetes Control. *Diabetes Metab Syndr*. Vol 8(4):245-51.
- Razali, N.M., Wah, Y.B. 2011. Power Comparisson of *Shapiro-Wilk, Kolmogorov-Smirnov, Lilliefors, and Anderson-Darling* Tests. *Journal of Statistical Modeling and Analytics*. Vol 2(1) : 21-33.
- Royal Australian College of General Practitioners (RACGP). 2016. *General Practice Management of Type 2 Diabetes : 2016-2018*. RACGP, East Melbourne. Hal 85-87.
- Samra, M., Abcar, C.A. 2012. False Estimates of Elevated Creatinine. *The Permanente Journal*. Vol 16(2) : 51-52.
- Sastroasmoro, S., Ismael, S. 2011. *Dasar-Dasar Metodologi Penelitian Klinis Edisi 4*. Sagung Seto, Jakarta.
- Sivasubramanian, V., Jetty, K., Kumar, S.S. 2019. Correlation of HbA1c with urinary ACR, Serum Creatinine, and eGFR, in Type- 2 Diabetes Mellitus at Puducherry, South India. *Int J Res Med Sci*. Vol 7(5) : 1924-1928.
- Smeltzer, S.C., Bare, G.B. 2014. *Buku Keperawatan Medikal Bedah Brunner dan Suddarth*. Edisi 12. EGC, Jakarta.
- Sugandha, P.U., Lestari, A.A. 2015. Gambaran Pengendalian Kadar Gula Darah dan HbA1c pada Pasien Diabetes Melitus Tipe 2 yang Dirawat di RSUP Sanglah Periode Januari-Mei 2014. *E-Jurnal medika Udayana*. Vol 4(1).
- Suzuki, H., Kondo, K. 2012. Chronic Kidney Disease in Postmenopausal Women. *Hypertension Research*. Vol 35 : 142-147.
- Tynkevich, E., Flamant, M., Haymann, J.P., Metzger, M., Thervet, E., Boffa, J.J., *et al.* 2014. Decrease in urinary Creatinine Excretion in early Stage Chronic Kidney Disease. *PLoS One*. Vol 9(11).

- Utomo, M.R.S., Wunguow, H., Marunduh, S. 2015. Kadar HbA1c pada Pasien Diabetes Melitus Tipe 2 di Puskesmas Bahu Kecamatan Malalayang Kota Manado. *Journal Biomedik*. Vol 3(1).
- Verhave, J.C. 2004. *The Impact of Albuminuria and Cardiovascular Risk Factors on Renal Function*. Dalam Gansevoort, T.R., Verhave, C.J., Hillege, L.H., Burgerhof, M.G.J., Bakker, L.J.S., Zeeuw, D.D., *et al. The Validity of Albumin Measurements From a Spot Morning Urine Sample to Detect Subjects with Abnormal Urinary Albumin Excretion in The General Population*, hal. 58-68. University of Groningen : Netherlands.
- WHO. 2016. *Global Report on Diabetes*. World Health Organization, Geneva.
- Worang, V.H.K., Bawotong, J., Untu, F.M. 2013. Hubungan Pengendalian Diabetes Melitus dengan Glukosa Darah pada Pasien Diabetes Melitus di RSUD Manembo Nembo Bitung. *eJournal Keperawatan (e-Kp)*. Vol 1 (1) : 1-7.
- Xu, Jiaqiong, *et al.* 2013. Macronutrient intake and glycemic control in a population based sample of America Indians with Diabetes: The strong Heart Study. *The American Journal of Clinical Nutrition*. Vol 86:480-487.
- Yan, H., Yang, W., Zhou, F., Li, X., Pan, Q., Shen, Z., *et al.* 2019. Estrogen Improves Insulin Sensitivity and Suppresses Gluconeogenesis Via the Transcription Factor Foxo1. *Diabetes*. Vol 68(2):291-304.
- Yoon, H.J., Lee, Y.H., Kim, K.J., Kim, S.R., Kang, E.S., Cha, B.S., *et al.* 2015. Glycated Albumin Levels in Patients with Type 2 Diabetes Increase Relative to HbA1c with Time. *Biomed Res Int*. Vol 2015.
- Zhang J, Chen Y, Xu Y, Li M, Wang T, Xu B, *et al.* 2013. Lowgrade albuminuria is associated with metabolic syndrome and its components in middle-aged and elderly Chinese population. *PLoS One*. Vol 8(6):e65597.