

DAFTAR PUSTAKA

- Adilakshmi, D., Jayachandra, K. & Bebi, P., 2014. In Vitro meristem tip culture of sugarcane varieties - 96A3 and Co6907. *International Journal of Advanced Life Sciences*, 7(1), pp. 148-154.
- Akter, S., Alam, N. & Roy, P. K., 2016. Improvement of sugarcane (*Saccharum officinarum* L. var. lsd.39) using gamma irradiation and large scale *plantlet* production from M1 generation through in vitro culture. *Journal of Biological Sciences*, 5(1), pp. 1-9.
- Ali, A., Naz, S., Siddiqui, F. A. & Iqbal, J., 2008. An efficient protocol for large scale production of sugarcane through micropropagation. *Pakistan Journal of Botany*, 40(1), pp. 139-149.
- Ali, S., Khan, M. S. & Iqbal, J., 2012. In vitro direct plant regeneration from cultured young leaf segments of sugarcane (*Saccharum officinarum* L.). *The Journal of Animal & Plant Sciences*, 22(4), pp. 1107-1112.
- Ali, S., Iqbal, J. & Khan, M. S., 2010. Genotype independent in vitro regeneration system in elite varieties of sugarcane. *Pakistan Journal of Botany*, 42(6), pp. 3783-3790.
- Arif, M., Avivi, S., Soeparjono, S., 2014. Mutasi dan seleksi sel kalus untuk ketahanan terhadap genangan pada tanaman tebu (*Saccharum officinarum*). *Berkala Ilmiah Pertanian*, 1(1) pp. 1-5.
- Badan Pusat Statistik. 2017. *Statistik Tebu Indonesia (Indonesian Sugar Cane Statistic) 2017*. BPS RI/BPS-Statistics Indonesia
- Bahera, K. K. & Sahoo, S., 2009. Rapid in vitro micropropagation of sugarcane (*Saccharum officinarum* L. cv-Nayana) through callus culture. *Nature Science*, 7(4), pp. 1-10.
- Baksha, R. et al., 2003. Effect of auxin, sucrose and pH level on in vitro rooting of callus induced micro shoots of sugarcane (*Saccharum officinarum*). *Journal of Biological Sciences*, 3(10), pp. 915-920.
- Baksha, R. et al., 2002. In vitro shoot tip culture of sugar-cane (*Saccharum officinarum*) variety lsd 28. *Biotechnology*, Volume 1, pp. 67-72.
- Baraldi, R., G. Bertazza, A.M. Bregoli, F. Fasola, A. Rotondi, S. Predieri, D. Serafini-Fracassini, J.P. Slovin, and J.D. Cohen. 1995. Auxins and polyamines in relation to differential in vitro root induction on microcuttings of two pear cultivars. *Journal of Plant Growth Regulation* 14: 49–59.

- Beeckman, T., Burssens, S., Inze, D., 2001. The peri-cell-cycle in Arabidopsis. *J Exp Bot* . 52. pp 403-411.
- Benjamins, R., and B. Scheres. 2008. Auxin: The looping star in plant development. *Annual Review of Plant Biology* 59: 443–465.
- Benkova, E., Henjatko, J., 2009. Hormone interactions at root apical meristem. *Plant Mol Biol* 63. pp 383-396.
- Benkova, E., Michniewicz, M., Sauer, M., Teichmann, T., Seifertova, D., Jurgens, G., Friml, J. 2003. Local, efflux-dependent auxin gradients as a common module for plant organ formation. *Cell*. 115. pp 591-602.
- Bertoni, G. 2011. Indolebutyric acid-derived auxin and plant development. *The Plant Cell* 23: 845.
- Casimiro I, Marchant A, Bhalerao RP, Beeckman T, Dhooge S, Swarup R, Graham N, Inze, D., Sandberg. G., Casero P. J. 2001. Auxin transport promotes Arabidopsis lateral root initiation. *Plant Cell* 13: 843–852.
- Chengalrayan, K., Abouzid, A. & Callo-Meacher, M., 2005. In vitro regeneration of plants from sugarcane seed-derived callus. *In Vitro Cellular & Developmental Biology-Plant*, Volume 41, pp. 477-482.
- Companioni, B. et al., 2003. Use Of Culture-Derived Fusarium Oxysporum F. Sp. Cubense, Race 1 filtrates For Rapid And Non-Destructive In vitro Differentiation Between Resistant And Susceptible Clones Of field-Grown Banana. *Euphytica*, Volume 130, pp. 341-347.
- Davies, P. J., 1995. *Plant Hormones: Physiology, Biochemistry and Molecular Biology*. Kluwer Academic Publishers. Dordrecht/ Boston/ London. 1-33.
- De Smet I, Tetsumura T, De Rybel B, Frey NF, Laplaze L, Casimiro I, Swarup R, Naudts M, Vanneste S, Audenaert D, et al. 2007. Auxin-dependent regulation of lateral root positioning in the basal meristem of Arabidopsis. *Development* 134: 681–690.
- De Smet I, Lau S, Voß U, Vanneste S, Benjamins R, Rademacher EH, Schlereth A, De Rybel B, Vassileva V, Grunewald W, et al. 2010. Bimodular auxin response controls organogenesis in Arabidopsis. *Proc Natl Acad Sci* 107: 2705–2710
- Desai, N. S., Suprasama, P. & Bapat, V. A., 2004. Simple and reproducible protocol for direct somatic embryogenesis from cultured immature inflorescence segments of sugarcane (*Saccharum* spp.). *Current Science*, 87(6), pp. 764-768.

- Dibax, R. et al., 2011. Plant regeneration of sugarcane cv. RB931003 and RB98710 from somatic embryos and acclimatization. *Journal of Biotechnology and Biodiversity*, 2(3), pp. 32-37.
- Dubrovsky JG, Sauer M, Napsucially-Mendivil S, Ivanchenko MG, Friml J, Shishkova S, Celenza J, Benkova E. 2008. Auxin acts as a local morphogenetic trigger to specify lateral root founder cells. *Proc Natl Acad Sci* 105: 8790–8794.
- Falco , M. C., Mendes, B. M. J., Neto, A. T. & Gloria, B. A. d., 1996. Histological characterization of in vitro regeneration *Saccharum* sp. *Brazilian Journal of Plant Physiology*, 8(2), pp. 93-97.
- Farid, M. B., 2003. Perbanyakakan tebu (*Saccharum officinarum* L.) secara in vitro pada berbagai konsentrasi IBA dan BAP. *Journal Sains dan Teknologi*, 3(3), pp. 103-109.
- Farida , F. I. & Muslihatin, W., 2017. Induksi Perakaran Teh (*Camellia sinensis* L.) Secara in Vitro pada Klon yang Berbeda. *Sains dan Seni ITS*, 6(2), pp. 2337-3520.
- Fuchs. H. W. M., 1986. Root regene-ration of rose plants as influenced by applied auxins. *Acta Horticulture* 189. Agricultural University. Depart-ment of Horticulture. Netherlands. 13 - 19.
- Fukaki, H., Tasaka, M., 2009. Hormone interaction during lateral root formation. *Plant Mol Biol*. 69. pp 437-449.
- Gandonou, C. et al., 2005. Effect of genotype on callus induction and plant regeneration from leaf explants of sugarcane (*Saccharum* sp.). *African Journal of Biotechnology*, 4(11), pp. 1250-1255.
- Geetha, S., Padmanabhan, D., Manuel, W. W. & Ayyamperumal, A., 2000. In vitro production of sugarcane plants. *Sugar Tech*, 2(3), pp. 47-48.
- George, F.E., M.A. Hall, and Geert-Jan De Klerk. 2008. *Plant Propagation by Tissue Culture*. 3rd Edition Volume 1. The Background. Springer Publihser. Dordrecht, Netherlands. pp 501.
- Getnet, B., Bantte, K. & Diro, M., 2016. The effects of a-napthalene cetic acid (NAA) on in vitro rooting of sugarcane (*Saccharum officinarum* L.) genotypes. *International Journal of Agricultural Sciences and Natural Resources*, 3(3), pp. 18-21.
- Gill, N. K., Gill , R. & Gosal, S. S., 2004. Factors enhancing somatic embryogenesis and plant regeneration in sugarcane (*Saccharum officinarum* L.). *Indian Journal of Biotechnology*, Volume 3, pp. 119-123.

- Gill, R., Malhotra, P. K. & Gosal, S. S., 2006. Direct plant regeneration from cultured young leaf segment of sugarcane. *Plant Cell Tissue and Organ Culture*, Volume 84, pp. 227-231.
- Goel, Y., Singh, V. P., Lal, M. & Sharma, M. L., 2010. In vitro morphogenesis in leaf sheath explants of sugarcane hybrid var. CoS99259. *Sugar Tech*, 12(2), pp. 172-175.
- Garcia, M.L.G., C.S. Romero, A.B. Munoz, A. Heredia, and F.P. Alfaro. 1994. Levels of endogenous indole-3-acetic acid and indole-3-butyric acid during adventitious rooting in Avocado micrcuttings. *Journal of Experimental Botany* 45: 865–870.
- Gunawan, L. W., 1988. *Teknik Kultur Jaringan*. Bogor: Laboratorium Kultur Jaringan Tanaman Pusat Bioteknologi.
- Handojo, H. 1982. Penyakit tebu di Indonesia. BP3G Pasuruan. 189 hal.
- Hayati, S.K., Y. Nurchayati, dan N. Setiari. Induksi Kalus dari Hipokotil Alfalfa (*Medicago Sativa* L.) secara In Vitro dengan Penambahan Benzyl Amino Purine (BAP) dan A-Naphtalene Acetic Acid (NAA). *Bioma* 1(12): 6-12.
- Himanen, K., E. Boucheron, S. Vannesse, J. de Almeida-Engler, D. Inze and T. Beeckman, 2002. Auxin-mediated cell cycle activation during early root initiation. *Plant Cell* 14 (10) : 2339 - 2352.
- Himanen, K., Vuysteke. M., Vanneste, S., Vercruysse, S., Boucheron, E. Alard, P., Chriqui, D., Van Montagu, M., Inze, D., Beeckman, T. 2004. Transcript profiling of early lateral root initiation. *Proc Natl Acad Sci*. 101. pp 5146-5151.
- Jamil, S., Shahzad, R., Talha, G. M., Sakhawat, G., Rahman, S., Sultana, R., Iqbal, M. Z., 2017. Optimization of protocols for in vitro regeneration of sugarcane (*Saccharum officinarum*). *International Journal of Agronomy*. 2017. pp 1-8
- Karim, M. Z. et al., 2002. In vitro clonal propagation of sugarcane (*Saccharum officinarum*) variety Isd 31. *Pakistan Journal of Biological Sciences*, 5(6), pp. 659-636.
- Kastono, D., Sawitri, H., dan Siswandono. 2005. Pengaruh Nomor Ruas Stek dan Dosis Pupuk Urea Terhadap Pertumbuhan dan Hasil Kumis Kucing. *Jurnal Ilmu Pertanian*.12(1):56- 64.
- Kaur, R. & Kapoor, M., 2015. Plant regeneration through somatic embryogenesis in sugarcane. *Sugar Tech*, 27 may.

- Kaur, R. & Kapoor, M., 2017. In Vitro direct plant regeneration using shoot tip explants in sugarcane (*Saccharum officinarum* L.) for rapid mass cloning. *Agricultural Science Digest*, 37(2), pp. 94-99.
- Khan , S. A. et al., 2008. Rapid micropropagation of three elite sugarcane (*Saccharum officinarum* L.) varieties by shoot tip culture. *African Journal of Biotechnology*, 7(13), pp. 2174-2180.
- Khan, I. A. et al., 2009. Direct regeneration of sugarcane plantlet: a tool to unravel genetic heterogeneity. *Pakistan Journal of Botany*, 41(2), pp. 797-814.
- Khan, I. A. et al., 2006. Effect of sucrose and growth regulators on the micropropagation of sugarcane clone. *Pakistan Journal of Botany*, 38(4), pp. 961-967.
- Khan, I. A. & Khatri, A., 2006. Plant regeneration via organogenesis or somatic embryogenesis in sugarcane: histological studies. *Pakistan Journal of Botany*, 38(3), pp. 631-636.
- Kollmeier, M., H.H. Felle, and W.J. Horst. 2000. Is basipetal auxin flow involved in inhibition of root elongation. *Plant Physiology* 122: 945–956.
- Kumari, R. et al., 2016. In Vitro culture of *Saccharum officinarum* L. (sugarcane). *world journal of pharmaceutical research*, 5(9), pp. 592-625.
- Kristini, A., Putra, L. K., Achadian, E. M., 2012. Penyakit garis klorosis: ancaman baru bagi industri gula nasional. *Majalah Penelitian Gula*, 48(2), pp. 63-72
- Kristina, N. N., Sirait, N., Bermawie, N., 2005. Multiplikasi tunas, perakaran dan aklimatisasi tanaman sambang nyawa (*Gynura procumbens*). *Buletin Penelitian Tanaman Obat*, 15(2), pp. 56-64.
- Lestari, E. G., Purnamaningsih, R., Hutami, S., 1999. Perbanyak tanaman tangguh melalui kultur in vitro. *Prosiding Ekspose Hasil Penelitian Bioteknologi Pertanian*, Jakarta 31 Agustus-1 September 1999. Badan penelitian dan pengembangan pertanian.
- Lal M, Singh DN (1999). *In vitro* morphogenetic responses in leaf explants of sugarcane (*Saccharum* species complex). *Sugar Tech*. 1: 37-38.
- Malamy, J. E. 2009. Lateral root formation. In T. Beeckman, ed., *Root development. Annual Plant Reviews*, Blackwell Publishing, November 2009, 352. pp 83-126.
- Malamy, J. E., Benfey, P. N. 1997. Organization and cell differentiation in lateral roots of *Arabidopsis thaliana*. *Development*. 124. pp. 33-44.

- Marlin. 2005. Regenerasi *In vitro* Planlet Jahe Bebas Penyakit Layu Bakteri pada Beberapa Taraf Konsentrasi 6-Benzil Amino Purine (BAP) dan 1-Naphtalene Acetic Acid (NAA). *Jurnal Ilmu-ilmu Pertanian Indonesia*. 7(1): 8-14.
- Mustafa, G. & Khan, M. S., 2012. Reproducible in vitro regeneration system for purifying sugarcane clone. *African Journal of Biotechnology*, 11(42), pp. 9961-9969.
- Mustafa, G. & Khan, M. S., 2015. Differential role of indolebutyric acid in sugarcane root development. *Sugar Tech*, 13 January.
- Nieuwland J, Maughan S, Dewitte W, Scofield S, Sanz L, Murray JA. 2009. The D-type cyclin CYCD4;1 modulates lateral root density in Arabidopsis by affecting the basal meristem region. *Proc Natl Acad Sci* 106: 22528–22533.
- Paspisilova. J., Ticha. I., Kadlecck, P., Plzakova, S., 1999. Acclimatization of micropropagated plants to ex vitro condition. *Biologia Plantarum*, 42. pp 481-497.
- Pawar, S.V., Patil, S. C., Jambhale V. M., Naik, R. M., Mahetre, S. S., 2002. Effect of growth regulators on *in vitro* multiplication of sugarcane varieties. *Indian Sugar*. 52(3): 183-186.
- Pawar, S.V., Patil, S. C., Jambhale V. M., Naik, R. M., Mahetre, S. S., 2002. Rapid multiplication of commercial sugarcane varieties through tissue culture. *Indian Sugar*. 52(3): 183-186.
- Pathak, S., M. Lal, A.K. Tiwari, and M.L. Sharma. 2009. Effect of growth regulators on in vitro multiplication and rooting of shoot cultures in sugarcane. *Sugar Tech* 11: 86–88.
- Peret, B., De Rybel, B., Casimiro, I., Benkova, E., Swarup, R., Laplaze, L., Beeckman, T., Bennett, M. J. 2009. *Arabidopsis* lateral root development: an emerging story. *Trends in Plant Science*. 14. pp 399-408.
- Pierik, R. L. M., 1987. *In Vitro Culture of Higher Plants*. Dordrecht: Martinus Nihoff Publishers.
- Pusat Penelitian Perkebunan Gula Indonesia. 2014. Deskripsi Varietas Tebu. Pusat Penelitian Perkebunan Gula Indonesia. Pasuruan.
- Putra, L. K., Kristini, A., Achadian, E. M., & Damayanti, T. A., 2013. Sugarcane streak mosaic virus in Indonesia: distribution, characterisation, yield losses and management approaches. *Sugar Tech*, 16(4), pp 392-399.

- Radae , M. H. & Ambaye, T. G., 2018. In Vitro propagation of sugarcane (*Saccharum officinarum* L.) variety C86-165 through apical meristem. *Biocatalysis and Agricultural Biotechnology*, Volume 14, pp. 228-234.
- Reed RC, Brady SR, Muday GK. 1998. Inhibition of auxin movement from the shoot into the root inhibits lateral root development in *Arabidopsis*. *Plant Physiol* 118: 1369–1378.
- Rai, M. K., Kalia, R. K., Singh, R., Gangola, M. P., Dhawan, A. K., 2011. Developing stress tolerant plants through in vitro selection-an overview of the recent progres. *Enviromental and Experimental Botany*. 71 pp. 89-98.
- Roostika, I., Sunarlim, N., Mariska, I., 2005. Mikropropagasi tanaman manggis (*Garcinia mangostama*), *Jurnal Agrobiogen*. 1(1), pp 20-25.
- Sadat, S., Hoveize, M. S., Mojadam, M. & Marashi, S. K., 2011. The study of callus induction and regeration potential of sugarcane, varieties SP70-1143 and CP76-331. *World Applied Sciences Journal* , 13(5), pp. 1106-1111.
- Samudera , A A; Rianto, H; Historiawati, 2019. Pengakaran In Vitro eksplan tebu (*Saccharum officinarum* L.) varietas Bulu Lawang pada berbagai konsentrasi NAA dan sukrosa terhadap *plantlet* tebu. *Jurnal Ilmu Pertanian Tropika dan Subtropika*, Volume 4(1), pp. 5-13.
- Shafique, M., Khan, S. J. & Khan, N. H., 2015. Appraisal of nutritional status and in vitro mass propagation of sugarcane (*Saccharum officinarum* L. cv. Us-633) through callus culture. *Pakistan Journal of Biochemistry & Molecular Biology*, 48(2), pp. 48-52.
- Sisunandar. S., 2015. Intensitas cahaya berperan penting dalam meningkatkan keberhasilan *ex vitro rooting* dan aklimatisasi bibit kelapa kopyor. *Prosiding Seminar Ilmiah Insentif Riset Sistem Inovasi Nasional*, Purwokerto.
- Slamet. 2011. Perkembangan teknik aklimatisasi tanaman kedelai hasil regenerasi kultur in vitro, *Jurnal Litbang Pertanian*. 30(2) pp. 48-54.
- Solangi, S K; Qureshi, S T; Solangi, M K; Solangi, A H;, 2016. Protocol optimazation for effective In Vitro root formation of sugarcane soma clones in NIA-105 and GULABI-95 varieties. *Pakistan Journal Biotechnologi*, 13(3), pp. 211-214.
- Solangi, S K; Qureshi, S T; Solangi, M K; Solangi, N; Solangi, A H; Qamar, M, 2018. Estimation of auxins and cytokinins requirements in sugarcane soma clones for effective in vitro regeneration procedure. *International Journal of Plant Physiology and Biochemistry*, Volume 10(2), pp. 10-18.

- Solangi, S. K., Solangi, A. H. & Solangi, N., 2018. Biotechnological techniques stimulate the production of sugarcane and useful for enhancing of physiological traits. *Pakistan Journal Biotechnologi*, Volume 15(2), pp. 517-523.
- Strader, L.C., and B. Bartel. 2009. The arabidopsis PLEIOTROPIC DRUG RESISTANCE8/ABCG36 ATP binding cassette transporter modulates sensitivity to the auxin precursor indole-3- butyric acid. *Plant Cell* 21: 1992–2007.
- Sughra, M. G. et al., 2014. In Vitro regenerability of different sugarcane (*Saccharum officinarum* L.) varieties through shoot tip culture. *Pakistan Journal of Biotechnologi*, 11(1), pp. 13-23.
- Suhesti , S. et al., 2015. Induksi kalus dan regenerasi dua varietas tebu (*Saccharum officinarum* L.) secara in vitro. *Jurnal Littri*, Volume 21(2), pp. 77-88.
- Sukendah, Sudarsono, Witjaksono, Khumaida, N., 2008. Perbaikan teknik kultur embrio kelapa kopyor (*Cocos nucifera* L.) asal Sumenep Jawa Timur melalui penambahan bahan aditif dan pengujian periode subkultur. *Buletin Agronomi*, 36 pp. 16-23.
- Sukmadaja, D. & Mulyana, A., 2011. Regenerasi dan pertumbuhan beberapa varietas tebu (*Saccharum officinarum* L.) secara in vitro. *Jurnal Agrobiogen*, 7(2), pp. 106-118.
- Sukmadjaja, D., Supriati, Y., Pardal, S. J., 2014. Kultur apeks untuk penyediaan bibit unggul tebu varietas PS864 dan PS881. *Jurnal Agrobiogen*, 10(2), pp. 45-52.
- Sukmadjaja, D. & Syakir, M., 2014. Pengaruh sistem penanaman terhadap produksi benih G0, G1, dan G2 beberapa varietas tebu unggul hasil kultur jaringan. *Jurnal Littri*, 20(3), pp. 130-141.
- Suprasanna, P., Rumpali, C., Desai, N. S., Bapat, V. A., 2008. Partial desiccation augments plant regeneration from irradiated embryogenic cultures of sugarcane. *Plant Cell Tissue Organ Culture*. 92 pp. 101-105.
- Suprasanna, P., Patade, Y. V., Desai, N. S., Devarumath, R. M., Kwar, P. G., Pagariya, M. C., Ganapathi, A., Manickavasagam, M., Babu, K. H., 2011. Biotechnological developments in sugarcane improment: an overview. *Sugar Tech*,13(4) pp 322-335.
- Swarup K, Benkova E, Swarup R, Casimiro I, Peret B, Yang Y, Parry G, Nielsen E, De Smet I, Vanneste S. 2008. The auxin influx carrier LAX3 promotes lateral root emergence. *Nat Cell Biol* 10: 946–954.

- Tarique, H. M., Mannan, M. A., Bhuiyan, M. S. R. & Rahaman, M. M., 2010. Micropropagation of sugarcane through leaf sheath culture. *International Journal of Sustainable Crop Production*, 5(2), pp. 13-15.
- Tefsa, M., Admassu, B. & Bante, K., 2016. In Vitro rooting and acclimatization of micropropagated elite sugarcane (*Saccharum officinarum* L.) genotypes - N52 and N53. *Journal of Tissue Science and Engineering*, 7(1), p. 164.
- Udhutha, J; Mali, S C; Sahare, H A, 2016. A competent protocol for large scale production of sugarcane (*Saccharum officinarum* L.) through meristem culture. *Journal of Applied and Natural Science*, Volume 8(1), pp. 128-132.
- Vuylseteker, C., E. Dewaele. and S. Rambour, 1998. Auxin induced late-ral root formation in Chicory. *Annals of Botany* 81: 449 - 454
- Wardiyati, T. 1998. *Kultur Jaringan Tanaman Hortikultura*. Fakultas Pertanian Universitas Brawijaya. Malang. p . 95-105
- Widodo, S., Sumardiyono, C. & Hadisutrisno, B., 2003. And Susceptible Clones Of field-Grown Banana Penyakit Layu Fusarium dengan Burkholderia Cepacia. *Agrosains*, 5(2), pp. 72-79.
- Widuri, L. I., Dewanti, P. & Sugiharto, B., 2016. A Simple Protocol For Somatic Embryogenesis Induction Of In Vitro Sugarcane (*Saccharum Officinarum*. L) By 2,4-D And BAP. *Biovalentia: Biological Research Journal*, 2(1).
- Wijayanti, W. A. 2008. Pengelolaan Tanaman Tebu (*Saccharum officinarum* L.) di Pabrik Gula Toekir PTPN X, Jombang, Jawa Timur. (skripsi) Institut Pertanian Bogor. Bogor.
- Wu G, Lewis DR, Spalding EP. 2007. Mutations in Arabidopsis multidrug resistance-like ABC transporters separate the roles of acropetal and basipetal auxin transport in lateral root development. *Plant Cell* 19: 1826–1837.
- Yusnita. 2003. *Kultur Jaringan: Cara Memperbanyak Tanaman Secara Efisien*. Agro Media Pustaka. Jakarta.
- Zolman, B.K., M. Nyberg, and B. Bartel. 2007. IBR3, a novel peroxisomal acyl-CoA dehydrogenase-like protein required for indole-3-butyric acid response. *Plant Molecular Biology* 64: 59–72.
- Zolman, B.K., N. Martinez, A. Millius, A.R. Adham, and B. Bartel. 2008. Identification and characterization of Arabidopsis indole- 3-butyric acid response mutants defective in novel peroxisomal enzymes. *Genetics* 180: 237–251.

Zong M. C., Yi Li and Zhen Z. 2008. Plant Growth Regulators Used in Propagation. Plant Propagation. *Concepts and Laboratory Exercises*. CRC Press. p. 143-150

