

DAFTAR PUSTAKA

- Abdurrachman, M., 2014. Insights from Pb and O isotopes into along-arc variations in subduction inputs and crustal assimilation for volcanic rocks in Java, Sunda arc, Indonesia. *Geochim. Cosmochim. Ac.* 139, 205–226.
- Adisaputra, Mimin K., Hendrizan, M., Kholiq, Abdul. 2010. *Katalog Foraminifera Perairan Indonesia*. Kementrian energi dan sumber daya mineral, balitbang energi dan sumber daya mineral, puslitbang geologi kelautan.
- Altenbach, A.V., dan Sarnthein, M., 1989. Productivity record in benthic foraminifers. In Berger, W.H., Smetacek, V.S., and Wefer, G. (eds.), *Productivity of the Oceans: Present and Past*. Berlin: Springer, pp. 255–269.
- Anonim. 1982. *The United Nations Convention on the Law of the Sea*. Jamaica.
- Atmawinata dan Abidin. 1991. *Peta Geologi Lembar Ujungkulon*. Pusat Penelitian dan Pengembangan Geologi: Bandung.
- Andersen, C.K., Daytime Color Appearance of Retroreflective Traffic Control Sign Materials, Publication No. FHWA-HRT-13-018, April 2013.
- Be', A.W.H., 1977. An ecological, zoogeographic and taxonomic review of recent planktonic foraminifera. In: Ramsay, A.T.S. (Ed.), *Oceanic Micropaleontology*, vol. 1. Academic Press, London, pp. 1–100.
- Berger, W.H., dan Herguera, J.C., 1992. Reading the sedimentary record of the ocean's productivity. In Falkowski, P.G., and Woodhead, A.D. (eds.), *Primary Productivity and Biogeochemical Cycles in the Sea*. New York: Plenum Press, pp. 455–486.
- Berger, W. H., dan Wefer, G., 2008. Marine biogenic sediments. In Gornitz, V. (ed.), *Encyclopedia of Paleoclimatology and Ancient Environments*. Amsterdam: Springer-Reference, pp. 525–533.
- Boltovskoy, E. dan Wright, R., 1976. *Recent Foraminifera*. Den Haag: Junk Publisher.
- Boudagher-Fadel, M. K., 2013. *Biostratigraphic and Geological Significance of Planktonic Foraminifera*. 2nd ed. London: University College London Press.
- Brahmantyo, B., dan Bandono, 2006. Klasifikasi Bentuk Muka Bumi (*landform*) untuk Pemetaan Geomorfologi pada Skala 1:25.000 dan Aplikasinya untuk Penataan Ruang, *Jurnal Geoaplika* 1 (2):71-78.
- Brock, J.C., McClain, C.R., Anderson, D.M., Prell, W.L., dan Hay, W.W., 1992. Southwest monsoon circulation and environments of recent planktonic

- foraminifera in the northwestern Arabian Sea. *Paleoceanography* 7 (6), 799–813.
- Canbay, M., 2010. Investigation of the relation between heavy metal contamination of soil and its magnetic susceptibility, *Int. J. Physical Sciences*, 5 (5), 393-400.
- Cannariato, K.G., dan Ravelo, A.C., 1997. Pliocene–Pleistocene evolution of eastern tropical Pacific surface water circulation and thermocline depth. *Paleoceanography* 12 (6), 805–820.
- Chen, M.T., Ho, H.W., Lai, T.D., Zheng, L.F., Miao, Q.M., Shea, K.S., Chen, M.P., Wang, P.C., Wang, P.X., Wei, K.Y., dan Huang, C.Y., 1998. Recent planktonic foraminifers and their relationships to surface ocean hydrography of the South China Sea. *Mar. Geol.* 146 (1-4), 173-190.
- Clark, D.A., Emerson, D.W. dan Kerr, T.I., 1988. The use of electrical conductivity and magnetic susceptibility tensor in rock fabrics studies. *Explor. Geophys.*, 17. 189-200.
- Curry, W.B., Thunell, R.C., dan Honjo, S., 1983. Seasonal changes in the isotopic composition of planktonic foraminifera collected in Panama Basin sediment traps. *Earth Planet. Sci. Lett.* 64 (1), 33–43.
- Ding, X., 2005. Distribution and ecology of planktonic foraminifera from the seas around the Indonesian Archipelago. *Marine Micropaleontology* 58, 114–134.
- Ding, X., Bassinot, F., Guichard, F., dan Fang, N.Q., 2013. Indonesian Throughflow and monsoon activity records in the Timor Sea since the last glacial maximum, *Marine Micropaleontology* 101 (2013) 115–126.
- Duplessy, J.C., Be´, A.W.H., dan Blanc, P.L., 1981. Oxygen and carbon isotopic composition and biogeographic distribution of planktonic foraminifer in the Indian Ocean. *Palaeogeogr. Palaeoclimatol. Palaeoecol.* 33, 9–46.
- Fairbanks, R.G., Sverdrlove, M., Free, R., Wiebe, P.H., dan Be´, A.W.H., 1982. Vertical distribution and isotopic fractionation of living planktonic foraminifera from the Panama Basin. *Nature* 298, 841–844.
- Gingele, F.X., Deckker, P.D., dan Hillenbrand, C.D., 2001. Clay mineral distribution in surface sediments between Indonesia and NW Australia—source and transport by ocean currents. *Mar. Geol.* 179, 135-146.
- Gordon, A.L., 2005. Oceanography of the Indonesian Seas and their throughflow. *Oceanography* 18 (4), 14–27.
- Gordon, A.L., Susanto, R.D., dan Vranes, K., 2003. Cool Indonesian throughflow as a consequence of restricted surface layer flow. *Nature* 425, 824–828.
- Hall, R., 2011. Australia–SE Asia collision: plate tectonics and crustal flow. *Geol. Soc. Lond. Spec. Publ.* 355, 75–109.

- Handley, H.K., Blichert-Toft, J., Gertisser, R., Macpherson, C.G., Turner, S.P., Zaennudin, A., dan Abdurrachman, M., 2014. Insights from Pb and O isotopes into along arc variations in subduction inputs and crustal assimilation for volcanic rocks in Java, Sunda arc, Indonesia. *Geochim. Cosmochim. Ac.* 139, 205–226.
- Herguera, J.C., 2000. Faunal perspectives on paleoproductivity. *Mar. Micropaleontol.*, 40, 131–134.
- Hilbrecht, H., 1997. Morphologic gradation and ecology in *Neoglobobulimina pachyderma* and *N. dutertrei* (planktic foraminifera) from core top sediments. *Mar. Micropaleontol.* 31, 31–44.
- Hogan, C. Michael. "Analysis of highway noise". *Water, Air, & Soil Pollution*. 2 (3): 387–392. doi:10.1007/BF00159677.
- Huang, B.Q., Jian, Z.M., Cheng, X.R., dan Wang, P.X., 2002. Foraminiferal responses to upwelling variations in the South China Sea over the last 220000 years. *Marine Micropaleontology* 47, 1–15.
- Jones, D. J., 1956. *Introduction to Microfossils*. New York: Harper & Brother Publishers.
- Kawahata, H., Nishimura, A., dan Gagan, M.K., 2002. Seasonal change in foraminiferal production in the western equatorial Pacific warm pool: evidence from sediment trap experiments. *Deep-Sea Res. II* 49, 2783–2800.
- Kucera, M. dan Schonfeld, J., 2007. *The origin of modern oceanic foraminiferal faunas and Neogene climate change*, Tubingen: University of Tubingen.
- Martinez, J.I., Taylor, L., De Deckker, P., dan Barrows, T., 1998. Planktonic foraminifera from the eastern Indian Ocean: distribution and ecology in relation to the Western Pacific Warm Pool (WPWP). *Mar. Micropaleontol.* 34, 121–151.
- Melville, M.D., dan Atkinson, G., 1985. Soil color: its measurement and its designation in models of uniform color space, *J. Soil Sci.* 36, 495-512.
- Patrick, A., dan Thunell, R.C., 1997. Tropical Pacific sea surface temperatures and upper water column thermal structure during the last glacial maximum. *Paleoceanography* 12, 649– 657.
- Pflaumann, U., Duprat, J., Pujol, C., dan Labeyrie, L.D., 1996. SIMMAX: a modern analog technique to deduce Atlantic sea surface temperatures from planktonic foraminifera in deep-sea sediments. *Paleoceanography* 11 (1), 15–35.
- Pflaumann, U., dan Jian, Z., 1999. Modern distribution patterns of planktonic foraminifera in the South China Sea and western Pacific: a new transfer

- technique to estimate regional sea-surface temperatures. *Mar. Geol.* 156, 41–83.
- Prell, W.L., dan Curry, W.B., 1981. Faunal and isotope indices of monsoonal upwelling: western Arabian Sea. *Oceanol. Acta* 4, 91–98.
- Pringgoprawiro, H., 2000. *Foraminifera: Pengenalan Mikrofosil dan Aplikasi Biostratigrafi*. Bandung: ITB.
- Qu, T., Du, Y., Strachan, J., Myers, G., dan Slings, J., 2005. Sea Surface Temperature and Its Variability in Indonesian Region, *Journal Oceanography*, Vol.4, No.18, Dec 2005.
- Ravelo, A.C., Fairbanks, R.G., dan Philander, G., 1990. Reconstructing tropical Atlantic hydrography using planktonic foraminifera and an ocean model. *Paleoceanography* 5, 409–431.
- Rosenthal, Y., dan Boyle, E. A., 1993. Factors controlling the fluoride content of planktonic foraminifera: an evaluation of its paleoceanographic applicability: *Geochimica et Cosmochimica Acta*, v. 57, p. 335–346.
- Rowe, G.T., 1983. Biomass and production of the deep-sea macrobenthos. In Rowe, G.T. (ed.), *Deep-sea Biology, The Sea*, vol. 8. New York: Wiley, pp. 97–121.
- Setiawan, R.Y., Mohtadi, M., Southon, J., Groeneveld, J., Steinke, S., dan Hebbeln, D., 2015. The consequences of opening the Sunda Strait on the hydrography of the eastern tropical Indian Ocean. *Paleoceanography* 30, 1358-1372.
- Shackleton, N.J., dan Vincent, E., 1978. Oxygen and carbon isotope studies in recent foraminifera from the southwest indian ocean. *Marine Micropaleontology* 3, 1-13
- Spezzaferri, S., 1995. Planktonic foraminiferal paleoclimatic implications across the Oligocene-Miocene transition in the oceanic record (Atlantic, Indian and South Pacific). *Paleogeography Paleoclimatology Paleoecology*, pp. 43-74.
- Sprintall, J., Wijffels, S., Molcard, R., dan Jaya, I., 2010. Direct evidence of the South Java Current system in Ombai Strait. *Dynam. Atmos. Oceans* 50, 140–156.
- Talley, L.D., dan Sprintall, J., 2005. Deep expression of the Indonesian throughflow: Indonesian intermediate water in the south equatorial current. *J. Geophys. Res.* 110 (C10), 1–30.
- Thiede, J., dan Ju'nge, B., 1992. Faunal and floral indicators of ocean coastal upwelling (NW African and Peruvian continental margins). In: Summerhayes, C.P., Prell, W.L., Emeis, K.C. (Eds.), *Upwelling Systems:*

Evolution Since the Miocene, Geological Society London Special Publication, vol. 64, pp. 47–76.

Thompson, P.R., 1981. Planktonic foraminifera in the western north Pacific during the past 150,000 years: comparison of modern and fossil assemblages. *Palaeogeogr. Palaeoclimatol. Palaeoecol.* 35, 241–279.

Thunell, R.C., 1976. Optimum indices of calcium carbonate dissolution in deep-sea sediments. *Geology* 4, 525–528.

Thunell, R.C., dan Reynolds, L.A., 1984. Sedimentation of planktonic foraminifera: seasonal changes in species flux in the Panama Basin. *Micropaleontology* 30, 243–262.

Tregoning, P., Brunner, F.K., Bock, Y., Puntodewo, S.S.O., McCaffrey, R., Genrich, J.F., Calais, E., Rais, J., dan Subarya, C., 1994. First geodetic measurement of convergence across the Java Trench. *Geophys. Res. Lett.* 21 (19), 2135–2138.

Wijffels, S.E., Hautala, S., Meyers, G., dan Morawitz, W., 1996. The WOCE Indonesian Throughflow Repeat Hydrography Sections: I10 and IR6. *Int. WOCE Newsl.* 24, 25–28.

Xu, Y., Wang, L., Yin, X., Ye, X., Li, D., Liu, S., Shi, X., Troa, R.A., Zunaida, R., Triarso, E., dan Hendrizan, M., 2017. The influence of the Sunda Strait opening on paleoenvironmental changes in the eastern Indian Ocean. *Journal of Asian Earth Sciences* 146, 402–411.

Yu, N., Vodyanitskii, Vasil'yev, A.A., Kozheva, A.V., dan Sataev E.F., 2007. Influence of ironcontaining pigments on the color of soils on alluvium of the Middle Kama plain, *Eur. Soil Sci.* 40 (3) 289–301.

Yu, N., Vodyanitskii, dan Kirillova N.P., Application of the CIE- L*a*b* system to characterize soil color, *Eur. Soil Sci.* 49 (11) (2016) 1259e1268.

Zhang, C., Qiao, Q., Piper, J.D.A., dan Huang, B., 2011. Assesment of heavy metal pollution from a Fe-smelting plant in urba river sediments using environmental magnetic and geochemical methods. *Environ. Pollut* 159, 3057–3070.

Pustaka Online:

maps.google.com (diakses 5 Maret 2018)

LAMPIRAN 1
PETA GEOMORFOLOGI LOKASI PENELITIAN