

DAFTAR PUSTAKA

- Ahmad, N., Adam, S.I.M., Nawi, A.M., Hassan, M.R. and Ghazi, H.F., 2016. Abdominal obesity indicators: waist circumference or waist-to-hip ratio in Malaysian adults population. *International Journal of Preventive Medicine*, 7.
- Alahmadi, M.A., 2014. High-intensity interval training and obesity. *J Nov Physiother*, 4(3), p.211.
- Alchuriyah, S., Wahjuni, C.U., 2016. Faktor risiko kejadian stroke usia muda pada pasien rumah sakit Brawijaya Surabaya. *Jurnal Berkala Epidemiologi*, 4(1), pp.62-73.
- Amanda, D., Martini, S., 2018. Hubungan Karakteristik Dan Status Obesitas Sentral Dengan Kejadian Hipertensi. *Jurnal Stikes Sitihajar*, 2(2), pp. 167-171.
- Anggara, F.H.D. and Prayitno, N., 2013. Faktor-faktor yang berhubungan dengan tekanan darah di Puskesmas Telaga Murni, Cikarang Barat tahun 2012. *Jurnal ilmiah kesehatan*, 5(1), pp.20-25.
- Bera, T.K., 2014. Bioelectrical impedance methods for noninvasive health monitoring: a review. *Journal of medical engineering*, (20)14, pp. 1-28.
- Carneiro, M.A.S., de Oliveira, A.A., Martins, F.M., Souza, A.P., Nunes, P.R.P. and Orsatti, F.L., 2018. High-intensity interval body weight training promotes different adaptations to combined training in body composition and muscle strength in young women. *Science & Sports*, 33(3), pp.105-113.
- Christanto, D.A., Barus, A.M.B., Rahmadanti, A.N.D., Puspitasari, R., Pramudito, P.A., Fenty, F., 2018. Hubungan Aktivitas Fisik Terhadap Kejadian Obesitas Berdasarkan Indeks Masa Tubuh Di Desa Banjaroyo Kulon Progo Daerah Istimewa Yogyakarta. *Berkala Ilmiah Kedokteran Duta Wacana*, 03(02), 78-88.
- Crowley, E., Powell, C., Carson, B.P. and W Davies, R., 2022. The Effect of Exercise Training Intensity on VO₂max in Healthy Adults: An Overview of Systematic Reviews and Meta-Analyses. *Translational Sports Medicine*, 9(3), pp. 1-10.
- Dahlan, S. 2010. *Statistik untuk Kedokteran dan Kesehatan Uji Hipotesis dengan Menggunakan SPSS*. Jakarta: PT. Arkans.
- Diana, R., Yuliana, I., Yasmin, G. & Hardinsyah, D. 2013. Faktor Risiko Kegemukan pada Wanita dewasa Indonesia (Risk Factors of Overweight among Indonesian Women). *Jurnal Gizi dan Pangan*, 8(1), pp. 1–8.
- Djausal, A.N., 2015. Effect of central obesity as risk factor of metabolic syndrome. *Jurnal Majority*, 4(3).
- Dupuit, M., Rance, M., Morel, C., Bouillon, P., Pereira, B., Bonnet, A., Maillard, F., Duclos, M., Boisseau, N. 2020. Moderate-Intensity Continuous Training or High-Intensity Interval Training with or without Resistance Training for Altering Body Composition in Postmenopausal Women. *Med Sci Sports Exerc.* 52(03), pp. 736-745
- Ekmen, N., Helvacı, A., Gunaldi, M., Sasani, H. and Yildirmak, S.T., 2016. Leptin as an important link between obesity and cardiovascular risk factors

- in men with acute myocardial infarction. *Indian Heart Journal*, 68(2), pp.132-137.
- Fatharanni, M.O., Anggraini, D.I., 2017. Efektivitas brokoli (*Brassica oleracea* var. *Italica*) dalam menurunkan kadar kolesterol total pada penderita obesitas. *Jurnal Majority*, 6(1), pp.64-70.
- Fitriani, D., 2018. ‘Peran Estrogen dan Leptin dalam Homeostasis Energi’, *Jurnal Ilmu Kedokteran dan Kesehatan*, 5(2), pp. 123-131.
- Hermawan, D., Nova Muhani, S.S.T., Nurhalina Sari, S.K.M., Arisandi, S., Lubis, M.Y., Ked, S., Kristiana, T., Ked, S., Umdiyana, L. and Firdaus, A.A., 2020. *Mengenal Obesitas*. Penerbit Andi.
- Hunter, G.R., Gower, B.A. and Kane, B.L., 2010. Age related shift in visceral fat. *International journal of body composition research*. 8(03): 103–108.
- Hun-Young, P., Won-Sang, J., Jisu, K. and Hyejung H., 2019. Changes in the paradigm of traditional exercise in obesity therapy and application of a new exercise modality: A narrative review article. *Iranian journal of public health*, 48(8), p.1395.
- International Diabetes Federation. 2006. *The IDF consensus worldwide definition of the metabolic syndrome*. Diakses pada 6 Agustus 2021, dari <https://www.idf.org/e-library/consensus-statements/60-idfcensus-worldwide-definitionof-the-metabolic-syndrome.html>
- Joshi, S.R. and Bagal, U.R., 2014. Development of Bioelectrical impedance analyzer for Body composition analysis. *IOSR Journal of Electrical and Electronics Engineering (IOSRJEEE)*, 9(5), pp.53-62.
- Kadir, A. 2015. Penentuan Kriteria Obesitas. *Jurnal Ilmu Keolahragaan*, 7(1).
- Kahan, S., 2016. Overweight and obesity management strategies. *Am. J. Manag. Care*, 22, pp.S186-S196.
- Kahn, R., Buse, J., Ferrannini, E. and Stern, M., 2005. The metabolic syndrome: time for a critical appraisal: joint statement from the American Diabetes Association and the European Association for the Study of Diabetes. *Diabetes care*, 28(9), pp.2289-2304.
- Kelly, A.S., Kaizer, A.M., Bosch, T.A., Rudser, K.D., Ryder, J.R., Gross, A.C. 2019. Reaching the Tipping Point: Identification of Thresholds at which Visceral Adipose Tissue May Steeply Increase in Youth. *Obesity Journal*, 1(1), pp. 1-7.
- Kementerian Kesehaan Republik Indonesia, 2010. *Pedoman Pengukuran dan Pemeriksaan Studi Kohor Penyakit Tidak Menular*. Jakarta: Balibangkes Kementrian Kesehatan Republik Indonesia.
- Kementerian Kesehatan RI. 2018. *Riset Kesehatan Dasar (Risksdas) 2018*. Jakarta: Balitbang Kemenkes RI.
- Khammassi, M., Ouerghi, N., Hadj-Taieb, S., Feki, M., Thivel, D. and Bouassida, A., 2018. Impact of a 12-week high-intensity interval training without caloric restriction on body composition and lipid profile in sedentary healthy overweight/obese youth. *Journal of exercise rehabilitation*, 14(1), pp.118-125.
- Khasanah, N. 2012. *Waspada Beragam Penyakit Degeneratif Akibat Pola Makan*.
- Kementerian Kesehatan RI. 2019. Tabel Batas Ambang Indeks Massa Tubuh (IMT) Jakarta: Kementerian Kesehatan RI. Diakses dari <http://p2ptm.kemkes.go.id>. Yogyakarta: Penerbit Laksana.

- Kilpatrick, M. W., ME Jung, & JP Little. 2014. High-Intensity Interval Training: A Review Of Physiological And Psychological Responses. *ACSM's Health And Fitness Journal*, 18(5), 11–16.
- Kloter, P. 2009. *Manajemen Pemasaran Edisi 13*. Jakarta: Erlangga.
- Kong, Z., Fan, X., Sun, S., Song, L., Shi, Q. dan Nie, J. 2016. Comparison of High-Intensity Interval Training and Moderate-to-Vigorous Continuous Training for Cardiometabolic Health and Exercise Enjoyment in Obese Young Women: A Randomized Controlled Trial. *PLoS ONE*, 11(07), 1 – 16.
- Kurniawan, D.Y., Kesoema, T.A., Hedrianingtyas, M. 2017. Nilai Diagnostik Osteoporosis Self Assessment Tool For Asians Terhadap Dual Energy X-Ray Absorptiometry Dalam Penapisan Osteoporosis Studi Pada Wanita Post Menopause. *Jurnal Kedokteran Diponegoro*, 6(2), pp. 427-433.
- Krugh M, Langaker MD. 2020. *Dual Energy X-ray Absorptiometry*. Florida: StatPearls Publishing
- Mallol, M., Mejuto, G., Bentley, D., Norton, L., Unda, J.T., Arrieta, H., Otxoteko, I. 2016. Effects of 4 Weeks High Intensity Training On Running And Cycling Performance In Well Trained Triathletes. *Sport And Exercise Medicine*, 3(1), 1-7. <http://dx.doi.org/10.17140/SEMOJ-3-139>.
- Martins, C., Kazakova, I., Ludviksen, M., Mehus, I., Wisloff, U., Kulseng, B., Morgan, L. and King, N., 2016. High-intensity interval training and isocaloric moderate-intensity continuous training result in similar improvements in body composition and fitness in obese individuals. *International journal of sport nutrition and exercise metabolism*, 26(3), pp.197-204.
- Misra, A., Wasir, J.S., Vikram, N.K., Pandey, R.M. and Kumar, P., 2010. Cutoffs of abdominal adipose tissue compartments as measured by magnetic resonance imaging for detection of cardiovascular risk factors in apparently healthy adult Asian Indians in North India. *Metabolic Syndrome and Related Disorders*, 8(3), pp.243-247.
- Mustamin. 2010. Asupan Energi Dan Aktivitas Fisik Dengan Kejadian Obesitas Sentral Pada Ibu Rumah Tangga Di Kelurahan Ujung Pandang Baru Kecamatan Tallo Kota Makassar. *Media Gizi Pangan*. 10(2), pp. 63.
- Nandar, R.C.M., Pradigdo, S.F. and Suyatno, S., 2019. Hubungan Tingkat Kekurupan Energi, Aktivitas Fisik, dan Persentase Lemak Tubuh dengan Kejadian Obesitas pada Pekerja Wanita (Studi pada Perusahaan Makanan Ringan di Semarang). *Jurnal Kesehatan Masyarakat (Undip)*, 7(1), pp.314-321.
- Naves, J.P.A., Viana, R.B., Rebelo, A.C.S., de Lira, C.A.B., Pimentel, G.D., Lobo, P.C.B., de Oliveira, J.C., Ramirez-Campillo, R. and Gentil, P., 2018. Effects of high-intensity interval training vs. sprint interval training on anthropometric measures and cardiorespiratory fitness in healthy young women. *Frontiers in physiology*, 9, p.1738.
- Nuffield Health. 2019. What Is Continuous Training? Diakses 28 September 2021, dari <https://www.nuffieldhealth.com/article/what-is-continuous-training>
- Nugraha, A.R. and Berawi, K.N., 2017. Pengaruh high intensity interval training (HIIT) terhadap kebugaran kardiorespirasi. *Jurnal Majority*, 6(1), pp.1-5.
- Ouerghi N, Ben Fradj MK, Bezrati I., Khammassi, M., Feki, M., Kaabachi, N., Bouassida, A. 2017. Effects Of High-Intensity Interval Training On Body

- Composition, Aerobic And Anaerobic Performance And Plasma Lipids In Overweight/Obese And Normal-Weight Young Men. *Biol Sport*, 34(04), pp.385–392.
- Permatasari, D., S. Purnawati, BK Satriyasa, L Made, I Sri, H Adiputra. 2017. Pelatihan Interval Intensitas Tinggi Lebih Efektif Menurunkan Persentase Lemak Tubuh Dibandingkan Pelatihan Kontinyu Submaksimal Pada Siswa Sman 4. *Sport and Fitness Journal*, 5(2), 10–20.
- Petridou, A., Siopi, A. and Mougios, V., 2019. Exercise in the management of obesity. *Metabolism*, 92, pp.163-169.
- Pibriyanti, K. and Hidayati, K.N., 2018. Anak perempuan dan obesitas sebagai faktor risiko kejadian kadar gula darah tinggi pada anak sekolah dasar. *Jurnal Gizi Indonesia (The Indonesian Journal of Nutrition)*, 6(2), pp.90-93.
- Pickhardt, P.J., Jee, Y., O'Connor, S.D. and del Rio, A.M., 2012. Visceral adiposity and hepatic steatosis at abdominal CT: association with the metabolic syndrome. *American Journal of Roentgenology*, 198(5), pp.1100-1107.
- Proverawati, A. 2010. *Obesitas dan Gangguan Perilaku Makan pada Remaja*. Yogyakarta: Muha Medika
- Rahmani, N. Y., Udiyono, A. and Adi, M. S. (2018) ‘Prevalensi Dan Gambaran Karakteristik Obesitas Sentral Pada Anak Sekolah Dasar Di Kecamatan Banyumanik Kota Semarang 2018’, *Jurnal Kesehatan Masyarakat (e-Journal)*, 6(5), pp. 284–288.
- Sastroasmoro, S., & Ismael, S. 2014. *Dasar-dasar Metodologi Penelitian Klinis* (Edisi ke-5). Jakarta: Sagung Seto.
- Seo, M. W., Jung, H. C., Song, J. K., & Kim, H. B. (2015). Effect of 8 weeks of pre-season training on body composition, physical fitness, anaerobic capacity, and isokinetic muscle strength in male and female collegiate taekwondo athletes. *Journal of exercise rehabilitation*. 11(02), pp. 101–107.
- Shehata, A. & Mahmoud, I. 2018. Effect of High Intensity Interval Training (HIIT) Onweight, Body Mass Index and Body Fat Percentage for Adults. *Romania The journal is indexed in: Ebsco, SPORTDiscus, INDEX COPERNICUS JOURNAL MASTER LIST*, 18(2): 125–130.
- Sherwood, L. 2014. *Fisiologi Manusia dari Sel ke Sistem*. Edisi 8. Jakarta: EGC.
- Shuster, A., Patlas, M., Pinthus, J.H. and Mourtzakis, M., 2012. The clinical importance of visceral adiposity: a critical review of methods for visceral adipose tissue analysis. *The British journal of radiology*, 85(1009), pp.1-10.
- Sunarti, S. and Maryani, E., 2013. Rasio lingkar pinggang dan pinggul dengan penyakit jantung koroner di RSUD kabupaten Sukoharjo. *Buletin Penelitian Sistem Kesehatan*, 16(1), pp. 73-82.
- Supariasa. 2002. *Penilaian Status Gizi*. EGC: Jakarta.
- Talanian, J. L., S.D.R. Galloway, G.J.F. Heigenhauser, A. Bonen, & L.L. Spriet. 2007. Two weeks of high-intensity aerobic interval training increases the capacity for fat oxidation during exercise in women. *Journal of Applied Physiology*, 102(4), 1439–1447.
- Taylor, R.W., Jones, I.E., Williams, S.M. and Goulding, A., 2000. Evaluation of waist circumference, waist-to-hip ratio, and the conicity index as screening tools for high trunk fat mass, as measured by dual-energy X-ray

- absorptiometry, in children aged 3–19 y. *The American journal of clinical nutrition*, 72(2), pp.490-495.
- Tchernof, A. and Després, J.P., 2013. Pathophysiology of human visceral obesity: an update. *Physiological reviews*. 9(3), pp. 359-404.
- Tinsley, P., Alomari, A., Wilson, Val., Solman, Annette., Bajorek, Beata. 2017. Pediatric Nurses' Perception of Medication Safety and Medication Error: A Mixed Method Study. *Comprehensive Child and Adolescent Nursing*, 41(2), pp.94–110.
- Utami, D., & G.A. Setyarini. 2017. Faktor-Faktor Yang Mempengaruhi Indeks Massa Tubuh Pada Remaja Usia 15-18 Tahun Di Sman 14 Tangerang. *Jurnal Ilmu Kedokteran Dan Kesehatan*, 4(1), pp.207–215.
- Vasiljevic, I., Gardasevic, J., Kezunovic, M. and Bojanic, D., 2017. Waist circumference as an indicator abdominal obesity in middle age. *Sport Mont*, 15(1), pp.21-22.
- Wewege, M., Van Den Berg, R., Ward, R.E. and Keech, A., 2017. The effects of high-intensity interval training vs. moderate-intensity continuous training on body composition in overweight and obese adults: a systematic review and meta-analysis. *Obesity Reviews*, 18(6), pp.635-646.
- Wibowo, H., 2017. Exercise terhadap Profil Lipid Metabolisme pada Pasien Obesitas. *Journal of Holistic and Traditional Medicine*, 1(04), pp.87-91.
- Wiranata, Y., Inayah, I. 2020. Perbandingan Penghitungan Massa Tubuh Dengan Menggunakan Metode Indeks Massa Tubuh (IMT) Dan Bioelectrical Impedance Analysis (BIA). *Jurnal Manajemen Kesehatan Yayasan RS Dr. Soetomo*, 6(1), 43-52.
- World Health Organization. 2000. *The Asia-Pacific perspective : redefining obesity and its treatment*. Sydney: World Health Organization.
- World Health Organization. 2004. *Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies*. England: World Health Organization.
- World Health Organization. 2011. *Waist circumference and waist-hip ratio : report of a WHO expert consultation*, Geneva, 8-11 December 2008. Geneva: World Health Organization.
- World Health Organization, 2020. *Obesity and overweight*. Diakses dari <https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight>.
- Zhang, H., Tong, T.K., Qiu, W., Zhang, X., Zhou, S., Liu, Y. and He, Y., 2017. Comparable effects of high-intensity interval training and prolonged continuous exercise training on abdominal visceral fat reduction in obese young women. *Journal of diabetes research*, 1(1), pp.1-9.