

DAFTAR PUSTAKA

- Abdullah, A., Nurjanah, and Reyhan, M. 2017, ‘Karakterisasi dan identifikasi senyawa aktif ekstrak pigmen telur keong mas’, *Jurnal Pengolahan Hasil Perikanan Indonesia*. vol. 20, no. 2, pp. 286-295.
- Chan, K.Y., Mohamad, K., Ooi, A.J.A., Imiyabir, Z., Chung, L.Y. 2012, ‘Boactivity-guided fractionation of the lipoxygenase and cyclooxygenase inhibiting constituents from *Chisocheton polyandrus* Merr’, *Fitoterapia*, pp. 961-967.
- Dinas Kesehatan Provinsi Jawa Tengah. 2015, *Waspada penyakit tidak menular terusmeningkat*, diakses 4 April 2019, <http://dinkesjatengprov.go.id/v2015/index.php/component/content/article/39-rokcontent/frontpage/284-waspada-penyakit-tidak-menular-terus-meningkat>.
- Ejaz, S., Ejaz, A., Matsuda, K., Lim, W. 2006, ‘Limonoids as cancer chemopreventive agents’, *Journal of the Science of Food and Agriculture*, **86**, pp. 339-345.
- Fatmah, A.S.A., Amani, S.A., Mehnaz, K., Saleh,I.A., Mohamed, E.Z. 2017, ‘Antitumor activity of extract and isolated compounds from *Drechslera rostrata* and *Eurotium tonophilum*’, *Saudi Pharmaceutical Journal*, vol.26, no. 2, pp. 279-285.
- Harborne, J. B. 1987, *Metode fitokimia, penuntun cara modern menganalisis tumbuhan*, Diterjemahkan oleh Kosasih Padmawinata dan Iwang Sudiro, ITB, Bandung.
- Hendayana, S., et al. 1994, Kimia analitik instrumen. Semarang: IKIP Semarang Press.
- Henderson, G., Heumann, D.O., Laine, R.A., Zhu, B.C.R., Chen, F. 2005, ‘Extracts of vetiver oil as a repellent and toxicant to ants, ticks and cockroaches’, U.S. Patent No. 6, 906, 108, issued 14 June 2005.
- Inoriah, E., dan Prasetyo. 2013, ‘*Pengelolaan budidaya tanaman obat-obatan (bahan simplisia)*’, Badan Penerbitan Fakultas Pertanian UNIB, Bengkulu, pp. 17-22.

- Yang, J., Chen, H., Wang, Q., Deng, S., Huang, M., Ma, X., Song, P., Du, J., Huang, Y., Wen, Y., Ren, Y dan Yang, X. 2018, ‘Inhibitory effect of kurarinone on growth of human non-small cell lung cancer: an experimental study both *in vitro* and *in vivo* studies’, *Frontiers in Pharmacology*, Vol.9 , pp: 252.
- Katja, D.G., Farabi, K., Nuraini, V.A., Nurlelasari, Hidayat, A.T., Mayanti, T., Harneti, D., Supratman, U. 2016, ‘A New 30-nor trijugin-type limonoid, chisotrijugin, from the bark of *Chisocheton cumingianus* (Meliaceae)’, *International Journal of Chemistry*, vol 8, no. 3, pp. 30-34.
- Katja, D.G., Farabi, K., Nurlelasari, Harneti, D., Mayanti, T., Supratman, U., Awang, K., Hayashi, H. 2017, ‘Cytotoxic constituents from the bark of the *Chisocheton cumingianus* (Meliaceae)’, *Journal of Asian Natural Products Research*, vol. 19, no. 2, pp. 194-200.
- Katja, D.G., Farabi, K., Harneti, D., Mayanti, T., Supratman, U. 2017, ‘Cytotoxic tritrpenoid from the stembark of *Chisocheton celebicus* (Meliaceae)’, *Makara Journal of Science*, vol. 21, no. 1, pp. 8-12.
- Lindley, C. dan Michaud, L.B. 2005, ‘*Pharmacotherapy: A pathophysiologic approach 6th*’, McGraw-Hills: USA.
- Machana, S.W., Natthida, S.B dan Apiyada, N.B.S. 2011, ‘Cytotoxic and apoptotic effects of six herbal plants againts the human hepatocarcinoma (HepG2) cell line’, *Biomed Central*. pp: 6-39.
- Maneerat, W., Laphookhieo, S., Koysomboon, S., Chantrapromma, K. 2008, Antimalarial, antymycobacterial and cytotoxic limonoids from *Chisocheton siamensis*. *Phytomedicine*, pp: 1130-1134.
- Nurlelasari., Haneti, D., Maharania, R., Mayantia, T., Darwatia., Supratman, U. 2019, Steroid compound from bark of *Chisocheton macrophyllus*. *Sains dan Terapan Kimia*, vol. 13, no. 1, pp: 21-28.
- Nurlelasari., Katja, D.G., Haneti, D., Wardoyo, M.M., Supratman, U., Awang, K. 2017, Limonoids from the seeds of *Chisocheton macrophyllus*. *Chemistry of Natural Compounds*, vol. 53 no. 1, pp. 83-87.
- Nurlelasari., Mufliahah, L.F., Wardoyo, M.M., Harneti, D., Puspa, H dan Awang, K. 2014, Senyawa 7-hidroksi-6-metoksi kumarin yang bersifat sitotoksik

- dari kulit batang *Chisocheton macrophyllus* (Meliaceae). *Bionatura Jurnal Ilmu-ilmu Hayati dan Fisik*, vol.16, no.1, pp :59-61.
- Prunet, C., Lemaire-Ewing, S., Menetrier, F., Neel, D., Lizard, G. 2005, Activation of caspase-3-dependent and independent pathways during 7-ketosterols- and 7 β -hydroxycholesterol-induced cell death: A morphological and biochemical study. *Journal of Biochemistry Molecular and Toxicology*, vol.19, no.5, pp: 311-326.
- Ramesh, G dan Reeves, W.B. 2010, Mechanisms of cisplatin nephrotoxicity, *Journal Toxins*, 2: 2490-518.
- Rampersad, S.N. 2012, ‘Multiple applications of alamar blue as an indicator of metabolic function and cellular health in cell viability bioassays’, *Journal Sensors*, vol.12, pp. 12347-12360.
- Roy, A. dan Saraf, S. 2006, Limonids: overview of significant bioactive triterpenes distributed in plant kingdom. *Biological & Pharmaceutical Bulletin*, vol.29, no.2, pp. 191-201.
- Saifudin, A. 2014, *Senyawa alam metabolit sekunder teori, konsep dan teknik pemurnian*. Deepublish, Yogyakarta, pp. 3-15.
- Salni, S., Marisa, H., Mukti, R.W. 2011, Isolasi senyawa antibakteri dari daun jengkol (*Pithecolobium lobatum* Benth) dan penentuan nilai KHM-nya. *Jurnal Penelitian Sains*, 14(D), pp. 38–41.
- Shilpi, J.A., Saha, S., Chong, S.L., Nahar, L., Sarker, S.D., Awang, K. 2016, Advances in chemistry and bioactivity of the genus *Chisocheton* Blume. *Chemical Biodiversity*, pp. 483-503.
- Sirait, M., Hargono, D., dan Farouq. 1985, *Cara pembuatan simplisia*, Direktorat Jenderal Pengawasan Obat dan Makanan, Jakarta, pp. 1-15.
- Supriatno ., Nurlelasari ., Herlina, T., Harneti, D., Maharani, R., Hidayat, A.T., Mayanti, T., Supratman, U., Azmi, M.N & Shion, Y. 2018, ‘A new limonoid from stem bark of *Chisocheton pentandrus* (Meliaceae)’, *Natural Product Research*, vol.32, no. 21, pp. 2610–2616
- Tundis, R., Loizzo, M.R., Menichini, F. 2014, An overviw on chemical aspects and potential health benefits of limonoid and their drivatives. *Critical Reviews in Food Scienc and Nutrition*, **54**, pp. 225-250.
- Verma, V.C. dan Gange, A.C. 2014, *Advance in endophytic research*. Springer: India.
- Weerapreeyakul,N., Nonpunya, A., Barustux, S., Thitimetharoch, T dan Sripanidkulchai, B. 2012, ‘Evaluation of the anticancer potential of six herb

against a hepatoma cell line', *Chinese Medical Journal.* vol.7 ,no.15, pp. 1-7.

World Health Organization. 2013, *Breast cancer: prevention and control*,diakses 4April2019,<http://www.who.int/cancer/detection/breastcancer/en/index1.html>.

Yang, M.H., Wang J.S., Luo J.G., Wang, X. B., Kong, L.Y. 2009, Tetranortriterpenoids from *Chisocheton paniculatus*. *Journal of Natural Product*, **72**, pp. 2014-2018.

Zhang, F., He, X.F., Wu, W.B., Chen, W.S., Yue, J.M. 2012, New apotirucallane-type triterpenoids from *Chisosetos paniculatus*. *Natural Products and Bioprospecting*, vol. 2,no.6, pp. 235-239.

