

## DAFTAR PUSTAKA

- [AOAC] Association of Official Analytical Chemist. 2006. *Official Method of Analysis of The Association of Official Analytical of Chemist*. Arlington, Virginia, USA: Association of Official Analytical Chemist, Inc.
- Abdorreza, M. N., Cheng, L. H., & Karim, A. A. 2011. Effects of Plasticizers on Thermal Properties and Heat Sealability of Sago Starch Films. *Food Hydrocolloids*, 25(1): 56–60.
- Abraham, T. E., & Trivandrum. 1993. Stabilization of Paste Viscosity of Cassava Starch by Heat Moisture Treatment. *Starch/Stärke*, 45(4): 131–135.
- Adamu, A. D., Jikan, S. S., Talip, B. H. A., Badarulzaman, N. A., & Yahaya, S. 2017. Effect of glycerol on the properties of tapioca starch film. *Materials Science Forum*, 888239–243.
- Afifah, N., Sholichah, E., Indrianti, N., & Darmajana, D. A. 2018. Pengaruh Kombinasi Plasticizer terhadap Karakteristik Edible Film dari Keragenan dan Lilin Lebah. *Biopropal Industri*, 9(1): 49–60.
- Agboola, S. O., Akingbala, J. O., & Oguntiemein, G. B. 1991. Physicochemical and Functional Properties of Low DS Cassava Starch Acetates and Citrates. *Starch - Stärke*, 43(2): 62–66.
- Akili, M. S., Ahmad, U., & Suyatma, N. E. 2012. Karakteristik Edible Film dari Pektin Hasil Ekstraksi Kulit Pisang. *Jurnal Keteknikan Pertanian (JTEP)*, 26(1): 39–46.
- Al-Hassan, A. A., & Norziah, M. H. 2012. Water Vapor Permeability and Mechanical Properties as Affected by Plasticizers. *Food Hydrocolloids*, 26(1): 108–117.
- Almeida, R. L. J., dos Santos Pereira, T., de Andrade Freire, V., Santiago, Â. M., Oliveira, H. M. L., de Sousa Conrado, L., & de Gusmão, R. P. 2019. Influence of Enzymatic Hydrolysis on The Properties of Red Rice Starch. *International Journal of Biological Macromolecules*, 1411210–1219.
- Alvarado, P. M., Grosmaire, L., Dufour, D., Toro, A. G., Sánchez, T., Calle, F., Santander, M. A. M., Ceballos, H., Delarbret, J. L., & Tran, T. 2013. Combined Effect of Fermentation, Sun-drying and Genotype on Breadmaking Ability of Sour Cassava Starch. *Carbohydrate Polymers*, 98(1): 1137–1146.
- Amaliya, R. R., Dwi, W., & Putri, R. 2014. Karakterisasi Edible Film Daripati Jagung Dengan Penambahan Filtrat Kunyit Putih Sebagai Antibakteri. *Jurnal Pangan Dan Agroindustri*, 2(3): 43–53. <https://jpa.ub.ac.id/index.php/jpa/article/view/51>
- Anam, C., Riyadi, N. H., & Nur, A. 2013. Aplikasi Edible Coating PAti Ubi Kayu

- dalam Pembuatan Permen Saga (*Adenanthera pavonina*) Terhadap Karakteristik Sensoris, Umur Simpan, dan Kimia. *Jurnal Teknoscains Pangan*, 2(3): 121–130.
- Aquino, A. C. M. de S., Azevedo, M. S., Deise Helena Baggio, R., Ana Carolina Oliveira, C., & Edna Regina, A. 2014. Validation of HPLC and CE Methods for Determination of Organic Acids in Sour Cassava Starch Wastewater. *Food Chemistry*, 172(1): 725–730.
- Arifah, U. 2021. Karakterisasi Sifat Fisik-Kimia dan Fungsional Tapioka Termodifikasi dari Sari Jahe dan Sari Temulawak. Universitas Sumatera Utara.
- Astuti, R. M., Widaningrum, Asiah, N., Setyowati, A., & Fitriawati, R. 2018. Effect of Physical Modification on Granule Morphology, Pasting Behavior, and Functional Properties of Arrowroot (*Marantha arundinacea L*) Starch. *Food Hydrocolloids*, 8123–30.
- Astuti, S. D. 2018. Modifikasi Tepung Talas dengan Teknologi Fermentasi Terkendali untuk Ingredien Pangan. Institut Pertanian Bogor.
- Babu, A. S., & Parimalavalli, R. 2013. Effect of Autoclaving on Functional, Chemical, Pasting and Morphological Properties of Sweet Potato Starch. *Journal of Root Crops*, 39(March): 78–83.
- Bani, M. D. . 2019. Variasi Volume Gliserol terhadap Sifat Fisis Plastik Biodegradable Berbahan Dasar Pati Ubi Kayu (*Manihot Esculenta Crantz*). *Jurnal Pendidikan Matematika Dan Ilmu Pengetahuan Alam*, 7(1): 61–78.
- Basiak, E., Lenart, A., & Debeaufort, F. 2017. Effect of Starch Type on The Physico-Chemical Properties of Edible Films. *International Journal of Biological Macromolecules*, 98348–356.
- Begum, N., Paul, S. K., Kumar GV, P., Sahu, J. K., & Husain, S. A. 2018. Development of tulsi impregnated starch-based edible coating to extend the shelf-life of tomatoes. *The Pharma Innovation Journal*, 6(9): 249–255.
- Bourtoom, T., Chinnan, M. S., Jantawat, P., & Sanguandeekul, R. 2006. Effect of Plasticizer Type and Concentration on The Properties of Edible Film From Water-soluble Fish Proteins in Surimi Wash-water. *Food Science and Technology International*, 12(2): 119–126.
- Cao, L., Liu, W., & Wang, L. 2018. Developing a Green and Edible Film from Cassia Gum: The Effects of Glycerol and Sorbitol. *Journal of Cleaner Production*, 175(February): 276–282.
- Coniwanti, P., Laila, L., & Alfira, M. R. 2014. Pembuatan Film Plastik Biodegredabel dari Pati Jagung dengan Penambahan Kitosan dan Pemplastis Gliserol. *Jurnal Teknik Kimia*, 20(4): 22–30.
- Cuenca, P., Ferrero, S., & Albani, O. 2019. Preparation and Characterization of

- Cassava Starch Acetate with High Substitution Degree. *Food Hydrocolloids*, 1001–16.
- Dai, L., Zhang, J., & Cheng, F. 2019. Effects of Starches From Different Botanical Sources and Modification Methods on Physicochemical Properties of Starch-based Edible Films. *International Journal of Biological Macromolecules*, 132(03): 897–905.
- Darmajana, D. A., Afifah, N., Solihah, E., & Indriyanti, N. 2018. Pengaruh Pelapis dapat Dimakan dari Karagenan terhadap Mutu Melon Potong dalam Penyimpanan Dingin. *Agritech*, 37(3): 280.
- Deka, D., & Sit, N. 2016. Dual Modification of Taro Starch by Microwave and Other Heat Moisture Treatments. *International Journal of Biological Macromolecules*, 92(1): 416–422.
- Díaz, A., Dini, C., Viña, S. Z., & García, M. A. 2018. Technological Properties of Sour Cassava Starches: Effect of Fermentation and Drying Processes. *Lwt-Food Science and Technology*, 93(1): 116–123.
- Dolas, K. A., Ranveer, R. C., Tapre, A. R., Nandane, A. S., & Sahoo, A. K. 2020. Effect of Starch Modification on Physico-Chemical, Functional and Structural Characterization of Cassava Starch (*Manihot esculenta crantz*). *Food Research*, 4(4): 1265–1271.
- Dona, A. C., Pages, G., Gilbert, R. G., & Kuchel, P. W. 2010. Digestion of Starch: In Vivo and In Vitro Kinetic Models Used to Characterise Oligosaccharide or Glucose Release. *Carbohydrate Polymers*, 80(3): 599–617.
- Edhirej, A., Sapuan, S. M., Jawaid, M., & Zahari, N. I. 2017. Effect of Various Plasticizers and Concentration on The Physical, Thermal, Mechanical, and Structural Properties of Cassava-Starch-Based Films. *Starch/Staerke*, 69(1–2): 1–11.
- Fakhoury, F. M., Maria Martelli, S., Canhadas Bertan, L., Yamashita, F., Innocentini Mei, L. H., & Collares Queiroz, F. P. 2012. Edible Films Made From Blends of Manioc Starch and Gelatin - Influence of Different Types of Plasticizer and Different Levels of Macromolecules on Their Properties. *LWT - Food Science and Technology*, 49(1): 149–154.
- Faria, F. D. O., Vercelheze, A. E. S., & Mali, S. 2012. Physical Properties of Biodegradable Films Based on Cassava Starch, Polyvinyl Alcohol and Montmorillonite. *Quimica Nova*, 35(3): 487–492.
- Fatma, Malaka, R., & Taufik, M. 2015. Karakteristik Edible Film Berbahan Whey Dangke dan Agar dengan Menggunakan Gliserol dengan Presentase Berbeda. *JITP*, 4(2): 63–69.
- Fatnasari, A., Nocianitri, K. A., & Suparthan, I. P. 2018. The Effect of Glycerol Concentration on The Characteristic Edible Film Sweet Potato Starch (*Ipomoea batatas L.*). *Media Ilmiah Teknologi Pangan*, 5(1): 27–35.

- Fitriati, A. 2019. Karakteristik Biodegradable Film Berbasis Pati Garut (*Maranta arundinacea*), Pati Ubi Jalar (*Ipomoea batatas*), dan Hydroxypropyl Methylcellulose (HPMC) dengan Plasticizer Gliserol dan Sorbitol. Universitas Jenderal Soedirman.
- Fleet, G. H. 2006. *The Yeast Handbook*. Berlin: Springer-Verlag Berlin.
- Franco, M. J., Martin, A. A., Bonfim, L. F., Caetano, J., Linde, G. A., & Dragunski, D. C. 2016. Effect of Plasticizer and Modified Starch on Biodegradable Films for Strawberry Protection. *Journal of Food Processing and Preservation*, 41(4): .
- Frasisca, S., Rostini, I., Agus Handaka Suryana, A., & Intan Pratama, R. 2020. Effect of Addition Glycerol Plasticizer to the Characteristics of Catfish (*Pangasius sp.*) Surimi Protein Edible Film. *World News of Natural Sciences*, 30(2): 243–256. www.worldnewsnaturalsciences.com
- Ghanbarzadeh, B., Almasi, H., & Entezami, A. A. 2011. Improving The Barrier and Mechanical Properties of Corn Starch-Based Edible Films: Effect of Citric Acid and Carboxymethyl Cellulose. *Industrial Crops and Products*, 33(1): 229–235.
- Guarás, M. P., Ludueña, L. N., & Alvarez, V. A. 2017. Development of Biodegradable Products from Modified Starches. In *Starch-Based Materials in Food Packaging: Processing, Characterization and Applications*.
- Gutiérrez, T. J., Tapia, M. S., Pérez, E., & Famá, L. 2015. Structural and Mechanical Properties of Edible Films Made From Native and Modified Cush-cush Yam and Cassava Starch. *Food Hydrocolloids*, 45:211–217.
- Hanani, Z. A. N., O'Mahony, J. A., Roos, Y. H., Oliveira, P. M., & Kerry, J. P. 2014. Extrusion of Gelatin-Based Composite Films: Effects of Processing Temperature and pH of Film Forming Solution on Mechanical and Barrier Properties of Manufactured Films. *Food Packaging and Shelf Life*, 2(2): 91–101.
- Hidayati, Hamzah, F., & Rahamyuni. 2013. Karakteristik Pati Sagu Modifikasi dengan Metode Asetilasi. Universitas Riau.
- Hidayati, S., Zuidar, A. S., & Ardiani, A. 2015. *Aplikasi Sorbitol Pada Produksi Biodegradable Film dari Nata De Cassava*. 15(3): 196–204.
- Hidayati, S., Zulferiyenni, & Satyajaya, W. 2019. Optimasi pembuatan biodegradable film dari selulosa limbah padat rumput laut (*Eucheuma cottonii*) dengan penambahan gliserol, kitosan, CMC, dan tapioka. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 22(2): 340–354.
- Ibrahim, M. I. J., Sapuan, S. M., Zainudin, E. S., & Zuhri, M. Y. M. 2019. Physical, Thermal, Morphological, and Tensile Properties of Cornstarch-based Films as Affected by Different Plasticizers. *International Journal of Food Properties*, 22(1): 925–941.

- Isotton, F. S., Bernardo, G. L., Baldasso, C., Rosa, L. M., & Zeni, M. 2015. The Plasticizer Effect on Preparation and Properties of Etherified Corn Starchs Films. *Industrial Crops and Products*, 76:717–724.
- Jacoeb, A. M., Nugraha, R., & Utari, S. P. S. D. 2014. Pembuatan Edible Film dari Pati Buah Lindur dengan Penambahan Gliserol dan Karaginan. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 17(1): 14–21.
- Kamila, R. 2019. Karakteristik Biodegradable Film Berbahan Dasar Pati Ganyong (*Canna discolor L.*), Pati Kimpul (*Xanthosoma sagittifolium*) dan Karagenan Dengan Plasticizer Gliserol dan Sorbitol. Universitas Jenderal Soedirman, . <http://repository.unsoed.ac.id/id/eprint/3816>
- Kartikasari, S. N., Sari, P., & Subagio, A. 2016. Karakterisasi Sifat Kimia, Profil Amilografi (RVA) dan Morfologi Granula (SEM) Pati Singkong Termodifikasi Secara Biologi. *Jurnal Agroteknologi*, 10(1): 12–24. <https://jurnal.unej.ac.id/index.php/JAGT/article/view/4472/3327>
- Kurt, A., & Kahyaoglu, T. 2014. Characterization of a new biodegradable edible film made from salep glucomannan. *Carbohydrate Polymers*, 104(1): 50–58.
- Kusnandar, F. 2010. *Kimia Pangan Komponen Makro*. Jakarta: PT. Dian Rakyat.
- Kustyawati, M. E., Rangga, A., & Setyani, S. 2020. The Role of *Saccharomyces cerevisiae* as Modification Agent. *The USR International Seminar on Food Security (UISFS)*, 1–8.
- Kustyawati, M. E., Sari, M., & Haryati, T. 2013. Efek Fermentasi Dengan *Saccharomyces cerevisiae* Terhadap Karakteristik Biokimia Tapioka. *Agritech*, 33(3): 281–287. <https://journal.ugm.ac.id/agritech/article/view/9549/7124>
- Kusumawati, D. H., & Putri, W. D. R. 2013. Karakteristik Fisik Dan Kimia Edible Film Pati Jagung Yang Diinkorporasi Dengan Perasan Temu Hitam. *Jurnal Pangan Dan Agroindustri*, 1(1): 90–100. <http://jpa.ub.ac.id/index.php/jpa/article/view/9>
- Lagos, J. B., Vicentini, N. M., Dos Santos, R. M. C., Bittante, A. M. Q. B., & Sobral, P. J. A. 2015. Mechanical properties of cassava starch films as affected by different plasticizers and different relative humidity conditions. *International Journal of Food Studies*, 4(1): 116–125.
- Lekahena, V. N. J. 2016. Pengaruh penambahan konsentrasi tepung tapioka terhadap komposisi gizi dan evaluasi sensori nugget daging merah ikan madidihang. *Agrikan: Jurnal Agribisnis Perikanan*, 9(1): 1–8.
- Li, H., Yu, L., Yu, W., Li, H., & Gilbert, R. 2019. Autoclaved Rice: The Textural Property And Its Relation to Starch Leaching and The Molecular Structure of Leached Starch. *Food Chemistry*, 283(January): 199–205.
- Lim, W. S., Ock, S. Y., Park, G. D., Lee, I. W., Lee, M. H., & Park, H. J. 2020.

- Heat-sealing property of cassava starch film plasticized with glycerol and sorbitol. *Food Packaging and Shelf Life*, 26100556.
- Machado, C. M., Benelli, P., & Tessaro, I. C. 2020. Effect of Acetylated Starch on The Development of Peanut Skin-Cassava Starch Foams. *International Journal of Biological Macromolecules*, 165(B): 1706–1716.
- Masina, N., Choonara, Y. E., Kumar, P., du Toit, L. C., Govender, M., Indermun, S., & Pillay, V. 2017. A Review of The Chemical Modification Techniques of Starch. *Carbohydrate Polymers*, 1571226–1236.
- Meijer, L. J. J., van Emmerik, T., van der Ent, R., Schmidt, C., & Lebreton, L. 2021. More than 1000 rivers account for 80% of global riverine plastic emissions into the ocean. *Science Advances*, 7(18): 1–14.
- Moey, S. W., Abdullah, A., & Ahmad, I. 2014. Development, Characterization and Potential Applications of Edible Film from Seaweed (*Kappaphycus alvarezii*). *AIP Conference Proceedings*, 1614192–197.
- Muntoha, Jamroni, & Ummayah, R. U. 2015. Pelatihan Pemanfaatan dan Pengolahan Singkong Menjadi Makanan Ringan Tela Rasa. *Jurnal Inovasi Dan Kewirausahaan*, 4(3): 188–193.
- Murni, W., Pawignyo, H., Widyawati, D., & Sari, N. 2013. Pembuatan Edible Film dari Tepung Jagung (*Zea Mays L.*) dan Kitosan. *Prosiding Seminar Nasional Teknik Kimia “Kejuangan,”* 1–9.
- Nazhrah, Julianti, E., & Masniary, L. 2014. Pengaruh Proses Modifikasi Fisik Terhadap Karakteristik Pati dan Produksi Pati Resisten dari Empat Varietas Ubi Kayu (*Manihot esculenta*). *Jurnal Rekayasa Pangan Dan Pertanian*, 2(2): 1–9.
- Ng, J. S., Kiew, P. L., Lam, M. K., Yeoh, W. M., & Ho, M. Y. 2022. Preliminary Evaluation of The Properties and Biodegradability of Glycerol- and Sorbitol-plasticized Potato-based Bioplastics. *International Journal of Environmental Science and Technology*, 19(3): 1545–1554.
- Ningsih, S. H. 2015. Pengaruh Plasticizer Gliserol Terhadap Karakteristik Edible Film Campuran Whey dan Agar. (Vol. 5, Issue December). Universitas Hasanuddin.
- Ningsih, S. W. 2010. Optimasi Pembuatan Bioplastik Polihidroksialcanoat Menggunakan Bakteri Mesofilik dan Media Limbah Cair Pabrik Kelapa Sawit. Universitas Sumatera Utara.
- Nurhayati, N. 2019. Modifikasi Pati Secara Asetilasi dan Aplikasinya Pada Pembentukan Film. *Jurnal Agrotek Ummat*, 6(2): 100.
- Ojogbo, E., Ogunsona, E. O., & Mekonnen, T. H. 2020. Chemical and Physical Modifications of Starch for Renewable Polymeric Materials. *Materials Today Sustainability*, 7–8(1): 100028.

- Oyeyinka, S. A., Adegoke, R., Oyeyinka, A. T., Salami, K. O., Olagunju, O. F., Kolawole, F. L., Joseph, J. K., & Bolarinwa, I. F. 2018. Effect of Annealing on The Functionality of Bambara groundnut (*Vigna subterranea*) Starch–palmitic Acid Complex. *International Journal of Food Science and Technology*, 53(2): 549–555.
- Oyeyinka, S. A., Adeloye, A. A., Olaomo, O. O., & Kayitesi, E. 2020. Effect of Fermentation Time on Physicochemical Properties of Starch Extracted From Cassava Root. *Food Bioscience*, 33100485.
- Oyeyinka, S. A., & Oyeyinka, A. T. 2018. A Review on Isolation, Composition, Physicochemical Properties and Modification of Bambara groundnut Starch. *Food Hydrocolloids*, 7562–71.
- Pamuji, M. W. 2014. Pengembangan Bionanokomposit Film Berbasis Pati Tapioka dan Nanopartikel ZnO dengan Plasticizer Gliserol. Institut Pertanian Bogor.
- Pérez S, E. E. 2017. Native and Modified Starches as Matrix for Edible Films and Covers. *Nutrition & Food Science International Journal*, 3(3): 1–15.
- Polnaya, F. J., Ega, L., & Wattimena, D. 2016. Karakteristik Edible Film Pati Sagu Alami dan Pati Sagu Fosfat dengan Penambahan Gliserol (Characteristics of Edible Film from Native and Phosphate Sago Starches with the Addition of Glycerol). *Jurnal Agritech*, 36(03): 247.
- Pratiwi, M., Faridah, D. N., & Lioe, H. N. 2018. Structural Changes to Starch After Acid Hydrolysis, Debranching, Autoclaving-Cooling Cycles, and Heat Moisture Treatment (HMT): A Review. *Starch/Staerke*, 70(1–2): 1–31.
- Purbasari, A., Wulandari, A. A., & Marasabessy, F. M. 2020. Sifat Mekanis Dan Fisis Bioplastik Dari Limbah Kulit Pisang: Pengaruh Jenis Dan Konsentrasi Pemlastis. *Jurnal Kimia Dan Kemasan*, 42(2): 66.
- Putra, A. D., Johan, V. S., & Efendi, R. 2017a. Penambahan Sorbitol Sebagai Plasticizer dalam Pembuatan Edible Film Pati Sukun. *Jom Fakultas Pertanian*, 4(2): 1–15.
- Putra, A. D., Johan, V. S., & Efendi, R. 2017b. Penambahan Sorbitol Sebagai Plasticizer Dalam Pembuatan Edible Film Pati Sukun. *Jom Fakultas Pertanian*, 4(2): 1–15.
- Putri, A. P., Octari, T., Annisa, N., Gadri, A., & Aprilia, H. 2016. Evaluasi Fisikokimia Pati Canna indica L Modifikasi Esterifikasi dan Hidrolisis Asam. *Indonesian Journal of Pharmaceutical Science and Technology*, 3(3): 78.
- Putri, S. . 2018. Pengaruh Konsnetrasi Plasticizer Sorbitol terhadap Sifat Fisik dan Mekanik Edible Film Berbasis Protein Sorgum Manis. Institut Pertanian Bogor.
- Putri, W. D. R., & Zubaidah, E. 2017. *Pati : Modifikasi & Karakterisasinya* (Cetakan Pe). Malang: UB Press.

- Pyshpadass, H. A., Marx, D. B., & Hanna, M. A. 2008. Effects of Extrusion Temperature and Plasticizers on The Physical and Functional Properties of Starch Films. *Starch/Staerke*, 60(10): 527–538.
- Rahim, A., Alam, N., Hutomo, G. S., & Kadir, S. 2016. *Teknologi Modifikasi Pati Aren* (P. Sudarmo (ed.); 1st ed.). Yogyakarta: Magnum Pustaka Utama.
- Ratnaduhita, A., Nuhriawangsa, A. M. P., & Kartikasari, L. R. 2021. Physico-Chemical Properties of Gathot (Fermented Cassava) Flour Applied on Edible Film. *IOP Conference Series: Earth and Environmental Science*, 888(1): .
- Razavi, S. M. A., Amini, A. M., & Zahedi, Y. 2015. Characterisation of a New Biodegradable Edible Film Based on Sage Seed Gum: Influence of Plasticiser Type and Concentration. *Food Hydrocolloids*, 43:290–298.
- Riyanto, D. N., Utomo, A. R., & Setijawati, E. 2017. Pengaruh Penambahan Sorbitol Terhadap Karakteristik Fisikokimia Edible Film Berbahan Dasar Pati Gandum. *Jurnal Teknologi Pangan Dan Gizi*, 16(1): 14–20.
- Rizky, P. 2019. Pembuatan Edible Film Pati Sukun (*Artocarpus altilis*) Termodifikasi dari Proses Asetilasi Menggunakan Asetat Anhidrat. *Regional Development Industry & Health Science, Technology and Art of Life*, 2(1): 135–142.
- Rumahorbo, P., Karo-karo, T., & Julianti, E. 2015. *Pengaruh Konsentrasi Sorbitol dan Lama Perendaman Terhadap Mutu Manisa Kering Pepaya*. 3(1): 63–70.
- Saleh, F. H., Nugroho, A. Y., & Juliantama, M. R. 2017. Pembuatan Edible Film Dari Pati Singkong Sebagai Pengemas Makanan. *Teknoin*, 23(1): 43–48.
- Sanyang, M. L., Sapuan, S. M., Jawaid, M., Ishak, M. R., & Sahari, J. 2015. Effect of Glycerol and Sorbitol Plasticizers on Physical and Thermal Properties of Sugar Palm Starch Based Films. *Recent Advances in Environment, Ecosystems and Development Effect*, 1(1): 157–162.
- Setiani, W., Sudiarti, T., & Rahmidar, L. 2013. Preparasi Dan Karakterisasi Edible Film Dari Poliblend Pati Sukun-Kitosan. *Jurnal Kimia VALENSI*, 3(2): .
- Setyaningrum, A., Sumarni, N. K., & Hardi, J. 2017. Sifat Fisiko-Kimia Edible Film Agar – Agar Rumphut Laut ( *G racilaria sp .* ) Tersubtitusi Glyserol Effect of Glycerol on Physico-Chemical Properties of Edible Film From Agar Seaweed ( *Gracilaria sp .* ). *Journal of Science and Technology*, 6(2): 136–143.
- Shah, A., Masoodi, F. A., Gani, A., & Ashwar, B. A. 2016. In-vitro Digestibility, Rheology, Structure, and Functionality of RS3 From Oat Starch. *Food Chemistry*, 212:749–758.
- Sihaloho, E. B. 2011. Evaluasi Biodegradabilitas Plastik Berbahan Dasar Campuran Pati dan Polietilen Menggunakan Metode Enzimatik, Konsorsia Mikroba dan Pengomposan. Universitas Indonesia.
- Silva, O. A., Pellá, M. G., Pellá, M. G., Caetano, J., Simões, M. R., Bittencourt, P.

- R. S., & Dragunski, D. C. 2019. Synthesis and Characterization of a Low Solubility Edible Film Based on Native Cassava Starch. *International Journal of Biological Macromolecules*, 128(1): 290–296.
- Sinaga, R. F., Ginting, G. M., Ginting, M. H. S., & Hasibuan, R. 2014. Pengaruh Penambahan Gliserol terhadap Sifat Kekuatan Tarik Dan Pemanjangan Saat Putus Bioplastik Dari Pati Umbi Talas. *Jurnal Teknik Kimia USU*, 3(2): 19–24.
- Sitompul, A. J. W. S., & Zubaidah, E. 2017a. Pengaruh Jenis dan Konsentrasi Plasticizer Terhadap Sifat Fisik Edible Film Kolang Kaling (Arenga pinnata). *Jurnal Pangan Dan Agroindustr*, 5(1): 13–25.
- Sitompul, A. J. W. S., & Zubaidah, E. 2017b. Pengaruh jenis dan konsentrasi plasticizer terhadap sifat fisik edible film kolang kaling (Arenga pinnata). *Jurnal Pangan Dan Agroindustri*, 5(1): 13–25.
- Sofyani, S., Kandou, J. E. A., & Sumual, M. F. 2019. Pengaruh penambahan tepung tapioka dalam pembuatan biskuit berbahan baku tepung ubi banggai (Dioscorea alata L.). *Jurnal Teknologi Pertanian*, 10(2): 73–84.
- Soliman, E. A., & Furuta, M. 2014. Influence of Phase Behavior and Miscibility on Mechanical, Thermal and Micro-Structure of Soluble Starch-Gelatin Thermoplastic Biodegradable Blend Films. *Food and Nutrition Sciences*, 05(11): 1040–1055.
- Sondari, D., Aspiyanto, Amanda, A. S., Triwulandari, E., Ghazali, M., Septiyanti, M., & Iltizam, I. 2018. Characterization edible coating made from native and modification cassava starch. *AIP Conference Proceedings*, 20491–6.
- Souza, B. W. S., Cerqueira, M. A., Teixeira, J. A., & Vicente, A. A. 2010. The Use of Electric Fields for Edible Coatings and Films Development and Production: A Review. *Food Engineering Reviews*, 2(4): 244–255.
- Sukma, R. M. 2019. Karakteristik Biodegradable Film Berbahan Dasar Pati Tapioka, Pati Sukun, Dan Pati Kentang Dengan Plasticizer Gliserol Dan Sorbitol. Universitas Jenderal Soedirman.
- Syahputri, G. A. 2016. Pengaruh Metode dan Lama Fermentasi Terhadap Karakteristik Fisikokimia dan Fungsional Tepung Ubi Jalar Oranye. Universitas Sumatera Utara.
- Syahwardini, T., Oktaviani, C., Novriyani, V., Amraini, S. Z., & Bahruddin. 2020. Modification of Sago Starch-Based Bioplastic Using Citric Acid with Variation Plasticizers Glycerol and Sorbitol: Properties and biodegradability studies. *Journal of Bioprocess, Chemical and Environmental Engineering Science*, 1(1): 39–46.
- Syura, I. 2020. Pembuatan dan Karakterisasi Film Bioplastik Pati Porang dan Kitosan dengan Plasticizer Sorbitol. Universitas Sumatera Utara.

- Taqy, A. H. 2021. Karakteristik Edible Film Berbahan Dasar Pati Ganyong (Canna Discolor L.) dengan Berbagai Jenis Plasticizer. Universitas Jenderal Soedirman.
- Tarique, J., Sapuan, S. M., & Khalina, A. 2021. Effect of Glycerol Plasticizer Loading on The Physical, Mechanical, Thermal, and Barrier Properties of Arrowroot (*Maranta arundinacea*) Starch Biopolymers. *Scientific Reports*, 11(13900): 1–17.
- Thakur, R., Pristijono, P., Scarlett, C. J., Bowyer, M., Singh, S. P., & Vuong, Q. V. 2019. Starch-based films: Major Factors Affecting Their Properties. *International Journal of Biological Macromolecules*, 1321079–1089.
- Thakur, R., Saberi, B., Pristijono, P., Golding, J., Stathopoulos, C., Scarlett, C., Bowyer, M., & Vuong, Q. 2016. Characterization of Rice Starch- $\text{-}\!\!\text{-}$ carrageenan Biodegradable Edible Film. Effect of Stearic Acid on The Film Properties. *International Journal of Biological Macromolecules*, 93(1): 952–960.
- Tola, P. S., Winarti, S., & Isnaini, A. D. 2021. Pengaruh Komposisi Pati Jewawut (*Setaria italica* L.) dan Lilin Lebah serta Konsentrasi Sorbitol Terhadap Karakteristik Edible Film. 15(2): .
- Trela, V. D., Ramallo, A. L., & Albani, O. A. 2020. Synthesis and Characterization of Acetylated Cassava Starch with Different Degrees of Substitution. *Brazilian Archives of Biology and Technology*, 63(6): 1–13.
- Ulyartı, U., Nazarudin, N., Surhaini, Lisani, Ramadon, R., & Lumbanraja, P. 2020. Cassava Starch Edible Film with Addition of Gelatin or Modified Cassava Starch. *IOP Conference Series: Earth and Environmental Science*, 515(1): 6–11.
- van Calcar, C. J., & van Emmerik, T. H. M. 2019. Abundance of plastic debris across European and Asian rivers. *Environmental Research Letters*, 14(12): 1–9.
- Vieira, M. G. A., Da Silva, M. A., Dos Santos, L. O., & Beppu, M. M. 2011. Natural-based Plasticizers and Biopolymer Films: A Review. *European Polymer Journal*, 47(3): 254–263.
- Wahyuningtyas, N., & Suryanto, H. 2017. Analysis of Biodegradation of Bioplastics Made of Cassava Starch. *Journal of Mechanical Engineering Science and Technology*, 1(1): 24–31.
- Wang, B., Yu, B., Yuan, C., Guo, L., Liu, P., Gao, W., Li, D., Cui, B., & Abd El-Aty, A. M. 2021. An Overview on Plasticized Biodegradable Corn Starch-Based Films: The Physicochemical Properties and Gelatinization Process. *Critical Reviews in Food Science and Nutrition*, 0(0): 1–11.
- Warkoyo, Rahardjo, B., Marseno, D. W., & Karyadi, J. N. 2014. Sifat Fisik, Mekanik dan Barrier Edible Film Berbasis Pati Umbi Kimpul (*Xanthosoma sagittifolium*) yang Diinkorporasi dengan Kalium Sorbat. *Agritech*, 34(01):

72–81.

- Waryat, Romli, M., Suryani, A., Yuliasih, I., & Johan, S. 2013. Plastik Biodegradabel Berbahan Baku Komposit Pati Termoplastik- Lldpe / Hdpe. *Agritech*, 33(2): 197–207.
- Waterschoot, J., Gomand, S. V., Fierens, E., & Delcour, J. A. 2015. Production, Structure, Physicochemical and Functional Properties of Maize, Cassava, Wheat, Potato and Rice Starches. *Starch/Staerke*, 67(1–2): 14–29.
- Wattimena, D., Ega, L., & Polnaya, F. J. 2016. Karakteristik edible film pati sagu alami dan pati sagu fosfat dengan penambahan gliserol. *Jurnal Agritech*, 36(3): 247–252.
- Wattimena, D., Polnaya, F. J., & Ega, L. 2016. Karakteristik Edible Film Pati Sagu Alami dan Pati Sagu Fosfat dengan Penambahan Gliserol (Characteristics of Edible Film from Native and Phosphate Sago Starches with the Addition of Glycerol). *Jurnal Agritech*, 36(03): 247.
- Wiadnyani, A. A. I. S., Permana, I. D. G. M., & Widarta, I. W. R. 2017. Modifikasi pati keladi dengan metode autoclaving-cooling sebagai sumber pangan fungsional. *Scientific Journal of Food Technology*, 4(2): 94–102.
- Wibowo, C., Haryanti, P., Tamalea, R., & Wicaksono, R. 2019. The Properties of Edible Film Made of Tapioca, Canna and Arrowroot as Affected by Application of Various Concentration of Plasticizer. *AIP Conference Proceedings*, 2094.
- Widyatmoko, H., Subagio, A., & Nurhayati, N. 2018. Sifat-Sifat Fisikokimia Pati Ubi Kayu Terfermentasi Khamir Indigenus Tapai. *Agritech*, 38(37): 140–150.
- Winarti, C., Miskiyah, & Widaningrum. 2012. Teknologi Produksi dan Aplikasi Pengemas Edible Antimikroba Berbasis Pati. *Jurnal Penelitian Dan Pengembangan Pertanian*, 31(3): 30908.
- Wulan, S. N., Widyaningsih, T. D., & Kasseri, D. 2007. Native and Debranched Rice Starch Modification Using Resistant ant Starch Physical or Chemical Treatment to Increase the Level of Resist. *Jurnal Teknologi Pertanian*, Vol. 8 No.61–70.
- Yulianti, R., & Ginting, E. 2012. Perbedaan Karakteristik Fisik Edible Film dari Umbi-umbian yang Dibuat dengan Penambahan Plasticizer. *Jurnal Penelitian Pertanian Tanaman Pangan*, 31(2): 131–136.
- Zabar, S., Shimoni, E., & Bianco-peled, H. 2008. Development of Nanostructure in Resistant Starch Type III during Thermal Treatments and Cycling. *Macromolecular Bioscience*, 8163–170.