

DAFTAR PUSTAKA

- Al Banna, M. Z. 2020. Aktivitas Penghambatan Isolat Bakteri dan Rizosfer dari Empat Jenis Bambu Toraja Terhadap Jamur Penyebab Busuk Tanaman. *Celebes Biodiversitas*, 3(1): 19-21.
- Anjum, R., Afzal, M., Baber, R., Khan, M.A.J., Kanwal, W., Sajid, W., & Raheel, A. 2019. Endophytes: as potential biocontrol agent-review and future prospects. *Journal of Agricultural Science*, 11: 113-125.
- Ariani, H. D., Aidawati, N., & Adriani, D. E. 2020. Uji Efektivitas Rizobakteria Dalam Menghambat Perkembangan Penyakit Hawar Pelepah Daun (*Rhizoctonia solani* Kuhn.) Pada Padi Secara In Vitro. *Enviro Scientiae*, 16(1): 46-47.
- Asri, A.C., & Zulaika, E. 2016. Sinergisme antar isolat Azotobacter yang dikonsorsiumkan. *Jurnal sains dan seni ITS*, 5(2):57-58.
- Backman, P.A. & Sikora R.A. 2008. Endophytes: an emerging tool for biological control. *Biol Control*, 46(1):1-3.
- Badan Pusat Statistik. 2019. Luas Panen dan Produksi Padi di Indonesia 2019. Tersedia online pada: <https://www.bps.go.id/publication/2020/12/01/21930121d1e4d09459f7e195/luas-panen-dan-produksi-padi-diindonesia-2019.html> diakses pada 11 Juli 2021.*
- Corbin, B.D. 2004. Identification and Characterization *Bacillus thuringiensis*. *J. Bacteriol*, 186: 7736-7744.
- Cumagun, C. J. R., McDonald, B. A., Arakawa, M., Castroagudín, V. L., Sebbenn, A. M., & Ceresini, P. C. 2020. Population genetic structure of the sheath blight pathogen *Rhizoctonia solani* AG-1 IA from rice fields in China, Japan, and the Philippines. *Acta Scientiarum. Agronomy*, 42: 4-6.
- Demirkan, E., Baygin, E., & Usta, A. 2014. Screening of phytate hydrolysis *Bacillus* sp. isolated from soil and optimization of the certain nutritional and physical parameters on the production of phytase. *Turkish Journal of Biochemistry/Turk Biyokimya Dergisi*, 39(2): 208-209.
- Desvani, S.D., Lestari, I.B., Wibowo, H.R., Supyani, Poromarto, S.H., & Hadiwiyono. 2018. Morphological characteristics and virulence of *Rhizoctonia solani* isolates collected from some rice production areas in some districts of Central Java. In *AIP Conference Proceedings*, 3-4.

- Dewi, R.T.K., Mubarik, N.R., & Suhartono, M.T. 2016. Medium optimization of β -glucanase production by *Bacillus subtilis* SAHA 32.6 used as biological control of oil palm pathogen. *Emirates Journal of Food and Agriculture*, 28(2): 116-125.
- Djafar, F., Purwadaria, T., & Sinurat, A.P. 2010. Isolation of endophytic bacteria from palm oil fruits and characterization of their lipases. *Microbiology Indonesia*, 4(2): 1-4.
- Donggulu, C.V., Lapanjang, I.M., & Made, U. 2017. Pertumbuhan dan hasil tanaman padi (*Oryza sativa L.*) pada berbagai pola jajar legowo dan jarak tanam. *Jurnal Agroland*, 24(1): 27-35.
- Duan, J.L., Li, X.J., Gao, J.M., Wang, D.S., Yan Y., & Xue, Q.H. 2013. Isolation and identification of endophytic bacteria from root tissues of *Salvia militiorrhiza* Bge. and determination of their bioactivities. *Annals Microbiol*, 63(4):1501-1512.
- Elazegui, F. & Islam, Z. 2003. *Diagnosis of common diseases of rice*. International Rice Research Institute.
- Fajarfika, R. 2021. Potensi *Trichoderma* spp. Dalam Pengendalian Penyakit Hawar Pelepah Padi (*Rhizoctonia solani*) Secara In Vivo. *Jurnal Agrotek Tropika*, 9(1): 2-3.
- Garcia V.G., Onco M.A.P., & Susan V.R. 2006. Review. Biology and systematics of the form genus *Rhizoctonia*. *Span J Agric Res*, 4(1):55-79.
- Gingichashvili, S., Duanis-Assaf, D., Shemesh, M., Featherstone, J.D., Feuerstein, O., & Steinberg, D. 2020. The adaptive morphology of *Bacillus subtilis* biofilms: a defense mechanism against bacterial starvation. *Microorganisms*, 8(1): 62.
- Gopireddy, B.M., Devi, G.U., Kumar, K.V., Babu, T.R., & Naidu, T.C.M. 2017. Cultural and morphological characterization of *Rhizoctonia solani* f. sp. *sasakii* isolates collected from different districts of Andhra Pradesh. *Int J Curr Microbiol App Sci*, 6(11):3457-3469.
- Goswami, S.K., Singh, V., Kashyap, P.L., & Singh, P.K. 2019. Morphological characterization and screening for sheath blight resistance using Indian isolates of *Rhizoctonia solani* AG1IA. *Indian Phytopathology*, 72(1): 109-110.
- Hallmann J, Quadt-Hallmann A, Mahaffee, W.F., Kloepffer, J.W. 1997. Bacterial endophytes in agricultural crops. *Can J Microbiol*. 43(10):895-914.

- Handoko, Y.A., Kristiawan, Y.A., & Agus, Y.H. 2020. Isolasi dan karakterisasi biokimia bakteri pembusuk buah cabai rawit. *Teknologi Pangan: Media Informasi Dan Komunikasi Ilmiah Teknologi Pertanian*, 11(1): 34-41.
- Harahap, I. S. & Tjahjono, B. 1992. *Pengendalian Hama Penyakit Padi*. Penebar Swadaya, Jakarta.
- Harvianti, Y. 2019. Pengendalian Penyakit Hawar Pelepas Padi akibat Rhizoctonia solani dengan Penggunaan Bakteri Rhizosfer. *Prosiding Seminar Nasional Biodiversitas Indonesia*. Fakultas Biologi, Universitas Gadjah Mada Yogyakarta.
- Hatmanti, A. 2000. Pengenalan Bacillus spp. *Balitbang lingkungan laut LIPI*, 15(1):31-41.
- Herman M.A.B., Nault B.A., & Smart C.D. 2008. Effects of plant growth-promoting rhizobacteria on bell pepper production and green peach aphid infestations in New York. *Crop Protection*, 27: 996-1002.
- Hidayah, N., & Yulianti, T. 2015. Uji Antagonis Bacillus cereus Terhadap Rhizoctonia solani dan Sclerotium rolfsii. *Buletin Tanaman Tembakau, Serat & Minyak Industri*, 7(1): 5-6.
- Hong, C.E. & Park, J.M. 2016. Endophytic bacteria as biocontrol agents against plant pathogens: current state-of-the-art. *Plant Biotechnol*, 10: 353-357.
- Hyun, S.J., Paul, N.C., Deng, J.X., Kim, Y.S., Yun, B.S. & Yu, S.H. 2013. Biocontrol activity of *bacillus amyloliquefaciens* CNU114001 against fungal plant diseases. *Mycrobiology*, 41(4): 243-242.
- Ikeda S, Okubo T, Anda M, Nakashita H, Yasuda M, Sato S, Kaneko T, Tabata S, Eda S, Momiyama A, Terasawa K, Mitsui H, & Minamisawa K. 2010. Community- and genome-based views of plant-associated bacteria: plant-bacterial interactions in soybean and rice. *Plant Cell Physiol*. 51(9):1398-1410
- Jamali, H., Sharma, A., & Srivastava, A.K. 2020. Biocontrol potential of *Bacillus subtilis* RH5 against sheath blight of rice caused by *Rhizoctonia solani*. *Journal of Basic Microbiology*, 60(3): 268-280.
- Jaya, C.T., & Subha, M.P. 2011. A Study of 2 Rapid Tests to Differentiate Gram Positive and Gram Negative Aerobic Bacteria. *J. Med Allied Sci*, 1(2): 84-85.
- Kandel, S.L., Joubert, P.M., & Doty, S.L. 2017. Bacterial Endophyte Colonization and Distribution within Plants. *Microorganisms*, 5 (77): 1-26.

- Koller, W., C. Yao, F. Trail & D.M. Parker. 1995. Role of cutinase in the invasion of plants. *Can. J. Bot.* 73: 1109-1118.
- Kuk, J.H., Jung, W.J., Jo, G.H., Ahn, J.S., Kim, K.Y., & Park, R.D. 2005. Selective preparation of N-acetyl-D-glucosamine and N, N'-diacetylchitobiose from chitin using a crude enzyme preparation from *Aeromonas* sp. *Biotechnology letters*, 27(1): 7-11.
- Kumar, K.H. & Jagadeesh, K.S. 2016. Microbia consortia-mediated plant defense againt phytophatogens and growth benefits. *South Indian Journal of Biological Sciences*, 2(4): 395-403.
- Kurniawati, S., & Mutaqin, K.H. 2015. Eksplorasi dan uji senyawa bioaktif bakteri agensia hayati untuk pengendalian penyakit kresek pada padi. *Jurnal Hama dan Penyakit Tumbuhan Tropika*, 15(2): 170-179.
- Lal, M & Kandhari, J. 2009. Cultural and morphological variability in *Rhizoctonia solani* isolates causing sheath blight of rice. *J Mycol Pantl Pathol.* 39(1):77-81.
- Lu, Z., Guo, W. & Liu, C. 2018. Isolation, identification and characterization of novel *Bacillus subtilis*. *J Vet Med Sci.*, 80(3): 427-433.
- Ludwig-Müller, J. 2015. Plants and endophytes: equal partners in secondary metabolite production. *Biotechnology Letters*. 37(7): 1325-1334.
- Martinus, Y. Liswarni, & Miska, Y. 2010. Uji konsentrasi rebusan daun serai wangi *Andropogon nardus* L. (Graminae) terhadap pertumbuhan jamur *Colletotrichum gloeosporioides* Penz. Penyebab penyakit antraknosa pada papaya secara in vitro. *Manggaro*, 11(2): 57-64.
- Melliawati, R., Apridah, C.D., & Yopi. 2015. Seleksi bakteri asam laktat sebagai penghasil enzim protease. *Pros. Sem. Nas. Masy. Biodiv. Indon*, 1(2): 184-188.
- Mendgen, K. & Deising, H. 1993. Infection structures of fungal plant pathogens a cytological and physiological evaluation. *New Phytol.* 124: 193-213.
- Mew, T.W., B. Cottyn, R. Pomplona, H. Barrios, L. Xiangmin, C. Zhiyi, L. Fan, N. Nilpanit, P. Arunyanarat, P.V. Kim, & P.V. Du. 2004. Applying Rice Seed-Associated Antagonistic Bacteria to Manage Rice Sheath Blight in Developing Countries. *Plant Disease*, 88: 557-564.
- Montealegre, J.R., Reyes, R., Perez, L.M., Herrera, R., Silva, P., & Besoain, X. 2003. Selection of bioantagonistic bacteria to be used in biological control

- of Rhizoctonia solani in tomato. *Electronic Journal of Biotechnology*, 6(2):116-127.
- Mukherjee, G., Saha, C., Naskar, N., Mukherjee, A., Mukherjee, A., Lahiri, S., Majumder, A.L., & Seal, A. 2018. An endophytic bacterial consortium modulates multiple strategies to improve arsenic phytoremediation efficacy in Solanum nigrum. *Scientific Reports*. 8(1): 1-16.
- Mukti, K.S.A., N. Rohmawati., & S. Sulistiyan. 2018. Analisis kandungan karbohidrat, glukosa dan uji daya terima pada nasi bakar, nasi panggang dan nasi biasa. *Jurnal Agroteknologi*, 12(1): 90-99.
- Munif, A., & Wiyono, S. 2012. Isolasi bakteri endofit asal padi gogo dan potensinya sebagai agens biokontrol dan pemacu pertumbuhan. *Jurnal Fitopatologi Indonesia*, 8(3): 57-57.
- Muthukumar, A. & A. Venkatesh. 2013. Exploitation of fungal and endophytic bacteria for the management of leaf blight of ribbon plant. *J. Plant. Pathol. Microb*, 4(10): 2-5.
- Nafisah, H., Pujiyanto, S., & Raharjo, B. 2017. Isolasi dan uji aktivitas kitinase isolat bakteri dari kawasan geotermal Dieng. *Bioma*, 19(1): 22-29.
- Nagaraj, B. T., Gururaj Sunkad, P. D., Naik Manjunath, K., Patil Mahanthesh, B., Yadav Manoj, K., & Patil, N.B. 2019. Morphological, genetic and virulence diversity of Rhizoctonia solani isolates from different rice growing regions of Southern India. *Research Journal of Biotechnology*, 14 (5): 18-20.
- Novina, D., Suryanto, D., & Elimasni, D. 2013. Uji Potensi Bakteri Kitinolitik dalam Menghambat Pertumbuhan Rhizoctonia Solani Penyebab Rebah Kecambah pada Kentang Varietas Granola. *Saintia Biologi*, 1(1): 3-5.
- Nurbaya, Zulfikar, A., Kusinanti, T., Baharuddin., & Lologau B.A. 2011. Kemampuan Mikroba Antagonis dalam Mengendalikan Ralstonia solanacearum pada Sistem Budidaya Aeroponik Tanaman Kentang. *J Fitomedika*, 7(3): 155-158.
- Nurdin, G.M., Mubarik, N.R., Sudirman, L.I. 2016. Selection of chitinolytic bacteria as biological control of Colletotrichum capsici. *Malaysian Journal of Microbiology*, 12(1): 35-42.
- Nurmalinda, A., Mubarik, N. R., & Sudirman, L. 2020. Seleksi dan Karakterisasi Bakteri Penghasil Kitinase Penghambat Pertumbuhan Cendawan Patogen Tanaman. *Jurnal Ilmu Pertanian Indonesia*, 25(1): 37-40.

- Nuryanto, B. 2017. Penyakit hawar pelelah (*Rhizoctonia solani*) pada padi dan taktik pengelolaannya. *Jurnal Perlindungan Tanaman Indonesia*, 21(2): 63-71.
- Nuryanto, B., Priyatmojo, A., & Hadisutrisno, B. 2014. Pengaruh Tinggi Tempat dan Tipe Tanaman Padi terhadap Keparahan Penyakit Hawar Pelelah. *Jurnal Penelitian Pertanian Tanaman Pangan*, 33: 1-8.
- Pérez-Montaño, F., Alías-Villegas, C., Bellogín, R.A., del Cerro, P., Espuny, M.R., Jiménez-Guerrero, I., López-Baena, F.J. Ollero, F.J. & Cubo, T. 2014. Plant growth promotion in cereal and leguminous agricultural important plants: from microorganism capacities to crop production. *Microbiological research*, 169(5-6): 332-333.
- Pralhad, S.P., Krishnaraj, P.U., & Prashanthi, S.K. 2019. Morphological and molecular characterization of *Rhizoctonia solani* causing sheath blight in rice. *Int. J. Curr. Microbiol. App. Sci*, 8(1): 1717-1718.
- Pratita, M.Y.E. & Putra, S.R. 2012. Isolasi dan Identifikasi Bakteri Termofilik dari Sumber Mata Air Panas di Songgoriti Setelah Dua Hari Inkubasi. *Jurnal Teknik Pomits*, 1(1): 3-4.
- Prihatiningsih N., & Djatmiko H.A., 2016. Enzim Amilase Sebagai Komponen Antagonis *Bacillus Subtilis* B315 Terhadap *Ralstonia Solanacearum* Kentang. *J. HPT Tropika*, 16(1): 12-14.
- Purkan, Azizah B, Baktir A, Sumarsih S. 2014. Eksplorasi bakteri kitinolitik dari sampah organik: isolasi dan karakterisasi enzim kitinase. *Molekul*, 9(2): 128-135.
- Purnawati, A., Sastrahidayat, I.R., Abadi, A.L. & Hadiastono, T. 2014. Endophytic Bacteria as Biocontrol Agents of Tomato Bacterial Wilt Disease. *The Journal of Tropical Life Science*, 4(1):33-36.
- Purwaningsih, D., & Wulandari, D. 2021. Uji Aktivitas Antibakteri Hasil Fermentasi Bakteri Endofit Umbi Talas (*Colocasia esculenta L*) terhadap Bakteri *Pseudomonas aeruginosa*. *Jurnal Sains dan Kesehatan*, 3(5): 750-759.
- Pusposendjojo, N. 1999. Patogenisitas *Rhizoctonia solani* setelah Penyimpanan pada Substrat Berbeda. *Jurnal Perlindungan Tanaman Indonesia*, 5(1): 24-29.
- Raaijmaker J.M., Paulitz, T.C., Steinberg, C., Alabouvette, C., & Moënne-Loccoz, Y. 2008. The Rhizosphere: a playground and battlefield for soilborn pathogens and beneficial microorganism. *Plant Soil*, 321(1-2):341-361

- Rahma, S. A., Mubarik, N. R., & Manaf, L. A. 2021. Efektivitas Penghambatan Bakteri Kitinolitik Terhadap Fusarium proliferatum. *Prosiding Biotik*, 9(1): 454-457.
- Resti, Z., Eri, S., & Reflin. 2018. Konsorsium bakteri endofit sebagai pengendali hayati *Ralstonia solanacearum* dan pemicu pertumbuhan tanaman cabai. *Pros Sem Nas Masy Biodiv Indon*, 4(2): 208-214.
- Robi'a., Puspita, F. & Saryono. 2012. Skrining Bakteri Endofitik dari Umbi Tanaman Dahlia (Dahlia variabilis). *Jurnal Teknobiologi*, 3(2): 154-157.
- Rosmaladewi, O., Tandi, M. & Kulsum, U. 2020. The Effect of Chitosan in Suppressing the Development of the Sheath Blight Disease (*Rhizoctonia solani* Khun) on Rice (*Oryza sativa* L.). *CROPSAVER-Journal of Plant Protection*, 3(1): 8-9.
- Schwantes-Cezario, N., Peres, M. V. N. D. N., Fruet, T. K., Nogueira, G. S. F., Toralles, B. M., & Cezario, D. D. S. 2018. Crack filling in concrete by addition of *Bacillus subtilis* spores-Preliminary study. *Dyna*, 85(205): 134-138.
- Seema, M & Devaki, N.S. 2012. In vitro evaluation of biological control agents against *Rhizoctonia solani*. *Journal of Agricultural Technology*, 8(1):233-240.
- Semangun, H. 2008. Penyakit-Penyakit Tanaman Pangan di Indonesia. 2nd Ed. Yogyakarta: Gadjah Mada University Press.
- Setia, I. N., & Suharjono, S. 2015. Diversitas dan Uji Potensi Bakteri Kitinolitik dari Limbah Udang. *Biotropika: Journal of Tropical Biology*, 3(2): 96-97.
- Sharma CK, Vishnoi VK, Dubey RC, Maheshwari DK. 2018. A twin rhizospheric bacterial consortium induces systemic resistance to a phytopathogen *Macrophomina phaseolina* in mung bean. *Rhizosphere*, 5: 71-75.
- Shrestha, B. K., Karki, H. S., Groth, D. E., Jungkhun, N., & Ham, J. H. 2016. Biological control activities of rice-associated *Bacillus* sp. strains against sheath blight and bacterial panicle blight of rice. *PloS one*: 11(1): 3-12.
- Singh J, Kumar A. 2018. Variability among isolates of *Rhizoctonia solani* inciting web blight of Mungbean. *Int J Curr Microbiol App Sci*. 7(9):2501-2510.
- Siregar, H. 1981. *Budidaya Tanaman Padi di Indonesia*. Sastra Hudaya, Bogor.
- Soeka, Y. S., & Sulistiani, S. 2012. Seleksi, Karakterisasi, dan Identifikasi Bakteri

- Penghasil Kitinase yang Diisolasi dari Gunung Bromo Jawa Timur. *Jurnal Natur Indonesia*, 13(2): 155-161.
- Sudharani, M., Shivaprakash, M. K., & Prabhavathi, M. K. 2014. Role of consortia of biocontrol agents and PGPR s in the production of cabbage under nursery condition. *Int J Curr Microbiol Appl Sci*, 3(6): 1057-1060.
- Suharno. 2005. *Perlindungan Tanaman*. STTP Yogyakarta, Yogyakarta.
- Suparyono & Sudir. 1999. Peran Sklerosia dan Bentuk Lain Pathogen Rhizoctonia solani Kuhn, sebagai Sumber Inokulum Awal Penyakit Hawar Pelepas Padi. *Jurnal Perlindungan Tanaman Indonesia*, 5: 7-12.
- Suriani & Muis, A. 2016. Prospek Bacillus subtilis Sebagai Agen Pengendali Hayati Patogen Tular Tanah Pada Tanaman Jagung. *J. Litbang Pert.* 35(1): 38-42.
- Suryadi Y, Priyatno, T.P, Samudra, I., Susilowati, D.N., Lawati, N., & Kustaman, E. 2013. Permianan parsial dan karakterisasi kitinase asal jamur entomopatogen Beauveria bassiana isolat BB200109. *J. Agro Biogen*, 9(2):77-84.
- Suryawanshi, P.P., Krishnaraj, P.U. & Prashanthi, S.K. 2019. Morphological and molecular characterization of Rhizoctonia solani causing sheath blight in rice. *International Journal of Current Microbiology and Applied Sciences*, 8(01): 1714-1721.
- Syahfitri, D., Mubarik, N. R., & Manaf, L. A. 2018. Penggunaan Bakteri Kitinolitik sebagai Pengendali Hayati Colletotrichum capsici pada Tanaman Cabai. *Jurnal Fitopatologi Indonesia*, 14(4): 121-124.
- Vespermann, A., Marco, K., & Piechulla, B. 2007. Rhizobacterial volatiles affect the growth of fungi and *Arabidopsis thaliana*. *Appl. Environ. Microbiol*, 73(17):5639-5641.
- Widhyastuti, N. 2007. Produksi Kitinase Ekstraseluler *Aspergillus rugulosus* 501 secara Optimal pada Media Cair. *Jurnal Berita Biologi*, 8(6): 547-553.
- Yang, D., Wang, B., Wang, J., Chen, Y., & Zhou, M. 2009. Activity and efficacy of *Bacillus subtilis* strain NJ-18 against rice sheath blight and *Sclerotinia* stem rot of rape. *Biological Control*, 51(1): 62-65.
- Yanti, Y., Warnita, Reflin, & Busniah, M. 2018. Indigenous endophyte bacteria ability to control *Ralstonia* and *Fusarium* wilt disease on chili pepper. *Biodiversitas*, 19(4): 1533-153.

Yurnaliza, Y., Margino, S., & Sembiring, L. 2012. Kemampuan kitinase Streptomyces RKt5 sebagai Antijamur terhadap patogen Fusarium oxysporum. *Jurnal Natur Indonesia*, 14(1): 42-46.

Zhang, L.N., Wang, D.C., Hu, Q., Dai, X.Q., Xie, Y.S., Li, Q., Liu, H.M., & Guo, J.H. 2019. Consortium of plant growth-promoting Rhizobacteria strains suppresses sweet pepper disease by altering the rhizosphere microbiota. *Front Microbiol*, 10(1668): 3-8.

