

DAFTAR PUSTAKA

- Abbaspour Babaei, M. *et al.*, 2016, ‘DDDT-89114-receptor-tyrosine-kinase--c-kit--inhibitors--a-therapeutic-t’, *Drug Design, Development and Therapy*, 10, pp. 2443–2459.
- Abd Wahab, W. and Adzmi, A. N., 2017, ‘the Investigation of Cytotoxic Effect of Cinnamomum Zeylanicum Extracts on Human Breast Cancer Cell Line (Mcf-7)’, *Science Heritage Journal*, 1(2), pp. 23–28. doi: 10.26480/gws.02.2017.23.28.
- Atun, S. and Arianingrum, R., 2015, ‘Anticancer activity of bioactive compounds from Kaempferia rotunda rhizome against human breast cancer’, *International Journal of Pharmacognosy and Phytochemical Research*, 7(2), pp. 262–269.
- Banerjee, M. *et al.*, 2016, ‘Cytotoxicity and cell cycle arrest induced by andrographolide lead to programmed cell death of MDA-MB-231 breast cancer cell line’, *Journal of Biomedical Science*, 23(1). doi: 10.1186/s12929-016-0257-0.
- Cheung, T., Nigam, P. and Owusu-Apenten, R., 2016, ‘Antioxidant Activity of Curcumin and Neem (*Azadirachta indica*) Powders: Combination Studies with ALA Using MCF-7 Breast Cancer Cells’, *Journal of Applied Life Sciences International*, 4(3), pp. 1–12. doi: 10.9734/jalsi/2016/22273
- Demoulin, J. B. and Essaghir, A., 2014, ‘PDGF receptor signaling networks in normal and cancer cells’, *Cytokine and Growth Factor Reviews*, 25(3), pp. 273–283. doi: 10.1016/j.cytogfr.2014.03.003.
- Dewi, M., 2017, ‘Sebaran Kanker di Indonesia, Riset Kesehatan Dasar 2007’, *Indonesian Journal of Cancer*, 11(1), pp. 1–8. doi: 10.33371/ijoc.v11i1.494.
- Ehnman, M. *et al.*, 2013, ‘Distinct effects of ligand-induced PDGFR α and PDGFR β signaling in the human rhabdomyosarcoma tumor cell and stroma cell compartments’, *Cancer Research*, 73(7), pp. 2139–2149. doi: 10.1158/0008-5472.CAN-12-1646.
- Elengoe, A. and Devi Sundramoorthy, N., 2020, ‘Molecular Docking of Curcumin With Breast Cancer Cell Line Proteins’, *Pharmaceutical and Biomedical Research*, 6(1), pp. 27–36. doi: 10.18502/pbr.v6i1.3425.
- Faqiha *et al.*, 2022, ‘Potensi Senyawa Nitazoxanide dan Arbidol sebagai Antivirus SARS-CoV-2 terhadap Reseptor NSP5 (7BQY dan 2GZ7) dan ACE2 (3D0G dan 1R4L)’, *Journal of Food and Pharmaceutical Sciences*, 5(March), pp. 570–583. doi: 10.22146/jfps.3393.
- Forli, S. *et al.*, 2016, ‘Computational protein – ligand docking and virtual drug screening with the AutoDock suite’, 11(5), pp. 905–919. doi: 10.1038/pj.2016.37.

- Hanif, A. U., Lukis, P. A. and Fadlan, A., 2020, 'Pengaruh Minimisasi Energi MMFF94 dengan MarvinSketch dan Open Babel PyRx pada Penambatan Molekular Turunan Oksindola Tersubstitusi', *Alchemy*, 8(2), pp. 33–40. doi: 10.18860/al.v8i2.10481.
- Hasbiyani, N. A. F. et al., 2021, 'Bioinformatics analysis confirms the target protein underlying mitotic catastrophe of 4t1 cells under combinatorial treatment of pgv-1 and galangin', *Scientia Pharmaceutica*, 89(3), pp. 1–14. doi: 10.3390/scipharm89030038.
- Hermawati, E. et al., 2021, 'Epoxyquinophomopsins A and B from endophytic fungus Phomopsis sp. and their activity against tyrosine kinase', *Journal of Natural Medicines*, 75(1), pp. 217–222. doi: 10.1007/s11418-020-01454-1.
- Ichwan, S. J. A. et al., 2019, 'Anti-neoplastic potential of ethyl-p-methoxycinnamate of Kaempferia galanga on oral cancer cell lines', *Materials Today: Proceedings*, 16, pp. 2115–2121. doi: 10.1016/j.matpr.2019.06.100.
- Kemenkes RI, 2019, *Profil Kesehatan Indonesia 2019*. Jakarta.
- Khan, A.U. et al., 2021, 'Therapeutic role of flavonoids and flavones in cancer prevention: Current trends and future perspectives', *European Journal of Medicinal Chemistry Reports*, Volume 3, December 2021, 100010
- Lev, D. C. et al., 2005, 'Inhibition of platelet-derived growth factor receptor signaling restricts the growth of human breast cancer in the bone of nude mice', *Clinical Cancer Research*, 11(1), pp. 306–314.
- Liang, L. et al., 2016, 'Structural and biochemical studies of the PDGFRA kinase domain', *Biochemical and Biophysical Research Communications*, 477(4), pp. 667–672. doi: 10.1016/j.bbrc.2016.06.117.
- Ma D.L. et al., 2011, 'Molecular docking for virtual screening of natural product databases', *The Royal Society of Chemistry*, pp. 1656–1665. doi: 10.1039/c1sc00152c.
- Masadah, R., Ikram, D. and Rauf, S., 2021, 'Effects of propolis and its bioactive components on breast cancer cell pathways and the molecular mechanisms involved', *Breast Disease*, 40(S1), pp. S15–S25. doi: 10.3233/BD-219003.
- Mohan, K. et al., 2018, 'Identification and in-Silico Analysis of Anti-Cancer Compounds From Herbal Mix of North-East India', 4(484), pp. 484–497. doi: 10.26479/2018.0405.40.
- Mokhtar, M. et al., 2021, 'Design and green synthesis of novel quinolinone derivatives of potential anti-breast cancer activity against MCF-7 cell line targeting multi-receptor tyrosine kinases', *Journal of Enzyme Inhibition and Medicinal Chemistry*, 36(1), pp. 1454–1471. doi: 10.1080/14756366.2021.1944126.
- Muchtaridi, M., Dermawan, D. and Yusuf, M., 2018, 'Molecular docking, 3D structure-based pharmacophore modeling, and ADME prediction of alpha mangostin and its derivatives against estrogen receptor alpha', *Journal of Young Pharmacists*, 10(3), pp. 252–259. doi: 10.5530/jyp.2018.10.58.

- Narko, T. *et al.*, 2017, 'MOLECULAR DOCKINGSTUDYOF BULB OF BAWANG DAYAK (Eleutherine Palmifolia (L) Merr)COMPOUND AS ANTI SERVICAL CANCER', *Jurnal Ilmiah Farmako Bahari*, 8(2), pp. 1–14. Available at: <https://journal.uniga.ac.id/index.php/JFB/article/view/643>.
- Noomhorm, N. *et al.*, 2014, 'In vitro and in vivo effects of xanthorrhizol on human breast cancer MCF-7 cells treated with tamoxifen', *Journal of Pharmacological Sciences*, 125(4), pp. 375–385. doi: 10.1254/jphs.14024FP.
- Noviardi, H., Masaenah, E. and Ramadhan, R., 2020, 'PENAPISAN MOLEKULAR KANDIDAT OBAT SINTETIK TUBERKULOSIS TERHADAP PROTEIN TIROSIN KINASE Mycobacterium tuberculosis', *Jurnal Farmamedika (Pharmamedica Journal)*, 5(2), pp. 60–69. doi: 10.47219/ath.v5i2.104.
- Nurrachma, M. Y., Fadliyah, H. and Meiyanto, E., 2018, 'Fingerroot (Boesenbergia pandurata): A Prospective Anticancer Therapy Fingerroot and The Utilization by Society', *Indones. J. Cancer Chemoprevent*, 9(2), pp. 102–109.
- Ostman, A. and Heldin, C. H., 2007, 'PDGF Receptors as Targets in Tumor Treatment', *Advances in Cancer Research*, 97(06), pp. 247–274. doi: 10.1016/S0065-230X(06)97011-0.
- Papadopoulos, N. and Lennartsson, J., 2018, 'The PDGF/PDGFR pathway as a drug target', *Molecular Aspects of Medicine*, 62, pp. 75–88. doi: 10.1016/j.mam.2017.11.007.
- Poornima, B. N. and Deeba, F., 2020, 'Activities of Cinnamaldehyde From Boswellia Serrata on Mcf-7 Breast Cancer Cell Line', 2020(08), pp. 1–9. doi: 10.26438/ijsrbs/v7i4.3543.
- Prasetyo, N. F. *et al.*, 2021, 'Molecular Docking terhadap Senyawa Isoeleutherin dan Isoeletherol sebagai Penghambat Pertumbuhan SARS-CoV-2', *Jurnal e-Biomedik*, 9(1), pp. 101–106. doi: 10.35790/ebm.v9i1.31809.
- Ramírez, D. and Caballero, J., 2018, 'Is It Reliable to Take the Molecular Docking Top Scoring Position as the Best Solution without Considering Available Structural Data?', *Molecules*, 23(5), pp. 1–17. doi: 10.3390/molecules23051038.
- Rastini, M. B. O. *et al.*, 2019, 'Molecular Docking Aktivitas Antikanker Dari Kuersetin Terhadap Kanker Payudara Secara in Silico', *Jurnal Kimia*, p. 180. doi: 10.24843/jchem.2019.v13.i02.p09.
- Riverson S. & Rizarullah, 2020, POTENSI ANTIDIABETES BENZYL BETA D GLUCOPYRANOSIDE DARI DAUN YACON SEBAGAI INHIBITOR ENZIM DPP-4: METODE IN SILICO, ISBN: 978-602-70648-2-9
- Rizaldy, D. *et al.*, 2022, 'Chemical Compounds and Pharmacological Activities of Mangosteen (Garcinia mangostana L.) - Updated Review', 12(2), pp. 2503–2516.
- Rosidah, I., Sumaryono, W. and Surini, S., 2014, 'Peningkatan Kelarutan

- Andrografolid dalam Fraksi Etil Asetat Herba Sambiloto (*Andrographis paniculata* Nees) Melalui Mikroenkapsulasi dengan Metode Semprot Kering’, *Jurnal Ilmu Kefarmasian Indonesia*, 12(Vol 12 No 1 (2014): JIFI), pp. 80–92.
- Sari I.W., Junaidi, & Dina P., 2020, ‘STUDI MOLECULAR DOCKING SENYAWA FLAVONOID HERBA KUMIS KUCING (*Orthosiphon stamineus*) PADA RESEPTOR α -GLUKOSIDASE SEBAGAI ANTIDIABETES TIPE 2’, *farmagazine*, VII, p. NO 2.
- Suherlan, S., Rohayah, R. and Fakih, T. M., 2021, ‘UJI AKTIVITAS ANTIKANKER PAYUDARA SENYAWA ANDROGRAFOLIDA DARI TUMBUHAN SAMBILOTO (*Andrographis paniculata* (Burm F) Ness.) TERHADAP HUMAN EPIDERMAL GROWTH FACTOR RECEPTOR 2 (HER-2) SECARA IN SILICO’, *Jurnal Ilmiah Farmasi Farmasyifa*, 4(2), pp. 39–50. doi: 10.29313/jiff.v4i2.7784.
- Sulastri, S., Riza, H. and Fajriaty, I., 2019, ‘Studi in silico senyawa turunan flavonoid terhadap enzim HMG- CoA reduktase’, *Jurnal Mahasiswa Farmasi Fakultas Kedokteran Untan*, 4(1), pp. 1–7.
- Susanti S., Eka S., & Maryani, 2021, ‘PENAMBATAN MOLEKULER SENYAWA CENDAWAN ENDOFIT *Trichoderma* sp. SEBAGAI INHIBITOR PROTEIN LOW DENSITY LIPOPROTEIN,ENZIMLANASTEROL 14-A DEMETILASE DANLIPASE YANG BERTANGGUNG JAWAB DALAM DERMATITIS SEBOROIK’ ,*Jurnal Ilmiah Ibnu Sina*, 6 (1), Maret 2021, 98-107P- ISSN : 2502-647X;e-ISSN : 2503-1902
- Touat, M. et al., 2015, ‘Targeting FGFR signaling in cancer’, *Clinical Cancer Research*, 21(12), pp. 2684–2694. doi: 10.1158/1078-0432.CCR-14-2329.
- Wadood, A. et al., 2013, ‘In-silico drug design: An approach which revolutionised the drug discovery process’, *OA Drug Design and Delivery*, 1(1), pp. 1–4. doi: 10.13172/2054-4057-1-1-1119.
- Waks, A. G. and Winer, E. P., 2019, ‘Breast Cancer Treatment: A Review’, *JAMA - Journal of the American Medical Association*, pp. 288–300. doi: 10.1001/jama.2018.19323.
- WHO, 2021, *Cancer*. Available at: <https://www.who.int/news-room/fact-sheets/detail/cancer> (Accessed: 3 November 2021).
- Yu, X. et al., 2022, ‘In Silico Screening and Validation of PDGFRA Inhibitors Enhancing Radioiodine Sensitivity in Thyroid Cancer’, *Frontiers in Pharmacology*, 13(May), pp. 1–12. doi: 10.3389/fphar.2022.883581.
- Zamecnikova, A. and Al, B. S., 2015, ‘PDGFRA (platelet-derived growth factor receptor, alpha polypeptide)’, *Atlas of Genetics and Cytogenetics in Oncology and Haematology*, 19(3), pp. 194–197. doi: 10.4267/2042/56411.
- Zhang, R. et al., 2018, ‘Bioactive Sesquiterpenoids from the Peeled Stems of *Syringa pinnatifolia*’, *Journal of Natural Products*, 81(8), pp. 1711–1720. doi: 10.1021/acs.jnatprod.7b01071.