

## DAFTAR PUSTAKA

- Adriani 2018, ‘Prediksi Senyawa Bioaktif dari Tanaman Sanrego (Lunasia amara Blanco) Sebagai Inhibitor Enzil Siklooksigenase-2 (COX-2) melalui Pendekatan Molekuler Docking’, *Jurnal Ilmiah Pena*, vol. 1, no. 1, pp. 6–11.
- Akhtar, S et al. 2012, ‘Activation of EGFR/erbB2 via pathways involving ERK1/2, P38 MAPK, AKT and FOXO enhances recovery of diabetic hearts from ischemia-reperfusion injury’, *PLoS ONE*, vol. 7, no. 6.
- Al-anazi, M, Khairuddean, M, & Al-najjar, BO 2022, ‘Synthesis , anticancer activity and docking studies of pyrazoline and pyrimidine derivatives as potential epidermal growth factor receptor ( EGFR ) inhibitors’, *Arabian Journal of Chemistry*, vol. 15, no. 7, p. 103864, <<https://doi.org/10.1016/j.arabjc.2022.103864>>.
- Amin, S 2014, ‘Hubungan Kuantitatif Struktur-Aktivitas Antibakteri Turunan Benzimidazol Menggunakan Metode Pm3’, *Jurnal Kesehatan Bakti Tunas Husada: Jurnal Ilmu-ilmu Keperawatan, Analis Kesehatan dan Farmasi*, vol. 12, no. 1, p. 254.
- Banerjee, M et al. 2016, ‘Cytotoxicity and cell cycle arrest induced by andrographolide lead to programmed cell death of MDA-MB-231 breast cancer cell line Cytotoxicity and cell cycle arrest induced by andrographolide lead to programmed cell death of MDA-MB-231 breast cancer cell’, *Journal of Biomedical Science*, pp. 1–16, <<http://dx.doi.org/10.1186/s12929-016-0257-0>>.
- Bemanian, V et al. 2015, ‘The epidermal growth factor receptor (EGFR / HER-1) gatekeeper mutation T790M is present in European patients with early breast cancer’, *PLoS ONE*, vol. 10, no. 8, pp. 1–11.
- Beny, R, Yana, NRA, & Leorita, M 2020, ‘Desain Turunan Senyawa Leonurine Sebagai Kandidat Obat Anti Inflamasi’, *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal)*, vol. 6, no. 1, pp. 181–191.

- Frimayanti, N et al. 2021, ‘Docking and Molecular Dynamic Simulations Study to Search Curcumin Analogue Compounds as Potential Inhibitor Against SARS-CoV: A Computational Approach’, *Jurnal Kimia Sains dan Aplikasi*, vol. 24, no. 3, pp. 85–90, <<https://doi.org/10.4710/jksa.24.3.85-90>>.
- Hairunnisa, H 2019, ‘Sulitnya Menemukan Obat Baru di Indonesia’, *Majalah Farmasetika*, vol. 4, no. 1, p. 16.
- Hamza, A, Wei, N, & Guo, Z chang 2012, ‘Ligand-Based Virtual Screening Approach Using a New Scoring Function’, *J Chem Inf Model.*, vol. 52, no. 4, pp. 963–974.
- Herdiana, Y et al. 2021, ‘ $\alpha$ -Mangostin nanoparticles cytotoxicity and cell death modalities in breast cancer cell lines’, *Molecules*, vol. 26, no. 17, pp. 1–16.
- Huang, Y et al. 2021, ‘A molecular mechanism for the generation of ligand-dependent differential outputs by the epidermal growth factor receptor’, *eLife*, vol. 10, pp. 1–32, <<https://doi.org/10.7554/eLife.73218>>.
- Ibrahim, MT et al. 2020, ‘Computer-aided molecular modeling [ 2 , 3-f ] quinazoline derivatives as EGFR WT inhibitors’, *Journal of Basic and Applied Sciences*, vol. 9, no. 20, pp. 1–10, <<https://doi.org/10.1186/s43088-020-00047-x>>.
- Kelutur, FJ, Mustarichie, R, & Umar, AK 2020, ‘Virtual Screening Kandungan Senyawa Kipas Laut (*Gorgonia mariae*) sebagai Anti-Asma’, *ALCHEMY Jurnal Penelitian Kimia*, vol. 16, no. 2, p. 48.
- Kilo, A La et al. 2019, ‘Studi Potensi Pirazolin Tersubtitusi 1-N dari Tiosemikarbazon Sebagai Agen Antiamuba Melalui Uji In Silico’, *Indo J Cherm Res*, vol. 7, no. 1, pp. 9–16.
- Kittipaspallop, W et al. 2018, ‘Acute toxicity and teratogenicity of  $\alpha$ -mangostin in zebrafish embryos’, *Experimental Biology and Medicine*, vol. 243, no. 15–16, pp. 1212–1219.
- Kritsanawong, S et al. 2016, ‘Antiproliferative and apoptosis induction of  $\alpha$  - mangostin in T47D breast cancer cells’, *International Journal of Oncology*,

- vol. 48, pp. 2155–2165.
- Kumar, S, Purohit, P, & Dagar, S 2018, ‘a Review: Status of Genetic Modulated Nonsmall Cell Lung Cancer Targets and Treatment (Current Updates in Drugs for Non-Small Cell Lung Cancer Treatment)’, *Asian Journal of Pharmaceutical and Clinical Research*, vol. 11, no. 8, p. 40.
- Lee, JY et al. 2011, ‘Curcumin induces EGFR degradation in lung adenocarcinoma and modulates p38 activation in intestine: The versatile adjuvant for gefitinib therapy’, *PLoS ONE*, vol. 6, no. 8.
- Lin, Xiaoqian, Li, X, & Lin, Xubo 2020, ‘A review on applications of computational methods in drug screening and design’, *Molecules*, vol. 25, no. 6, pp. 1–17.
- Liu, D et al. 2018, ‘Galangin Induces Apoptosis in MCF-7 Human Breast Cancer Cells Through Mitochondrial Pathway and Phosphatidylinositol 3-Kinase/Akt Inhibition’, *Pharmacology*, vol. 102, no. 1–2, pp. 58–66.
- Maia, EHB et al. 2020, ‘Structure-Based Virtual Screening: From Classical to Artificial Intelligence’, *Frontiers in Chemistry*, vol. 8, no. April.
- Noomhorm, N et al. 2014, ‘In vitro and in vivo effects of xanthorrhizol on human breast cancer MCF-7 cells treated with tamoxifen’, *Journal of Pharmacological Sciences*, vol. 125, no. 4, pp. 375–385.
- Nursamsiar et al. 2020, ‘In Silico Study of Aglycon Curculigoside A and Its Derivatives as  $\alpha$ -Amilase Inhibitors Studi In Silico Aglikon Kurkuligosida A dan Turunannya sebagai Inhibitor  $\alpha$ -Amilase’, *Indonesian Journal of Pharmaceutical Science and Technology*, vol. 7, no. 1, pp. 29–37.
- Omar, MNOR et al. 2016, ‘Cytotoxicity Activity of Biotransformed Ethyl p-methoxycinnamate by Aspergillus niger’, *Oriental Journal of Chemistry*, vol. 32, no. 5, pp. 20–23.
- Prasetiawati, R et al. 2021, ‘Molecular Docking Study of Anthocyanidin Compounds Against Epidermal Growth Factor Receptor (EGFR) as Anti-Lung Cancer’, *Indonesian Journal of Pharmaceutical Science and Technology*, vol.

8,no. 1, p. 8.

Qiu, P et al. 2013, ‘Bioorganic & Medicinal Chemistry Exploring pyrimidine-substituted curcumin analogues: Design , synthesis and effects on EGFR signaling’, *Bioorganic & Medicinal Chemistry*, vol. 21, no. 17, pp. 5012–5020, <<http://dx.doi.org/10.1016/j.bmc.2013.06.053>>.

Rachmania, RA, Zikriah, R, & Soultan, A 2018, ‘Studi In Silico Senyawa Alkaloid Herba Bakung Putih ( Crinum Asiaticum L .) pada Penghambatan Enzim Siklooksigenase ( COX ) In Silico Study of Alkaloid Herba Bakung Putih ( Crinum Asiaticum L .) on Inhibition of Cyclooxygenase Enzyme ( COX )’, *Jurnal Kimia Valensi*, vol. 4, no. 2, pp. 124–136.

Roberts, MS et al. 2020, ‘KLF4 defines the efficacy of the epidermal growth factor receptor inhibitor, erlotinib, in triple-negative breast cancer cells by repressing the EGFR gene’, *Breast Cancer Research*, vol. 22, no. 1, pp. 1–14.

Sari, IW, Junaidin, & Pratiwi, D 2020, ‘Studi Molecular Docking Senyawa Flavonoid Herba Kumis Kucing (Orthosiphon stamineus) pada Reseptor α-Glukosidase sebagai antidiabetes tipe 2’, *Jurnal Farmagazine*, vol. VII, no. 2, pp. 54–60.

Sogabe, S et al. 2013, ‘Structure-based approach for the discovery of pyrrolo[3,2-d]pyrimidine-based EGFR T790M/L858R mutant inhibitors’, *ACS Medicinal Chemistry Letters*, vol. 4, no. 2, pp. 201–205.

Syahputra, G, Ambarsari L, & T, S 2014, ‘Simulasi docking kurkumin enol, bisdemetoksikurkumin dan analognya sebagai inhibitor enzim12-lipoksgigenase’, *Biofisika*, vol. 10, no. 1, pp. 55–67.

Takeda, M & Nakagawa, K 2019, ‘First- and Second-Generation EGFR-TKIs Are All Replaced to Osimertinib in Chemo-Naive EGFR Mutation-Positive Non-Small Cell Lung Cancer ?’, *International Journal of Molecular Sciences*, vol. 20, no. 146, pp. 1–8.

Vangalpati, M, Satya, nandam sree, & Surya, prakash D. 2013, ‘In-vitro anti-cancer studies of Cinnamaldehyde on breast cancer cell line (MCF-7)’,

- Analytical Chemistry*, vol. 7, no. 3, pp. 81–84.
- Wang, S 2019, ‘Second-generation EGFR and ErbB tyrosine kinase inhibitors as first-line treatments for non-small cell lung cancer’, *OncoTargets and Therapy*, vol. 12, pp. 6535–6548.
- Yeong, KY et al. 2020, ‘Discovery of gamma-mangostin from Garcinia mangostana as a potent and selective natural SIRT2 inhibitor’, *Bioorganic Chemistry*, vol. 94, no. October, p. 103403, <<https://doi.org/10.1016/j.bioorg.2019.103403>>.
- Zhang, H et al. 2020, ‘Anticancer activity of dietary xanthone α - mangostin against hepatocellular carcinoma by inhibition of STAT3 signaling via stabilization of SHP1’, *Cell Death and Disease*, vol. 11, no. 63, pp. 1–17, <<http://dx.doi.org/10.1038/s41419-020-2227-4>>.
- Zhao, W & Sun, S 2021, ‘Lung Cancer : Targets and Therapy Managing Acquired Resistance to Third-Generation EGFR Tyrosine Kinase Inhibitors Through Co-Targeting MEK / ERK Signaling’, *Lung Cancer : Targets and Therapy*, vol. 12, pp. 1–10.
- Zhao, Z, Xie, L, & Bourne, EP 2019, ‘Structural insights into characterizing binding sites in EGFR kinase mutants Zheng’, *Physiology & behavior*, vol. 59, no. 1, pp. 453–462, <<10.1021/acs.jcim.8b00458>>.
- Zhong, W, Zhou, Q, & Wu, Y 2017, ‘The resistance mechanisms and treatment strategies for EGFR - mutant advanced non-small-cell lung cancer’, *oncotarget*, vol. 8, no. 41, pp. 71358–71370.
- Zhou, QM et al. 2011, ‘Curcumin enhanced antiproliferative effect of mitomycin C in human breast cancer MCF-7 cells in vitro and in vivo’, *Acta Pharmacologica Sinica*, vol. 32, no. 11, pp. 1402–1410.
- Zhu, X et al. 2021, ‘Pinocembrin Inhibits the Proliferation and Metastasis of Breast Cancer via Suppression of the PI3K/AKT Signaling Pathway’, *Frontiers in Oncology*, vol. 11, no. July, pp. 1–13.