

DAFTAR PUSTAKA

- Arvas, A., 2014. Vaccination in patients with immunosuppression. *Turk Pediatri Arsivi*, 49(3), pp. 181–185. doi: 10.5152/tpa.2014.2206.
- Azevedo, F., Pereira, H. & Johansson, B., 2017. Colony PCR. In: L. Domingues, ed. *PCR. Methods in Molecular Biology*. New York: Springer. pp.129–139. doi: 10.1007/978-1-4939-7060-5.
- Bertero, A., Brown, S. & Vallier, L., 2017. *Methods of Cloning. Basic Science Methods for Clinical Researchers*. Elsevier Inc. doi: 10.1016/B978-0-12-803077-6.00002-3.
- Bracke, A., Hoogewijs, D. & Dewilde, S., 2018. Exploring three different expression systems for recombinant expression of globins: *Escherichia coli*, *Pichia pastoris* and *Spodoptera frugiperda*. *Analytical Biochemistry*, 543, pp. 62–70. doi: 10.1016/j.ab.2017.11.027.
- Brouwer, P. J. M., Brinkkemper, M., Maisonnasse, P., Dereuddre-Bosquet, N., Grobben, M., Claireaux, M., de Gast, M., Marlin, R., Chesnais, V., Diry, S., Allen, J. D., Watanabe, Y., Giezen, J. M., Kerster, G., Turner, H. L., van der Straten, K., van der Linden, C. A., Aldon, Y., Naninck, T., Bontjer, I., Burger, J. A., Poniman, M., Mykytyn, A. Z., Okba, N. M. A., Schermer, E. E., van Breemen, M. J., Ravichandran, R., Caniels, T. G., van Schooten, J., Kahlaoui, N., Contreras, V., Lemaître, J., Chapon, C., Fang, R. H. T., Villaudy, J., Sliepen, K., van der Velden, Y. U., Haagmans, B. L., de Bree, G. J., Ginoux, E., Ward, A. B., Crispin, M., King, N. P., van der Werf, S., van Gils, M. J., Le Grand, R. & Sanders, R. W., 2021. Two-component spike nanoparticle vaccine protects macaques from SARS-CoV-2 infection. *Cell*, 184(5), pp. 1188-1200.e19. doi: 10.1016/j.cell.2021.01.035.
- Cantoia, A., Aguilar Lucero, D., Ceccarelli, E. A. & Rosano, G. L., 2021. From the notebook to recombinant protein production in *Escherichia coli*: Design of expression vectors and gene cloning. In: Z. Kelman and W.B. O'Dell, eds. *Methods in Enzymology*, Methods in Enzymology. Academic Press. pp.19–35. doi: 10.1016/bs.mie.2021.07.008.
- Carter, M. & Shieh, J., 2015. Molecular cloning and recombinant DNA technology. *Guide to Research Techniques in Neuroscience*, 1, pp. 219–237. doi: 10.1016/b978-0-12-800511-8.00010-1.
- Chan, W. T., Verma, C. S., Lane, D. P. & Gan, S. K. E., 2013. A comparison and optimization of methods and factors affecting the transformation of *Escherichia coli*. *Bioscience Reports*, 33(6). doi: 10.1042/BSR20130098.
- Chandra, P. K. & Wikel, S. K., 2005. Analyzing ligation mixtures using a PCR based method. *Biological Procedures Online*, 7(1), pp. 93–100. doi: 10.1251/bpo108.
- Čížková, M., Slavková, M., Vítová, M., Zachleder, V. & Bišová, K., 2019. Response of the green alga *Chlamydomonas reinhardtii* to the DNA damaging agent zeocin. *Cells*, 8(7), p. 735. doi: 10.3390/cells8070735.

- Dong, Y., Dai, T., Wang, B., Zhang, L., Zeng, L. hui, Huang, J., Yan, H., Zhang, L. & Zhou, F., 2021. The way of SARS-CoV-2 vaccine development: success and challenges. *Signal Transduction and Targeted Therapy*, 6, p. 387. doi: 10.1038/s41392-021-00796-w.
- Duan, L., Zheng, Q., Zhang, H., Niu, Y., Lou, Y. & Wang, H., 2020. The SARS-CoV-2 spike glycoprotein biosynthesis, structure, function, and antigenicity: implications for the design of spike-based vaccine immunogens. *Frontiers in Immunology*, 11(October), pp. 1–12. doi: 10.3389/fimmu.2020.576622.
- Ghorbani, A., Zare, F., Sazegari, S., Afsharifar, A., Eskandari, M. H. & Pormohammad, A., 2020. Development of a novel platform of virus-like particle (VLP)-based vaccine against COVID-19 by exposing epitopes: an immunoinformatics approach. *New Microbes and New Infections*, 38(100786). doi: 10.1016/j.nmni.2020.100786.
- Gibson, D. G., 2011. Enzymatic assembly of overlapping DNA fragments. *Methods in Enzymology*, 498, pp. 349–361. doi: 10.1016/B978-0-12-385120-8.00015-2.
- Herawati, N., Kusumawati, A. & Santoso, A., 2018. *Pichia pastoris*: sel ragi untuk produksi protein rekombinan. *Berita Biologi*, 17(2), pp. 91–102.
- Hotez, P. J. & Bottazzi, M. E., 2020. Developing a low-cost and accessible covid-19 vaccine for global health. *PLoS Neglected Tropical Diseases*, 14(7), pp. 1–6. doi: 10.1371/journal.pntd.0008548.
- Hsieh, C., Goldsmith, J. A., Schaub, J. M., Divenere, A. M., Kuo, H., Javanmardi, K., Le, K. C., Wrapp, D., Lee, A. G., Liu, Y., Chou, C., Byrne, P. O., Hjorth, C. K., Johnson, N. V, Ludes-meyers, J., Nguyen, A. W., Park, J., Wang, N., Amengor, D., Lavinder, J. J., Ippolito, G. C., Maynard, J. A., Finkelstein, I. J. & McLellan, J. S., 2020. Structure-based design of prefusion-stabilized SARS-CoV-2 spikes. *Science*, 1505(September), pp. 1501–1505.
- Huang, Y., Yang, C., Xu, X. feng, Xu, W. & Liu, S. wen, 2020. Structural and functional properties of SARS-CoV-2 spike protein: potential antiviral drug development for COVID-19. *Acta Pharmacologica Sinica*, 41(9), pp. 1141–1149. doi: 10.1038/s41401-020-0485-4.
- Jackson, L. A., Anderson, E. J., Roupael, N. G., Roberts, P. C., Makhene, M., Coler, R. N., McCullough, M. P., Chappell, J. D., Denison, M. R., Stevens, L. J., Pruijssers, A. J., McDermott, A., Flach, B., Doria-Rose, N. A., Corbett, K. S., Morabito, K. M., O'Dell, S., Schmidt, S. D., Swanson, P. A., Padilla, M., Mascola, J. R., Neuzil, K. M., Bennett, H., Sun, W., Peters, E., Makowski, M., Albert, J., Cross, K., Buchanan, W., Pikaart-Tautges, R., Ledgerwood, J. E., Graham, B. S. & Beigel, J. H., 2020. An mRNA vaccine against SARS-CoV-2 — preliminary report. *New England Journal of Medicine*, 383(20), pp. 1920–1931. doi: 10.1056/nejmoa2022483.
- Juraszek, J., Rutten, L., Blokland, S., Bouchier, P., Voorzaat, R., Ritschel, T., Bakkers, M. J. G., Renault, L. L. R. & Langedijk, J. P. M., 2021. Stabilizing the closed SARS-CoV-2 spike trimer. *Nature Communications*, 12(1), pp. 1–8. doi:

10.1038/s41467-020-20321-x.

- Karbalaeei, M., Rezaee, S. A. & Farsiani, H., 2020. *Pichia pastoris*: A highly successful expression system for optimal synthesis of heterologous proteins. *Journal of Cellular Physiology*, 235(9), pp. 5867–5881. doi: 10.1002/jcp.29583.
- Kiyotani, K., Toyoshima, Y., Nemoto, K. & Nakamura, Y., 2020. Bioinformatic prediction of potential T cell epitopes for SARS-Cov-2. *Journal of Human Genetics*, 65(7), pp. 569–575. doi: 10.1038/s10038-020-0771-5.
- Krammer, F., 2020. SARS-CoV-2 vaccines in development. *Nature*, 586(7830), pp. 516–527. doi: 10.1038/s41586-020-2798-3.
- Kurniawati, S. & Hartati, N. S., 2018. Optimasi suhu annealing primer degenerate untuk mengamplifikasi fragmen gen arginine decarboxylase (ADC) genom ubi kayu lokal maluku tenggara. *Jurnal ILMU DASAR*, 19(2), pp. 135–142.
- Kuruti, K., Vittaladevaram, V., Urity, S. V., Palaniappan, P. & Bhaskar, R. U., 2020. Evolution of *Pichia pastoris* as a model organism for vaccines production in healthcare industry. *Gene Reports*, 21(August), p. 100937. doi: 10.1016/j.genrep.2020.100937.
- Kyriakidis, N. C., López-Cortés, A., González, E. V., Grimaldos, A. B. & Prado, E. O., 2021. SARS-CoV-2 vaccines strategies: a comprehensive review of phase 3 candidates. *npj Vaccines*, 6(1). doi: 10.1038/s41541-021-00292-w.
- Lai, C.-Y., To, A., Ann S. Wong, T., Lieberman, M. M., Clements, D. E., Senda, J. T., Ball, A. H., Pessaint, L., Andersen, H., Furuyama, W., Marzi, A., Donini, O. & Lehrer, A. T., 2021. Recombinant protein subunit SARS-CoV-2 vaccines formulated with CoVaccine HT adjuvant induce broad, Th1 biased, humoral and cellular immune responses in mice. *Vaccine: X*, 9(July), p. 100126. doi: 10.1016/j.jvacx.2021.100126.
- Liu, X., Liu, L., Wang, Y., Wang, X., Ma, Y. & Li, Y., 2014. The study on the factors affecting transformation efficiency of *E. coli* competent cells. *Pakistan Journal of Pharmaceutical Sciences*, 27(3), pp. 679–684.
- Lucena-Aguilar, G., Sánchez-López, A. M., Barberán-Aceituno, C., Carrillo-Ávila, J. A., López-Guerrero, J. A. & Aguilar-Quesada, R., 2016. DNA source selection for downstream applications based on dna quality indicators analysis. *Biopreservation and Biobanking*, 14(4), pp. 264–270. doi: 10.1089/bio.2015.0064.
- Luna, B. M., Ulhaq, A., Yan, J., Pantapalangkoor, P., Nielsen, T. B., Davies, B. W., Actis, L. A. & Spellberg, B., 2017. Selectable markers for use in genetic manipulation of extensively drug-resistant (XDR) *Acinetobacter baumannii* HUMC1. *mSphere*, 2(2), pp. e00140-17. doi: 10.1128/mSphere.00140-17.
- Martínez, D., Zepeda-cervantes, J., Cruz, A., Sampieri, A. & Vaca, L., 2020. SARS-CoV-2 vaccines based on the spike glycoprotein and implications of new viral variants. *Frontiers in Immunology*, 19(701501). doi: 10.3389/fimmu.2021.701501.

- McMillan, C. L. D., Choo, J. J. Y., Idris, A., Supramaniam, A., Modhiran, N., Amarilla, A. A., Isaacs, A., Cheung, S. T. M., Liang, B., Bielefeldt-Ohmann, H., Azuar, A., Acharya, D., Kelly, G., Fernando, G. J. P., Landsberg, M. J., Khromykh, A. A., Watterson, D., Young, P. R., McMillan, N. A. J. & Muller, D. A., 2021. Complete protection by a single dose skin patch delivered SARS-CoV-2 spike vaccine. *Science Advances*, 7. doi: 10.1126/sciadv.abj8065.
- Motohashi, K., 2019. A novel series of high-efficiency vectors for TA cloning and blunt-end cloning of PCR products. *Scientific Reports*, 9(1), pp. 1–11. doi: 10.1038/s41598-019-42868-6.
- Murtiyaningsih, H., 2017. Isolasi DNA genom dan identifikasi kekerabatan genetik nanas menggunakan RAPD (Random Amplified Polimorphic DNA). *Agritrop*, 15(1), pp. 84–93.
- New England Biolabs, 2022. *Troubleshooting Guide for Cloning*. Available at: <<https://international.neb.com/tools-and-resources/troubleshooting-guides/troubleshooting-guide-for-cloning>> [Accessed 23 March 2022].
- Ng, D. T. W. & Sarkar, C. A., 2012. Model-guided ligation strategy for optimal assembly of DNA libraries. *Protein Engineering, Design and Selection*, 25(10), pp. 669–678. doi: 10.1093/protein/gzs019.
- Nurdiani, D., Hariyatun & Kusharyoto, W., 2018. Secretory expression of human insulin precursor in *Pichia pastoris* employing truncated α -factor leader sequence and a short C-peptide. *Indonesian Journal of Biotechnology*, 23(2), pp. 102–108. doi: 10.22146/ijbiotech.38958.
- Obradovic, J., Jurisic, V., Tosic, N., Mrdjanovic, J., Perin, B., Pavlovic, S. & Djordjevic, N., 2013. Optimization of PCR conditions for amplification of GC-rich EGFR promoter sequence. *Journal of Clinical Laboratory Analysis*, 27(6), pp. 487–493. doi: 10.1002/jcla.21632.
- Parashar, D. & Satyanarayana, T., 2016. Enhancing the production of recombinant acidic α -amylase and phytase in *Pichia pastoris* under dual promoters [constitutive (GAP) and inducible (AOX)] in mixed fed batch high cell density cultivation. *Process Biochemistry*, 51(10), pp. 1315–1322. doi: 10.1016/j.procbio.2016.07.027.
- Pelley, J. W., 2012. Recombinant DNA and Biotechnology. *Elsevier's Integrated Review Biochemistry*, pp. 161–169. doi: 10.1016/b978-0-323-07446-9.00018-0.
- Peng, X. L., Cheng, J. S. Y., Gong, H. L., Yuan, M. Di, Zhao, X. H., Li, Z. & Wei, D. X., 2021. Advances in the design and development of SARS-CoV-2 vaccines. *Military Medical Research*, 8(67), pp. 1–31. doi: 10.1186/s40779-021-00360-1.
- Pino, M., Abid, T., Pereira Ribeiro, S., Edara, V. V., Floyd, K., Smith, J. C., Latif, M. B., Pacheco-Sanchez, G., Dutta, D., Wang, S., Gumber, S., Kirejczyk, S., Cohen, J., Stammen, R. L., Jean, S. M., Wood, J. S., Connor-Stroud, F., Pollet, J., Chen, W.-H., Wei, J., Zhan, B., Lee, J., Liu, Z., Strych, U., Shenvi, N., Easley, K., Weiskopf, D., Sette, A., Pollara, J., Mielke, D., Gao, H., Eisel, N., LaBranche, C. C., Shen, X., Ferrari, G., Tomaras, G. D., Montefiori, D. C., Sekaly, R. P.,

- Vanderford, T. H., Tomai, M. A., Fox, C. B., Suthar, M. S., Kozlowski, P. A., Hotez, P. J., Paiardini, M., Bottazzi, M. E. & Kasturi, S. P., 2021. A yeast expressed RBD-based SARS-CoV-2 vaccine formulated with 3M-052-alum adjuvant promotes protective efficacy in non-human primates. *Science Immunology*, 6(61), p. eabh3634. doi: 10.1126/sciimmunol.abh3634.
- Piskata, Z., Servusova, E., Babak, V., Nesvadbova, M. & Borilova, G., 2019. The quality of DNA isolated from processed food and feed via different extraction procedures. *Molecules*, 24(6), pp. 1–10. doi: 10.3390/molecules24061188.
- Pollet, J., Chen, W. H., Versteeg, L., Keegan, B., Zhan, B., Wei, J., Liu, Z., Lee, J., Kundu, R., Adhikari, R., Poveda, C., Villar, M. J., de Araujo Leao, A. C., Altieri Rivera, J., Momin, Z., Gillespie, P. M., Kimata, J. T., Strych, U., Hotez, P. J. & Bottazzi, M. E., 2021. SARS-CoV-2 RBD219-N1C1: A yeast-expressed SARS-CoV-2 recombinant receptor-binding domain candidate vaccine stimulates virus neutralizing antibodies and T-cell immunity in mice. *Human Vaccines and Immunotherapeutics*. doi: 10.1080/21645515.2021.1901545.
- Promega, 1996. *Enzyme resource guide: cloning enzymes*. Methods, Promega Corporation.
- Revie, D., Smith, D. W. & Yee, T. W., 1988. Kinetic analysis for optimization of DNA ligation reactions. *Nucleic Acids Research*, 16(21), pp. 10301–10321. doi: 10.1093/nar/16.21.10301.
- Rychlik, W., Spencer, W. J. & Rhoads, R. E., 1991. Optimization of the annealing temperature for DNA amplification in vitro. *Nucleic Acids Research*, 19(3), p. 698. doi: 10.1093/nar/19.3.698-a.
- Safder, I., Khan, S., Islam, I., Ali, M. K., Bibi, Z. & Waqas, M., 2018. *Pichia pastoris* expression system: a potential candidate to express protein in industrial and biopharmaceutical domains. *Biomedical Letters*, 4(1), pp. 1–14. doi: 10.1016/B978-0-12-821007-9.00017-6.
- Sambrook, J. & Russell, D. W., 2001. *Molecular Cloning: A Laboratory Manual*. 3rd ed. New York: Cold Spring Harbor Laboratory Press.
- Schwarzshans, J. P., Wibberg, D., Winkler, A., Luttermann, T., Kalinowski, J. & Friehs, K., 2016. Non-canonical integration events in *Pichia pastoris* encountered during standard transformation analysed with genome sequencing. *Scientific Reports*, 6(38952). doi: 10.1038/srep38952.
- Seephetdee, C., Buasri, N., Bhukhai, K., Srisanga, K., Manopwisedjaroen, S., Lertjintanakit, S., Phueakphud, N., Pakiranay, C., Kangwanrangsan, N., Srichatrapimuk, S., Kirdlarp, S., Sungkanuparph, S., Chutipongtanate, S., Thitithanyanont, A., Hongeng, S. & Wongtrakoongate, P., 2021. Mice immunized with the vaccine candidate hexapro spike produce neutralizing antibodies against sars-cov-2. *Vaccines*, 9(5), pp. 1–9. doi: 10.3390/vaccines9050498.
- Speer, M. A. & Richard, T. L., 2011. Amplified insert assembly: An optimized approach to standard assembly of BioBrick™ genetic circuits. *Journal of*

Biological Engineering, 5(1), p. 17. doi: 10.1186/1754-1611-5-17.

- Stephenson, F. H., 2003. *Calculations for Molecular Biology and Biotechnology*. Academic Press. doi: 10.1016/B978-0-12-665751-7.50046-9.
- Struhl, K., 1991. Subcloning of DNA fragments. *Current Protocols in Molecular Biology*, 13(1), pp. 3.16.1-3.16.2.
- Su, Q. D., Zou, Y. N., Yi, Y., Shen, L. P., Ye, X. Z., Zhang, Y., Wang, H., Ke, H., Song, J. D., Hu, K. P., Cheng, B. L., Qiu, F., Yu, P. C., Zhou, W. T., Zhao, R., Cao, L., Dong, G. F., Bi, S. L., Wu, G. Z., Gao, G. F. & Zheng, J., 2021. Recombinant SARS-CoV-2 RBD with a built in T helper epitope induces strong neutralization antibody response. *Vaccine*, 39(8), pp. 1241–1247. doi: 10.1016/j.vaccine.2021.01.044.
- Taghian, D. G. & Nickoloff, J. A., 1996. Subcloning strategies and protocols. *Methods in molecular biology*, 58, pp. 221–235. doi: 10.1385/0-89603-402-x:221.
- Unver, Y., Yildiz, M., Kilic, D., Taskin, M., Firat, A. & Askin, H., 2018. Efficient expression of recombinant human telomerase inhibitor 1 (hPinX1) in *Pichia pastoris*. *Preparative Biochemistry and Biotechnology*, 48(6), pp. 535–540. doi: 10.1080/10826068.2018.1466160.
- Utashima, Y., Yamashita, S., Arima, T. H. & Masaki, K., 2017. Codon optimization enables the Zeocin resistance marker's use in the ascomycete yeast *Debaryomyces occidentalis*. *Journal of General and Applied Microbiology*, 63(4), pp. 254–257. doi: 10.2323/jgam.2016.11.003.
- Vishwakarma, P., Yadav, N., Rizvi, Z. A., Khan, N. A., Chiranjivi, A. K., Mani, S., Bansal, M., Dwivedi, P., Shrivastava, T., Kumar, R., Awasthi, A., Ahmed, S. & Samal, S., 2021. Severe Acute Respiratory Syndrome Coronavirus 2 Spike Protein based novel epitopes induce potent immune responses in vivo and inhibit viral replication in vitro. *Frontiers in Immunology*, 12(613045). doi: 10.3389/fimmu.2021.613045.
- Vogl, T. & Glieder, A., 2013. Regulation of *Pichia pastoris* promoters and its consequences for protein production. *New Biotechnology*, 30(4), pp. 385–404. doi: 10.1016/j.nbt.2012.11.010.
- Werten, M. W. T., Eggink, G., Cohen Stuart, M. A. & de Wolf, F. A., 2019. Production of protein-based polymers in *Pichia pastoris*. *Biotechnology Advances*, 37(5), pp. 642–666. doi: 10.1016/j.biotechadv.2019.03.012.
- WHO, 2022. *COVID-19 Global Situation*. WHO Coronavirus (COVID-19) Dashboard. Available at: <<https://covid19.who.int/>> [Accessed 12 May 2022].
- Wintjens, R., Bifani, A. M. & Bifani, P., 2020. Impact of glycan cloud on the B-cell epitope prediction of SARS-CoV-2 Spike protein. *npj Vaccines*, 5(1), pp. 1–8. doi: 10.1038/s41541-020-00237-9.
- Wrapp, D., Wang, N., Corbett, K. S., Goldsmith, J. A., Hsieh, C. L., Abiona, O., Graham, B. S. & McLellan, J. S., 2020. Cryo-EM structure of the 2019-nCoV

spike in the prefusion conformation. *Science*, 367(6483), pp. 1260–1263. doi: 10.1126/science.aax0902.

Wu, S. & Letchworth, G. J., 2004. High efficiency transformation by electroporation of *Pichia pastoris* pretreated with lithium acetate and dithiothreitol. *BioTechniques*, 36(1), pp. 152–154. doi: 10.2144/04361dd02.

Xiong, X., Qu, K., Ciazynska, K. A., Hosmillo, M., Carter, A. P., Ebrahimi, S., Ke, Z., Scheres, S. H. W., Bergamaschi, L., Grice, G. L., Zhang, Y., Bradley, J., Lyons, P. A., Smith, K. G. C., Toshner, M., Elmer, A., Ribeiro, C., Kourampa, J., Jose, S., Kennet, J., Rowlands, J., Meadows, A., O'Brien, C., Rastall, R., Crucusio, C., Hewitt, S., Price, J., Calder, J., Canna, L., Bucke, A., Tordesillas, H., Harris, J., Ruffolo, V., Domingo, J., Graves, B., Butcher, H., Caputo, D., Le Gresley, E., Dunmore, B. J., Martin, J., Legchenko, E., Treacy, C., Huang, C., Wood, J., Sutcliffe, R., Hodgson, J., Shih, J., Graf, S., Tong, Z., Mescia, F., Tilly, T., O'Donnell, C., Hunter, K., Pointon, L., Pond, N., Wylot, M., Jones, E., Fawke, S., Bullman, B., Bergamaschi, L., Turner, L., Jarvis, I., Omarjee, O., De Sa, A., Marsden, J., Betancourt, A., Perera, M., Epping, M., Richoz, N., Bower, G., Sharma, R., Nice, F., Huhn, O., Stark, H., Walker, N., Stirrups, K., Ovington, N., Dewhurst, E., Li, E., Papadia, S., Nathan, J. A., Baker, S., James, L. C., Baxendale, H. E., Goodfellow, I., Doffinger, R. & Briggs, J. A. G., 2020. A thermostable, closed SARS-CoV-2 spike protein trimer. *Nature Structural and Molecular Biology*, 27(10), pp. 934–941. doi: 10.1038/s41594-020-0478-5.

Yadav, T., Srivastava, N., Mishra, G., Dhama, K., Kumar, S., Puri, B. & Saxena, S. K., 2020. Recombinant vaccines for COVID-19. *Human Vaccines and Immunotherapeutics*, 16(12), pp. 2905–2912. doi: 10.1080/21645515.2020.1820808.

Yang, J., Cai, H., Liu, J., Zeng, M., Chen, J., Cheng, Q. & Zhang, L., 2018. Controlling AOX1 promoter strength in *Pichia pastoris* by manipulating poly (dA:dT) tracts. *Scientific Reports*, 8(1), pp. 1–11. doi: 10.1038/s41598-018-19831-y.

Zhou, M. Y. & Gomez-Sanchez, C. E., 2000. Universal TA cloning. *Current issues in molecular biology*, 2(1), pp. 1–7. doi: 10.21775/cimb.002.001.