

## DAFTAR PUSTAKA

- Abadi, A. S., Hismayasari, I. B., Supriatna, I., Yani, A., & Sayuti, M. (2020). The Mass Death of Nile tilapia (*Oreochromis niloticus*) in Sorong District, West Papua, Indonesia. *AACL Biofluz*, *13*(4), 1906–1916.
- Asnani, A., Ryandini, D., & Suwandri. (2015). Karakterisasi dan identifikasi spesies aktinomisetes K-3E. *Prosiding Seminar Nasional Dan Call for Papers "Pengembangan Sumber Daya Perdesaan Dan Kearifan Lokal Berkelanjutan V"* 19-20, November. <https://doi.org/10.13140/RG.2.1.4469.1922>
- Bharagava, R. N., & Mishra, S. (2018). Hexavalent chromium reduction potential of *Cellulosimicrobium* sp. isolated from common effluent treatment plant of tannery industries. *Ecotoxicology and Environmental Safety*, *147*, 102–109. <https://doi.org/10.1016/j.ecoenv.2017.08.040>
- Bryan, M. P. (1959). Bacterial Species of The Rumen. *Bacteriological Reviews*, *23*(3), 125–153. <https://doi.org/10.1128/mmbr.23.3.125-153.1959>
- Denizci, A. A., Kazan, D., Abeln, E. C. A., & Erarslan, A. (2004). Newly isolated *Bacillus clausii* GMBAE 42: An alkaline protease producer capable to grow under highly alkaline conditions. *Journal of Applied Microbiology*, *96*(2), 320–327. <https://doi.org/10.1046/j.1365-2672.2003.02153.x>
- Eida, A. A., Bougouffa, S., Alam, I., Saad, M. M., & Hirt, H. (2020). Complete genome sequence of the endophytic bacterium *Cellulosimicrobium* sp. JZ28 isolated from the root endosphere of the perennial desert tussock grass *Panicum turgidum*. *Archives of Microbiology*, *202*(6), 1563–1569. <https://doi.org/10.1007/s00203-020-01859-2>
- Enez, B. (2020). Isolation and Identification of *Bacillus* sp. from Root Soil of the *Astragalus gummifer*: Obtaining and Characterization of  $\alpha$ -Amylase. *Adiyaman University Journal of Science*. <https://doi.org/10.37094/adyujsci.680580>
- Fauziah, S. I., & Muslimin Ibrahim. (2020). Isolasi dan Karakterisasi Bakteri Selulolitik pada Tanah Gambut di Desa Tagagiri. *Lentera*, *9*(3), 194–203. <https://journal.unesa.ac.id/index.php/lenterabio/index194>
- Gergonius, F., & Sine, Y. (2016). Isolasi Dan Uji Biokimia Bakteri Selulolitik Asal Saluran Pencernaan Rayap Pekerja (*Macrotermes* Spp.). *Bio-Edu: Jurnal Pendidikan Biologi*, *1*(2), 27–29.
- Holdeman, L. U., & Gato, E. P. (1977). *Anaerob Laboratory Manual*. Virginia Polytechnic Institute and State University.

- Hungate, R. E. (1950). The Anaerobic Mesophilic Cellulolytic Bacteria. *Bacteriological Reviews*, 14(1), 1–49. <https://doi.org/10.1128/membr.14.1.1-49.1950>
- Huws, S. A., Creevey, C. J., Oyama, L. B., & Mizrahi, I. (2018). *Addressing Global Ruminant Agricultural Challenges Through Understanding the Rumen Microbiome: Past, Present, and Future*. 9, 1–33. <https://doi.org/10.3389/fmicb.2018.02161>
- Kudo, H., Ho, Y. W., Abdullah, N., Jalaludin, S., & Cheng, K.-J. (1991). Rumen Microflora and its Significance to Ruminant Feeding in The Tropics. *Japan International Research Center for Agricultural Sciences*, 25, 144–154.
- Kumar, C. G., Joo, H.-S., Koo, Y.-M., Paik, S. R., & Chang, C.-S. (2004). Thermostable Alkaline Protease from A Novel Marine Haloalkalophilic *Bacillus clausii* Isolate. *World Journal of Microbiology & Biotechnology*, 20, 351–357.
- Kumar, V., Rawat, J., Patil, R. C., Barik, C. R., Purohit, S., Jaiswal, H., Fartyal, N., Goud, V. V., & Kalamdhad, A. S. (2021). Exploring the functional significance of novel cellulolytic bacteria for the anaerobic digestion of rice straw. *Renewable Energy*, 169, 485–497. <https://doi.org/10.1016/j.renene.2021.01.002>
- Lee, J. M., Jang, W. J., Hasan, M. T., Lee, B. J., Kim, K. W., Lim, S. G., Han, H. S., & Kong, I. S. (2019). Characterization of a *Bacillus* sp. isolated from fermented food and its synbiotic effect with barley  $\beta$ -glucan as a biocontrol agent in the aquaculture industry. *Applied Microbiology and Biotechnology*, 103(3), 1429–1439. <https://doi.org/10.1007/s00253-018-9480-9>
- Lokapirnasari, W., Sahidu, A., Nurhajati, T., Supranianondo, S., & Yulianto, A. (2017). Sekuensing 16S DNA Bakteri Selulolitik Asal Limbah Cairan Rumen Sapi Peranakan Ongole. *Jurnal Veteriner*, 18(1), 76–82. <https://doi.org/10.19087/jveteriner.2017.18.1.76>
- McGovern, E., Kenny, D. A., McCabe, M. S., Fitzsimons, C., McGee, M., Kelly, A. K., & Waters, S. M. (2018). 16S rRNA Sequencing Reveals Relationship Between Potent Cellulolytic Genera and Feed Efficiency in the Rumen of Bulls. *Frontiers in Microbiology*, 9, 1–15. <https://doi.org/10.3389/fmicb.2018.01842>
- Melzana, I., Safika, Darmawi, Erina, & Azhar, A. (2020). *Isolate Of Bacteriua Cellulase Enzyme Production In The Rumen Of Aceh Cattle Base On Analysis Homology 16S rRNA*. 14(2), 174–182.
- Mirni Lamid, Tri Prasetyo Nugroho, Sri Chusniati, K. R. (2011). Eksplorasi Bakteri Selulolitik Asal Cairan Rumen Sapi Potong sebagai Bahan Inokulum Limbah Pertanian. *Jurnal Ilmiah Kedokteran Hewan*, 4(1), 37–42.

- Missa, H., Susilowati, A., & Setyaningsih, R. (2016). Diversity and Phylogenetic Relationship of Cellulolytic Bacteria from The Feces of Bali Cattle in South Central Timor, East Nusa Tenggara, Indonesia. *Biodiversitas*, 17(2), 614–619. <https://doi.org/10.13057/biodiv/d170232>
- Mitsumori, M. (2018). Isolation of Cellulolytic Bacteria from the Rumen. *Methods in Molecular Biology*, 1796, 57–65. [https://doi.org/10.1007/978-1-4939-7877-9\\_5](https://doi.org/10.1007/978-1-4939-7877-9_5)
- Naeem, A., Batool, R., & Jamil, N. (2013). Cr(VI) Reduction by Cellulosimicrobium sp. Isolated from Tannery Effluent. *Turkish Journal of Biology*, 37(3), 315–322. <https://doi.org/10.3906/biy-1209-18>
- Nyonyo, T., Shinkai, T., & Mitsumori, M. (2014). Improved Culturability of Cellulolytic Rumen Bacteria and Phylogenetic Diversity of Culturable Cellulolytic and Xylanolytic Bacteria Newly Isolated from the Bovine Rumen. *FEMS Microbiology Ecology*, 88(3), 528–537. <https://doi.org/10.1111/1574-6941.12318>
- Pang, J., Liu, Z.-Y., Hao, M., Zhang, Y.-F., & Qi, Q. (2017). An Isolated Cellulolytic Escherichia coli from Bovine Rumen Produces Ethanol and Hydrogen from Corn Straw. *Biotechnology for Biofuels*, 10(165), 1–10. <https://doi.org/10.1186/s13068-017-0852-7>
- Prasetya, R. D. (2015). Isolation Cellulolytic of Bacterium of Rumen Fluid Beef Cattle in Slaughterhouse. *Jurnal Unair*.
- Ruangpan, L., & Tendencia, E. A. (2004). Bacterial Isolation, Identification and Storage. In *Laboratory Manual of Standardized Methods for Antimicrobial Sensitivity Tests for Bacteria Isolated from Aquatic Animals and Environment*, 330, 7088.
- Russell, J. B., Muck, R. E., & Weimer, P. J. (2009). Quantitative Analysis of Cellulose Degradation and Growth of Cellulolytic Bacteria in The Rumen. *FEMS Microbiology Ecology*, 67(2), 183–197. <https://doi.org/10.1111/j.1574-6941.2008.00633.x>
- Russell, J. B., & Rychlik, J. L. (2001). Factors That Alter Rumen Microbial Ecology. *Science*, 292(5519), 1119–1122. <https://doi.org/10.1126/science.1058830>
- Safika. (2015). Biodiversitas Bakteri Selulolitik pada Rumen Sapi Aceh Melalui Pendekatan Molekuler. *Laporan Tahunan Penelitian Hibah Fundamental*, 1–7.
- Safika, Sari, W. N., Darmawi, Fahrimal, Y., & Santosa, S. F. (2018). Isolation and Identification of a Cellulolytic Bacillus from Rumen of Aceh's Cattle. *Asian Journal of Microbiology, Biotechnology and Environmental Sciences*, 20(3), 798–804.

- Sari, N. F. (2017). Mengenal Keragaman Mikroba Rumen pada Perut Sapi Secara Molekuler. *BioTrends*, 8(1), 5–9.
- Sari, R., & Apridamayanti, P. (2014). Cemaran Bakteri *Escherichia coli* dalam Beberapa Makanan aut yang Beredar di Pasar Tradisional Kota Pontianak. *KARTIKA: Jurnal Ilmiah Farmasi*, 2(2), 14–19.
- Sari, W. N., Safika, Darmawi, & Fahrimal, Y. (2017). Isolation and Identification of A Cellulolytic Enterobacter from Rumen of Aceh cattle. *Veterinary World*, 10(12), 1515–1520. <https://doi.org/10.14202/vetworld.2017.1515-1520>
- Sharma, A., Hira, P., Shakarad, M., & Lal, R. (2014). Draft genome sequence of *Cellulosimicrobium* sp. strain MM, isolated from arsenic-rich microbial mats of a Himalayan hot spring. *Genome Announcements*, 2(5). <https://doi.org/10.1128/genomeA.01020-14>
- Singh, S., Maurya, B. R., & Bahadur, I. (2018). Morphological, Colonial and Biochemical Characteristics of K-Solubilizing Bacterial Isolates. *Journal of Pharmacognosy and Phytochemistry*, 7(1), 1874–1878.
- Stewart, R. D., Auffret, M. D., Warr, A., Walker, A. W., Roehe, R., & Watson, M. (2019). Compendium of 4,941 Rumen Metagenome-Assembled Genomes for Rumen Microbiome Biology and Enzyme Discovery. *Nature Biotechnology*, 37, 953–961. <https://doi.org/10.1038/s41587-019-0202-3>
- Sudiana, I. M. (2012). Characteristic of CMCase of *Bacillus* p. Isolated from Soil of Gunung Halimun National Park. *Berita Biologi*, 6(1), 131–136.
- Sumardi, Farisi, S., Ekowati, C. N., Arifiyanto, A., & Rahmawati, D. E. (2020). Halotolerant *Bacillus* sp. for Mannan Degradation isolated from Mangrove ecosystem at hanura Beach lampung. *J Pure Appl Microbiol*, 14(2).
- Sung Hun Lee, & Doo Hyun Park. (2008). Isolation and physiological characterization of *Bacillus clausii* SKAL-16 isolated from wastewater. *Journal Microbiol Biotechnol*, 18(12), 1908–1914.
- Utami, E. T. W., Bata, M., & Rahayu, S. (2021). Metabolism Energy and Performance of Several Local Cattle Breeds Fed Rice Straw and Concentrate. *Jurnal Ilmu Ternak Dan Veteriner*, 26(2), 57–64. <https://doi.org/10.14334/jitv.v26i2.2711>
- Vu, N. T. H., Quach, T. N., Dao, X. T. T., Le, H. T., Le, C. P., Nguyen, L. T., Le, L. T., Ngo, C. C., Hoang, H., Chu, H. H., & Phi, Q. T. (2021). A genomic perspective on the potential of termite-associated *Cellulosimicrobium cellulans* MPI as producer of plant biomass-acting enzymes and exopolysaccharides. *PeerJ*, 9. <https://doi.org/10.7717/peerj.11839>
- Yogyaswari, S. A., Rukmi, M. I., & Raharjo, B. (2016). Eksplorasi Bakteri Selulolitik dari Cairan Rumen Sapi Peranakan Fries Holland (PFH) dan Limousine Peranakan Ongole (Limpo). *Jurnal Biologi*, 5(4), 70–80.

Zehavi, T., Probst, M., & Mizrahi, I. (2018). Insights Into Culturomics of the Rumen Microbiome. *Frontiers in Microbiology*, 9, 1–10. <https://doi.org/10.3389/fmicb.2018.01999>

Zuhri, R. (2019). Identifikasi Bakteri Coliform Pada Lalapan Kubis Yang Dijual Pedagang Pecel Lele Kaki Lima Di Sekitar Kampus Stkip Ypm Bangko. *BIOCOLONY: Jurnal Pendidikan Biologi Dan Biosains*, 2(1), 21–28.

