

DAFTAR PUSTAKA

- Adriani, 2018, ‘Prediksi Senyawa Bioaktif dari Tanaman Sanrego (*Lunasia amara Blanco*) sebagai Inhibitor enzim Siklooksigenase-2 (COX-2) melalui Pendekatan Molecular Docking’, *Jurnal Ilmiah Pena*, 1, pp. 6–11.
- Ahmad, R. S. *et al.*, 2020, ‘Applications of Turmeric : A Mechanistic Review’, *Evidence-Based Complementary and Alternative Medicine*, 2020.
- Chang, H. F. and Yang, L. L., 2012, ‘Gamma-mangostin, a micronutrient of mangosteen fruit, induces apoptosis in human colon cancer cells’, *Molecules*, 17(7), pp. 8010–8021. doi: 10.3390/molecules17078010.
- Eichsteininger, J. *et al.*, 2019, ‘Structural insight into the in vitro anti-intravasative properties of flavonoids’, *Scientia Pharmaceutica*, 87(3). doi: 10.3390/scipharm87030023.
- Fadilla, Didi, Arifian, Hanggara, Rahmadai, Agung, Rusli, R., 2018, ‘Kajian In Silico Senyawa Turunan Kalkon sebagai Antikanker’, *Proceeding of Mulawarman Pharmaceuticals Conferences*, 9, pp. 45–50. doi: 10.25026/mpc.v9i1.309.
- Fang, D. *et al.*, 2019, ‘Chemopreventive mechanisms of galangin against hepatocellular carcinoma: A review’, *Biomedicine and Pharmacotherapy*, 109(July 2018), pp. 2054–2061. doi: 10.1016/j.bioph.2018.09.154.
- Forli, S. *et al.*, 2016, ‘Computational protein-ligand docking and virtual drug screening with the AutoDock suite’, 11(5), pp. 905–919. doi: 10.1038/nprot.2016.051.Computational.
- Hartanti, I. R., Putri, A. A., Auliya AS, N. N., Triadenda, A. L., Laelasari, E., Suhandi, C., Muchtaridi, M., 2022, ‘Molecular Docking Senyawa Xanton, Benzofenon, Dan Triterpenoid Sebagai Antidiabetes Dari Ekstrak Tumbuhan *Garcinia Cowa*’, *Jurnal Kimia*, 16(1), pp. 72–83. doi: 10.24843/JCHEM.2022.v16.i01.p10.
- Huey, R., Morris, G. M. and Forli, S., 2012, ‘Using AutoDock 4 and AutoDock

- Vina with AutoDockTools: A Tutorial’, *The Scripps Research Institute Molecular*, (December), p. 32.
- Kelutur, F. J., Mustarichie, R. and Umar, A. K., 2020 ‘Virtual Screening Kandungan Senyawa Kipas Laut (*Gorgonia mariae*) sebagai Anti-Asma’, *ALCHEMY Jurnal Penelitian Kimia*, 16(2), p. 48. doi: 10.20961/alchemy.16.2.39965.48-59.
- Kolina, J., Sumiwi, S. A. and Levita, J., 2019, ‘Mode Ikatan Metabolit Sekunder Di Tanaman Akar Kuning (*Arcangelisia Flava L.*) Dengan Nitrat Oksida Sintase’, *Fitofarmaka: Jurnal Ilmiah Farmasi*, 8(1), pp. 45–52. doi: 10.33751/jf.v8i1.1171.
- Koohpar, Z. K. et al., 2015, ‘Anticancer activity of curcumin on human breast adenocarcinoma: Role of Mcl-1 gene’, *International Journal of Cancer Management*, 8(3). doi: 10.17795/ijcp2331.
- Kritsanawong, S. et al., 2016, ‘Antiproliferative and apoptosis induction of α -mangostin in T47D breast cancer cells’, *International Journal of Oncology*, 48(5), pp. 2155–2165. doi: 10.3892/ijo.2016.3399.
- Laksmiani, N. P. L. et al., 2018, ‘Cytotoxic activity of andrographolide in colon cancer through inhibition cox-2 by in silico study’, *Journal of Physics: Conference Series*, 1040(1). doi: 10.1088/1742-6596/1040/1/012009.
- Lara-Sotelo, G. et al., 2021, ‘ α -Mangostin Synergizes the Antineoplastic Effects of 5-Fluorouracil Allowing a Significant Dose Reduction in Breast Cancer Cells’, *Processes*, 9(3), pp. 1–12. doi: 10.3390/pr9030458.
- Lin, L. T., Wu, S. J. and Lin, C. C., 2013, ‘The anticancer properties and apoptosis-inducing mechanisms of cinnamaldehyde and the herbal prescription Huang-Lian-Jie-Du-Tang (Huáng Lián Jiě Dú Tang) in human hepatoma cells’, *Journal of Traditional and Complementary Medicine*, 3(4), pp. 227–233. doi: 10.4103/2225-4110.119732.
- Liu, Y. et al., 2011, ‘The association between vascular endothelial growth factor expression in invasive breast cancer and survival varies with intrinsic

- subtypes and use of adjuvant systemic therapy: results from the Nurses' Health Study', *Breast Cancer Res Treat*, 129(1), pp. 175–184. doi: 10.1007/s10549-011-1432-3.
- Liu, Y. *et al.*, 2020, 'Targets and Mechanism Used by Cinnamaldehyde, the Main Active Ingredient in Cinnamon, in the Treatment of Breast Cancer', *Frontiers in Pharmacology*, 11(December), pp. 1–12. doi: 10.3389/fphar.2020.582719.
- Modi, S. J. and Kulkarni, V. M., 2019, 'Vascular Endothelial Growth Factor Receptor (VEGFR-2)/KDR Inhibitors: Medicinal Chemistry Perspective', *Medicine in Drug Discovery*, 2, p. 100009. doi: 10.1016/j.medidd.2019.100009.
- Modi, S. J. and Kulkarni, V. M., 2021, 'Exploration of structural requirements for the inhibition of VEGFR-2 tyrosine kinase: Binding site analysis of type II, "DFG-out" inhibitors', *Journal of Biomolecular Structure and Dynamics*, (January). doi: 10.1080/07391102.2021.1872417.
- Muchtaridi, M., Dermawan, D. and Yusuf, M., 2018, 'Molecular docking, 3D structure-based pharmacophore modeling, and ADME prediction of alpha mangostin and its derivatives against estrogen receptor alpha', *Journal of Young Pharmacists*, 10(3), pp. 252–259. doi: 10.5530/jyp.2018.10.58.
- Nabilla Cahyani, F. *et al.*, 2021, 'Pengembangan dan Optimasi Kapsul Mikrosfer Ekstrak Licorice sebagai Bentuk Sediaan Oral Extended Release Kanker Payudara', *Pharmaceutical Journal of Indonesia*, 7(1), pp. 63–70. doi: 10.21776/ub.pji.2021.007.01.10.
- Noomhorm, N. *et al.*, 2014, 'In vitro and in vivo effects of xanthorrhizol on human breast cancer MCF-7 cells treated with tamoxifen', *Journal of Pharmacological Sciences*, 125(4), pp. 375–385. doi: 10.1254/jphs.14024FP.
- Nurcholis, W., Munshif, A. A. and Ambarsari, L., 2018, 'Xanthorrhizol contents, α -glucosidase inhibition, and cytotoxic activities in ethyl acetate fraction of Curcuma zanthorrhiza accessions from indonesia', *Revista Brasileira de*

- Farmacognosia*, 28(1), pp. 44–49. doi: 10.1016/j.bjp.2017.11.001.
- O’Boyle, N. M. *et al.*, 2011, ‘Open Babel’, *Journal of Cheminformatics*, 3(33), pp. 1–14. Available at: <https://jcheminf.biomedcentral.com/track/pdf/10.1186/1758-2946-3-33>.
- Omar, M. N., Hasali, N. H. M. and Yarmo, M. A., 2016, ‘Cytotoxicity activity of biotransformed ethyl p-methoxycinnamate by *Aspergillus niger*’, *Oriental Journal of Chemistry*, 32(5), pp. 2731–2734. doi: 10.13005/ojc/320547.
- Patel, N. K., Jaiswal, G. and Bhutani, K. K., 2016, ‘A review on biological sources, chemistry and pharmacological activities of pinostrobin’, *Natural Product Research*, 30(18), pp. 2017–2027. doi: 10.1080/14786419.2015.1107556.
- Peng, Y. *et al.*, 2018, ‘Andrographolide inhibits breast cancer through suppressing COX-2 expression and angiogenesis via inactivation of p300 signaling and VEGF pathway 11 Medical and Health Sciences 1112 Oncology and Carcinogenesis’, *Journal of Experimental and Clinical Cancer Research*, 37(1), pp. 1–14. doi: 10.1186/s13046-018-0926-9.
- Pratama, Andri Anugrah, Rifai, Yusnita, Marzuki, A., 2017, ‘Docking Molekuler Senyawa 5,5’- Dibromometilsesamin’, *Majalah Farmasi dan Farmakologi*, 21(3), pp. 67–69.
- Rasul, A. *et al.*, 2013, ‘Pinocembrin: A novel natural compound with versatile pharmacological and biological activities’, *BioMed Research International*, 2013. doi: 10.1155/2013/379850.
- RCSB PDB 101. 2022. Guide to Understanding PDB Data. diakses pada tanggal 29 Mei 2022 pada situs <http://pdb101.rcsb.org/learn/guide-to-understanding-pdbdata>
- Rena, S. R., Nurhidayah, N. and Rustan, R., 2022, ‘Analisis Molecular Docking Senyawa Garcinia Mangostana L Sebagai Kandidat Anti SARS-CoV-2’, *Jurnal Fisika Unand*, 11(1), pp. 82–88. doi: 10.25077/jfu.11.1.82-88.2022.
- Rizaldy, D. *et al.*, 2022, ‘Chemical compounds and pharmacological activities of mangosteen (*Garcinia mangostana* L.)-updated review’, *Biointerface*

- Research in Applied Chemistry*, 12(2), pp. 2503–2516. doi: 10.33263/BRIAC122.25032516.
- Saifuddin A, Siswandono, dan B. P. E. W., 2014, ‘Studi in silico Gendarusin A, B, C, D, dan E untuk prediksi absorpsi dan aktivitas terhadap hialuronidase (Ec 3.2.1.35)’, *Jurnal Farmasi dan Ilmu Kefarmasian Indonesia*, 1(2), pp. 42–47. Available at: <http://journal.unair.ac.id/download-fullpapers-jfikd5b141cb18full.pdf>.
- Salmaso, V. and Moro, S., 2018, ‘Bridging molecular docking to molecular dynamics in exploring ligand-protein recognition process: An overview’, *Frontiers in Pharmacology*, 9(AUG), pp. 1–16. doi: 10.3389/fphar.2018.00923.
- Shaik, F. et al., 2020, ‘Structural basis for vascular endothelial growth factor receptor activation and implications for disease therapy’, *Biomolecules*, 10(12), pp. 1–25. doi: 10.3390/biom10121673.
- Song, X. et al., 2019, ‘Molecular targets of curcumin in breast cancer (Review)’, *Molecular Medicine Reports*, 19(1), pp. 23–29. doi: 10.3892/mmr.2018.9665.
- Syahputra, G., Ambarsari L and T, S., 2014, ‘Simulasi docking kurkumin enol, bisdemetoksikurkumin dan analognya sebagai inhibitor enzim12-lipokksigenase’, *Biofisika*, 10(1), pp. 55–67.
- The Global Cancer Observatory, 2020, ‘Cancer Incident in Indonesia’, *International Agency for Research on Cancer*, 858, pp. 1–2.
- WHO, 2021, *Breast cancer worldwide.pdf*. Available at: <https://www.who.int/news-room/fact-sheets/detail/breast-cancer> (Accessed: 10 October 2021).
- Wiyono, L. et al., 2020, ‘Isolation, synthesis nanoparticle, and in-vitro test of pinostrobin from kaempferia pandurata on mcf-7 and mdamb-231 breast cancer cell’, *Research Journal of Pharmacy and Technology*, 13(6), pp. 2797–2801. doi: 10.5958/0974-360X.2020.00497.7.

- Yang, F. *et al.*, 2011, ‘Increased VEGFR-2 gene copy is associated with chemoresistance and shorter survival in patients with non-small-cell lung carcinoma who receive adjuvant chemotherapy’, *Cancer Research*, 71(16), pp. 5512–5521. doi: 10.1158/0008-5472.CAN-10-2614.
- Zhang, H. *et al.*, 2019, ‘Apatinib suppresses breast cancer cells proliferation and invasion via angiomotin inhibition.’, *American journal of translational research*, 11(7), pp. 4460–4469.
- Zhang, R. *et al.*, 2018, ‘Bioactive Sesquiterpenoids from the Peeled Stems of Syringa pinnatifolia’, *Journal of Natural Products*, 81(8), pp. 1711–1720. doi: 10.1021/acs.jnatprod.7b01071.
- Zhu, X. *et al.*, 2021, ‘Pinocembrin Inhibits the Proliferation and Metastasis of Breast Cancer via Suppression of the PI3K/AKT Signaling Pathway’, *Frontiers in Oncology*, 11(July), pp. 1–13. doi: 10.3389/fonc.2021.661184.
- Zhu, X. and Zhou, W., 2015, ‘The emerging regulation of VEGFR-2 in triple-negative breast cancer’, *Frontiers in Endocrinology*, 6(OCT), pp. 1–7. doi: 10.3389/fendo.2015.00159.