

DAFTAR PUSTAKA

- Adebayo SF & Ogunsola EM. (2005). The Proximate Analysis and Functional Properties in Fortified Instant Pounded yam Flour. *Global Journal of Science Frontier Research Biological Science*, 5(7):419-424
- Aguirre, A., Borneo, R., & León, A.E., (2013), Properties of Triticale Protein Films and Their Relation to Plasticizing–antiplasticizing Effects of Glycerol and Sorbitol, *Industrial Crops and Products*, 50, pp. 297-303.
- Almatsier, S., (2004). *Prinsip Dasar Ilmu Gizi*. Jakarta: Gramedia Pustaka Utama.
- AOAC, (1995). *Official Methods of Analysis*, Association of Analytical Chemist, Washington D.C.
- Astuti, A. W. (2011). PKM *Pembuatan Edible Film dari Semirefine Carrageenan (Kajian Konsentrasi Tepung SRC dan Sorbitol)*.
- Birkhäuser Basel. (2009). *PEGylated Protein Drugs: Basic Science and Clinical Applications*. ISBN 978-3-7643-8678-8. Page.147
- Butler B.L., Vergano PJ, Testin R.F., Bunn J.M., Wiles JL. (1996). Mechanical and Barrier Properties of Edible Chitosan Films as Affected by Composition and Storage. *Journal Food Science*. Vol. 61: 953-961.
- Caner C, Vergano PJ, Wiles JL. (1998). Chitosan Film Mechanical and Permeation Properties as Affected by Acid, Plasticizer, and Storage. *Journal Food Science*, Vol. 63(6):1049-1053.
- Cervera, M.F., J. Heinamaki., K. Krogers., & A.C. Jorgensen. (2005). Solid-State & Mechanical Properties of Aqueous Chitosan-Amylose Starch Films Plasticized With Polyols. *AAPS Pharm Sci Tech*. 5: 15-20.
- Chatwall, G. (1985). *Spectroscopy Atomic and Molecule*. Bombay: Himalaya Publishing House.
- Cristania. (2008). Pengaruh Pelapisan dengan *Edible Coating* Berbahan Baku Karagenan Terhadap Karakteristik Buah Stroberi (*Fragaria Nilgerrensis*) Selama Penyimpanan pada Suhu 5°C ± 2°C. *Skripsi*. Teknologi Industri Pertanian Unpad. Jatinangor.
- Cuq, B., N. Gontard., J.L. Cuq., & S. Guilbert. (1996). *Stability of Myofibrillar Protein Based Biopackagings during Storage*. *Lebensm Wiss Technol*.
- Darni, Y., A Chici, & I.D Sri., (2008), Sintesa Bioplastik dari Pati Pisang, dan Gelatin dengan Plasticizer Gliserol, *Seminar Nasional Sains dan Teknologi-II*, Universitas Lampung, 17-18 November 2008.

- Fakhouri, F. M., Tanada-Palmu, P. S. & Grosso, C. R. F., (2004). Characterization of Composite Biofilms of Wheat Gluten and Cellulose Acetate Phtalate. *Brazilian J. Chem. Engineering*, 21 (3): 261-264.
- FAO, (2010). FAO Rates RI as World's Fourth Biggest Shrimp Producer. <http://www.embassyofindonesia.org/news..> Diakses pada tanggal 1 juli 2018.
- Gennadios. (2002). *Protein Based Film and Coatings*. Florida : CRC Press.
- Ginting, Adil. (2012). Pemanfaatan Gliserol dan Turunannya Sebagai *Plasticizer* pada *Edible Film* Gelatin yang Diinkorporasi dengan Minyak Atsiri Kulit Kayu Manis (*Cinnamomum Burmamii*) Sebagai Antimikroba. *Disertasi*. Medan: Universitas Sumatera Utara.
- Gontard, N.S., Guilbert, & J.L., Cuq. (1993). Water and Glicerol as Plasticizer Effect Mechanical and Water Vapour Barrier Properties of an Edible Wheat Gluten Film. *J.Food Sci*,58 (1): 206-211.
- Guilbert, S. & Biquet, B. (1996). *Edible Film and Coatings*. In: G. Bureau and J.L. Multon (eds), Food packaging, volume I, VCH Publisher, New York.
- Harris, T. (2001). *The Advance Technology of Polymer* [Online], <http://www.ehow/content.php?c=2779>, diakses tanggal 30 Juli 2018.
- Hewage, S.& Vithanarachchi, S. M. (2009). Preparation and characterization of biodegradable polymer films from cowpea (*Vigna unguiculata*) protein isolate. *J. Nam. Sci. Foundation Sri Lanka*, 37(1): 53-59.
- Hui, Y. H. (2006). *Handbook of Food Science , Technology, and Engineering, Volume I*. USA : CRC Press.
- Julianti, Elisa & Mimi Nurminah. (2006). *Buku Ajar : Teknologi Pengemasan*. Medan : Universitas Sumatera Utara.
- Khan, T.A., Peh, K.K. and Ch'ng, H.S., (2000), Mechanical, Bioadhesive Strength and Biological Evaluation of Chitosan Films for Wound Dressing. *J. Pharm pharmaceut*, 3(3): 303-311
- Koswara, S. (2006). *Sukun Sebagai Cadangan Pangan Alternatif*. Ebook pangan, 2-3.
- Krochta, J. M. (1992). *Controll of Mass Transfer in Food With Edible Coatings and Film*.in : Singh, R. P., and M. A., Wirakartakusumah (eds). *Advances in Food Engineering*. Florida: CRC Press.
- Krochta, J. M., E. A. Baldwin, & M. Nisperos-Carriedo. (1994). *Edible Coating and Films to Improve Food Quality*. Untied State of America (USA): Economic Publ. Co. Incvania.

- Krochta & D, M, Johnston. (1997). Edible and Biodegradable Polymers Film : Changes & Opportunities. Food Technology 51.
- Kuixiong Gao (1993). *Polyethylene Glycol as an Embedment for Microscopy and Histochemistry*. CRC Press. ISBN 978-0-8493-4323-0. Page.1-10
- Kusumawati, D., H., & W. D. R. Putri. (2013). Karakteristik Fisik dan Kimia Edible Film Pati Jagung Yang Diinkorporasi Dengan Perasan Temu Hitam. *Jurnal Pangan dan Agroindustri*, 1(1):90-100.
- Lehninger. (1982). *Dasar-Dasar Biokimia*. Jakarta : Erlangga.
- Li, G., Zhang Y., Wu, Y. C., Zhang, L. D. (1998). *J. Phys., Condens. Matter* 15.
- Lindsay, R.C, 1985. *Food Additives*, Di dalam : O.R. Fennema, Food Chemistry. Marcel Dekker, Inc., NY.
- Maria TM. (2008). The Effect of The Degree of Hydrolysis of the PVA and the Plasticizer Concentration on the Color, Opacity, and Thermal and Mechanical Properties of Films Based on PVA and Gelatin Blends. *Journal of Food Engineering* 87:191-199.
- Marpongahtun, Cut Fatimah Zuhra, (2013), "Physical-Mechanical Properties and Microstructure of Breadfruit Starch Edible Films with Various Plasticizer", In *Jurnal Eksakta*, Vol. 13 (1-2): 56-58.
- McHugh, T.H. & Krochta, J.M., (1994), Sorbitol vs Glycerol Plasticized Whey Protein Edible Film : Integrated Oxygen Permeability and Tensite Property Evaluation, *Journal Agriculture and Food Chemistry*, 2(4): 841-845.
- Mulder.M. (1996). *Basic Principles of Membrane Technology*. Netherland: Kluwer Academic.
- Nadarajah K., & Prinyawiwatkul W. (2002). *Filmogenic Properties of Crawfish Chitosan [abstract]*. Dalam 54th Pacific Fisheries Tehnologist Annual Meeting Book of Abstracts; 2002 February 24-27.
- No, H.K., Lee, S.H and Meyers, S.P., (2000), "Correlation Between Physicochemical Characteristics and Binding Capacities of Chitosan Products", *Journal of Food Science*, 65(7): 1134-1137.
- Omobuwajo TO. (2003). Compositional Characteristics and Sensory Quality of Biscuit, Prawn Crackers, and Fried Chips Produced from Breadfruit (*Artocarpus altilis*). *Journal Innovative Food Science and Emerging Technologies*, 4(2): 219-225.
- Perdana, Y.A. (2016). Perbandingan Penambahan Plasticizer Gliserol-Sorbitol Terhadap Biodegradasi dan Karakteristik Pektin Kulit Jeruk Bali (*Citrus maxima*) pati onggok singkong. *Skripsi*. Fakultas Sains dan Teknologi. Universitas Islam Negeri Sunan Kalijaga. Yogyakarta.

- Pijoto, S., (1992), *Budidaya Sukun*, Yogyakarta : Kanisius.
- Poedjiadi, A., (1994), *Dasar-Dasar Biokimia*, Jakarta : UI-Prees.
- Purba, A. S. Harahap & H. Rusmarilin. (1994). *Diktat Kuliah Ilmu Gizi & Pangan*. Medan : USU-Press.
- Rindlav-Westling A, Stading, M, Hermansson, A.M, Gatenholm, P., (1998), Structure, Mechanical and Barrier Properties of Amylose and Amylopectin Films, *Carbohydrate Polymers*, 36: 217-224.
- Rincom, A.M., Fanny, C.P., (2004). Physicochemical Properties of Venezuelan Breadfruit (*Artocarpus 62* EKSAKTA Vol. 13 No. 1-2 Agustus 2013 *altilis*) Starch, *Archivos Latinoamericanos De Nutricion*, 53: 449-456.
- Setiani, Wini. Sudiarti, Tety. Rahmidar, Lena. (2013). Preparasi dan Karakterisasi *Edible Film* dari Poliblend Pati Sukun-Kitosan. *Valensi* Vol (3): 100-109.
- Smith, A.L.M., Kruiskamp, P.H., van Soest, J.J.G., & Vliegthart, J.F.G., (2003). Interaction Between Dry Starch and Plasticisers Glycerol or Ethylene Glycol, Measured by Differential Scanning Calorimetry and Solid State NMR spectroscopy, *Carbohydrate Polymers*, 53: 409-416.
- Sobral, P.J.A., Menegalli, F.C., Hubinger, M.D., & Roques, M.A., (2001). *Mechanical, Water Vapor Marrier and Thermal Properties of Gelatin Based Edible Films*, *Food Hydrocolloids*, 15(6): 423-432.
- Sothornvit R & Krochta JM. (2005). Plasticizers in Edible Films and Coatings Di dalam: J. HanH, editor. *Innovations in Food Packaging*, pp. 403-433.
- Shiken, Z. (1983). *Material Testing*, Hajime Shudo: Uchidarokakuho.
- Stokes, Debbie J. (2008). *Principles and Practice of Variable Pressure Environmental Scanning Electron Microscopy (VP-ESEM)*. Chichester: John Wiley & Sons. ISBN 978-0470758748.
- Su.Y.L., Wei Cheng, Chao Li, & Zhongyi Jiang. (2009). Preparation of Antifouling Ultrafiltration Membranes with Poly(ethylene glycol)-graft-polyacrylonitrile Copolymers. Elsevier. *Journal of Membrane Science*. Hlm : 246-252.
- Subowo, W.S dan Pujiastuti, S., (2003), Plastik Yang Terdegradasi Secara Alami (Biodegradable) Terbuat Dari LDPE Dan Pati Jagung Terlapis, *Prosiding Simposium Nasional Polimer IV*, Bandung, Pusat Penelitian Informatika-LIPI, pp. 203-208.
- Sulistriyono, A., W. Pradjojo, & N. Widiarti. (2014). Sintesis dan Karakterisasi Plastik Edible Film dan Pektin Belimbing Wuluh sebagai Pembungkus Wingko. *Indonesian Journal of Chemical Science*, 3(3): 212-216

- Suppakul, P. (2006). *Plasticizer and Relative Humidity Effects on Mechanical Properties of Cassava Flour Films*. Department of Packaging Technology. Faculty of Agro-Industry. Kasetsart University. Bangkok.
- Suprapti, M. L., (2002), *Tepung Sukun Pembuatan dan Pemanfaatan*. Yogyakarta. Kanisius.
- Suseno, Jatmiko Endro & Firdausi, K. Sofjan. 2008. Rancang Bangun Spektroskopi FTIR (Fourier Transform Infra Red) Untuk Penentuan Kualitas Susu Sapi. *Berkala Fisika* Volume 11, Nomor 1, ISSN: 1410-9662.
- Suyatma, N. E., Tighzert, L. & Copinet, A. (2005). Effects of Hydrophilic Plasticizers on Mechanical, Thermal, and Surface Properties of Chitosan Films. *Journal Agriculture Food Chem.* 53: 3950-3957.
- Talja, R.A., Helén, H., Roos, Y.H., & Jouppila, K., (2007), Effect of Various Polyols and Polyol Contents on Physical and Mechanical Properties of Potato Starch-based Films, *Carbohydrate Polymers*, 67: 288-295.
- Taylor MB & Tuia VS. (2007). Breadfruit in the Pacific Region. *ISHS Acta Horticulture* 757, 43—50. Ornum, J.U. 1992. Shrimp Waste Must It Be Wasted. *Infofish*. 6: 48.
- Vieira, M.G.A., Silva, M.A.D., Santos, L.O.D., & Beppu, M.M., (2011), Natural Based Plasticizer and Biopolymer Film: A Review, *European Polymer Journal*, 47(3): 254-263.
- Wahyu, K Maulana. (2009). *Pemanfaatan Pati Singkong Sebagai Bahan Baku Edible Film*. Karya Tulis Ilmiah. Bandung : Universitas Padjajaran.
- Warkoyo, B. Rahardjo, Djagal, W. M, dan Joko N., 2014, Sifat fisik mekanik dan barrier *edible film* berbasis pati umbi kimpul (*Xantosoma Sagithi*) yang diinkorporasi dengan kalium sorbat, *Agritech* 34 (1), Universitas Gajah Mada, Yogyakarta.
- Watson, David G. (2009). *Analisis Farmasi : Buku Ajar Untuk Mahasiswa Farmasi dan Praktisi Kimia Farmasi*, Jakarta: EGC.
- Widyaningsih, S., Dwi K., & Yuni T.N., (2012), Pengaruh Penambahan Sorbitol dan Kalsium Karbonat Terhadap Karakteristik dan Sifat Biodegradasi Film dari Pati Kulit Pisang, *Molekul*, 7(1): 69-81.
- Winarno FG. (2004). *Kimia Pangan dan Gizi*. Jakarta : Gramedia.
- Winarti, C., Miskiyah, & Widaningrum. (2012). Teknologi Produksi dan Aplikasi Pengemas Edible Antimikroba Berbasis Pati. *J. Litbang pert.* 31 (3) : 85-93.
- Wini, S., Tety, S., and Lena, R., (2013). Preparasi dan Karakterisasi Edible Film dari Poliblend Pati Sukun-Kitosan. *Jurnal Valensi* 3 (2) :100-109

Yuwono, S. S. & Susanto. (1998). *Pengujian Fisik Pangan*. Malang : Universitas Brawijaya.

Zhang, M., Gong, Y.D., Li X.H., Zhao, N.M & Zhang, X. F. (2001). Properties and Biocompatibility of Chitosan Films Modified by Blending with PEG. *Biomaterials*. 23 : 2641-2648.

