

DAFTAR PUSTAKA

- Abdullah, M. & Khairurrijal. (2009). Review: Karakterisasi Nanomaterial. *Jurnal Nanosains dan Nanoteknologi*, 2(1): pp. 1-9.
- [Anggraeni, N. H. \(2008\). Analisis SEM \(Scanning Electron Microscopy\) dalam Pemantauan Proses Oksidasi Magnetit Menjadi Hematit. Makalah dipresentasikan pada Seminar Nasional - VII Rekayasa dan Aplikasi Teknik Mesin di Industri Kampus ITENAS - Bandung, 28-29 Oktober 2008.](#)
- [Astuti. \(2016\). Karakterisasi Material. Diakses dari https://www.researchgate.net/profile/Astuti_Astuti/publication/305703542_Bab_IV_Karakterisasi_Material/links/579afc8408ae7b940a8aac53/Bab-IV-Karakterisasi_Material.pdf?origin=publication_detail](https://www.researchgate.net/profile/Astuti_Astuti/publication/305703542_Bab_IV_Karakterisasi_Material/links/579afc8408ae7b940a8aac53/Bab-IV-Karakterisasi_Material.pdf?origin=publication_detail), dilihat pada tanggal 28 Juni 2018.
- Azizah. (2008). 'Kajian Sifat Listrik Membran Selulosa Asetat yang Sirendam dalam Larutan Asam Klorida dan Kalium Hidroksida'. Skripsi. Bogor: Institut Pertanian Bogor.
- Bongkarn, T., Chootin, S., Pinitsoontorn, S., & Maensiri, S. (2016). Excellent Piezoelectric and Ferroelectric Properties of KNLNTS Ceramics with Fe₂O₃ Doping Synthesized by The Solid State Combustion Technique. *Journal of Alloys and Compounds*, doi: 10.1016/j.jallcom.2016.04.285.
- [Budi, E. \(2011\). Kaidah Difraksi Sinar X dalam Analisis Struktur Kristal KBr. Jurnal Fisika dan Aplikasinya, 11: pp. 35-40.](#)
- Callister, W. and Rethwisch, D. (2007) *Materials Science and Engineering: An Introduction*. 7th edn, Quebecor Versailles. 7th edn. United State of America: Quebecor Versailles. doi: 10.1016/0025-5416(87)90343-0.

- Callister, William, D., Rethwisch, & David, G. (1994). *Material Science and Engineering*. John Wiley & Sons. Singapura.
- Cech, O., Castkova, K., Chladil, L., Donhal, P., Cudek, P., Libich, J., & Vanysek, P., (2017). Synthesis and Characterization of $\text{Na}_2\text{Ti}_6\text{O}_{13}$ and $\text{Na}_2\text{Ti}_3\text{O}_7/\text{Na}_2\text{Ti}_6\text{O}_{13}$ Sodium Titanate with Nanorod-Like Structure as Negative Electrode Materials for Sodium-Ion Batteries. *Journal of Energy Storage*, 14 (3): 391-398.
- Ciceron, B. (2011). *Structural and Electrical Properties of BNT-BT_{0.08} Ceramics Processed by Spark Plasma Sintering*. World Academy of Science, Engineering and Technology.
- Dai, Y. J., Zhang, X. W., & Chen, K. P. (2009). Morphotropic Phase Boundary and Electrical Properties of $\text{K}_{1-x}\text{Na}_x\text{NbO}_3$ Lead-Free Ceramics. *Apply Physics Letter*, 94, 042905.
- Darmawan, Loeksmanto, W., & Liong, T.H. (1987). *Fisika Zat Padat*. Karunika. Jakarta.
- Delfia, U., Mahyudin, A., & Ahda, S. (2014). Pengaruh Penambahan SrTiO_3 Pada Struktur Dan Sifat Listrik Bahan Piezoelektrik BNT-BT. *Jurnal Fisika Unand*, 3 (1), Januari 2014.
- Donnelly, N. J., Shrout, T. R., & Randall, C. A. (2007). Addition of a Sr, K, Nb (SKN) Combination to PZT(53/47) for High Strain Applications. *Journal of American Ceramic Society*, 90 (2).
- Dunmin, L. & Kwok, K. W. (2010). Effect of Li-Subtitution on Piezoelectric and Ferroelectric Properties of $(\text{Bi}_{0,92}\text{Na}_{0,92-x}\text{Li}_x)_{0,5}\text{Ba}_{0,06}\text{Sr}_{0,02}\text{TiO}_3$ Lead-Free Ceramics. *Current Applied Physics*, 10 (2010): 1196-1202.
- Gupta, S. M., Li, J. F., & Viehland, D. (1998). Coexistence of Relaxor and Normal Ferroelectric Phase in Morphotropic Phase Boundary Composition of

- Lanthanum-Modified Lead Zirconate Titanate. *Journal of The American Ceramic Society*, 81 (1998): 557-564.
- Haertling, G. (1999). Ferroelectric Ceramic: History and Technology. *J.Am. Ceram. Soc.*, 82.
- Halliday, D & Resnick, R. (1984). *Fisika Jilid 1*. Erlangga. Jakarta.
- Hastuti, E. (2011). Analisa Difraksi Sinar-X TiO₂ dalam Penyiapan Bahan Sel Surya Terensitasi Pewarna. *Jurnal Neutrino*, 4 (1): pp. 93-100.
- Hong, C.H., Kim, H.P., Choi, B.Y., Han, H.S., Son, J.S., Ahn, C.W., & Jo, W. (2015) Lead-Free Piezoelectric – Where to move on?. *Journal of Materiomics*, Vol 2: 1, Hal: 1-24.
- Hosono, Y., Harada, K., & Yamashita, Y. (2001). Crystal Growth and Electrical Properties of Lead-Free Piezoelectric Material (Na_{1/2}Bi_{1/2})TiO₃-BaTiO₃. *Journal of Applied Physics*, 40: 5722-5726.
- [Husin, Husni, Pontas, K., Syl, Y., Syawaliah, & Saïsa. \(2014\). Synthesis of Nanocrystalline of Lanthanum Doped NaTaO₃ and Photocatalytic Activity for Hydrogen Production. *J. Eng. Technol. Sci.*, 46 \(3\): 318-327.](#)
- Igor, P., Syrnikov, P. P., Isupov, V. A., Egorov, V. M. (1980). Peculiarities of Phase Transition in Sodium-Bismuth Titanate. *Ferroelectric*, 25 (1): 395-397.
- Istiyono, E. (2000). *Fisika Zat Padat*. Yogyakarta. Universitas Negeri Yogyakarta.
- Isupov, V. A. (2005). Ferroelectric Na_{0,5}Bi_{0,5}TiO₃ and K_{0,5}Bi_{0,5}TiO₃ Perovskites and their Solid Solution. *Ferroelectrics*, 315, 123-147.
- Jatmiko & Asy'ari, H. (2007). Aplikasi Kapasitor untuk Perbaikan Faktor Daya Listrik pada Motor Induksi Satu Phase. *Jurnal Penelitian Sains & Teknologi*, 8, 185-198.

- Jiang, Z., Wang, P., Xing, J., Jiang, X., & Zhao, J. (2018). Screening and Design of Novel 2D Ferromagnetic Material with High Curie Temperature above Room Temperature. *ACS Apply Matter Interfaces*, 10 (45): 39032-39039.
- Jones, G. O., & Thomas, P. A. (2002). Investigation of The Structure and Phase Transition in The Novel A-Site Subtituted Distorted Perovskite Compound $\text{Na}_{1/2}\text{Bi}_{1/2}\text{TiO}_3$. *Acta Crystallographica Section B. Structural Science*, 58 (Pt2): 168-78.
- Juansah, J., Budiastra, I., Dahlan, K., & Seminar, K. (2012). The Prospect of Electrical Impedance Spectroscopy as Nondestructive Evaluation of Citrus Fruits Acidity. *IJTAE*, 2, 58–64.
- Kim, S. (2002). ‘Low Power Energy Harvesting with Piezoelectric Generator’. Doctoral Disertation. University of Pittsburgh. Pennsylvania.
- Lin, P., Lin, T., He, P., Guo, W., & Wang, J. (2015). Investigation of Microstructure and Mechanical Property of Li–Ti Ferrite/ Bi_2O_3 – B_2O_3 – SiO_2 Glass/Li–Ti Ferrite Joints Reinforced by $\text{FeBi}_5\text{Ti}_3\text{O}_{15}$ Whiskers. *Journal of The European Ceramic Society*, 35 (9): 2453-2459.
- Maeda, T., Bornmann, P., Hensel, T., & Morita, T. (2012). Piezoelectric Application of Hydrothermal Lead-Free $\text{K}_{0,48}\text{Na}_{0,52}\text{NbO}_3$ Ceramics. *Ultrasonics, IEEE Symposium*, 10. 1109.
- McLaughlin, B. J. (2008). ‘Study and Development of High Frequency Thermoacoustic Prime Movers with Piezoelectric Transducers’. Disertation Thesis. University of Utah. Salt Lake.
- Meisenheimer P.B., Novakov, S., Vu, N.M., & Heron, J.T. (2018). Perspective: Magnetolectric Switching in Thin Film Multiferroic Heterostructures. *J. Appl. Phys*, 116 (2014)153709-26. 15370913.

- Nurani, E, D. (2017). 'Sintesis Pigmen Geothit (α -FeOOH) dari Limbah Bubut Besi Dengan Variasi Suhu Sintesis'. Skripsi. UIN Maulana Malik Ibrahim. Malang.
- Pattipaka, S., James, A.R., & Dobbidi, P. (2018). Enhanced Dielectric and Piezoelectric Properties of BNT-KNNG Piezoelectric Ceramics. *Journal of Alloys and Compounds*. 765: 1195-1208.
- Pauzan, M., Kato, T., Iwata, S., & Suharyadi, E. (2013). Pengaruh Ukuran Butir dan Struktur Kristal terhadap Sifat Kemagnetan pada Nanopartikel Magnetit (Fe_3O_4). *Prosiding Pertemuan Ilmiah XXVII HFI Jateng & DIY*, (hal. 24-28).
- Purwasih, I. (2010). 'Rancang Bangun Sumber Energi Terbarukan secara Hybrid (Kumpulan dan Bahan Piezoelektrik PVDF) dengan Memanfaatkan Cantilever sebagai Penggetar'. Skripsi. Universitas Sebelas Maret. Surakarta.
- Ramadhan, M, I., Widanarto, W., & Sunardi. (2018). Pengaruh Sintering terhadap Struktur dan Sifat Magnetik Ni^{2+} -Barium Ferit sebagai Penyerap Gelombang Mikro. *Jurnal Teras Fisika*, 1 (1).
- Ramlan. (2001). 'Pengaruh MgO dan Suhu Sintering terhadap Mikrostruktur dan Sifat Fisik Keramik Beta Alumina (β -Alumina). Tesis. Universitas Indonesia. Depok.
- Richerson, D. W. (1988). *Modern Ceramic Engineering: Properties, Processing, and Use in Design*. Marcel Dekker. New York.
- Rodel, J., Jo, W., Seifert, K.T.P., Anton, E., Granzow, T., & Damjanovic, D. (2009). Perspective and the Development of Lead-free Piezoelectric. *Ceramic Society*, 92: 1153-1177.

- Rohaeti, E. (2009). *Karakterisasi Biodegradasi Polimer*. Diseminarkan pada Seminar Nasional Penelitian, Pendidikan dan Penerapan MIPA, Universitas Negeri Yogyakarta, 16 Mei 2009, K-248-257.
- Sajidah, H. (2017). *Review: Analisis termal dan Morfologi Permukaan untuk Karakterisasi Serbuk Ba_{1-x}Sr_xTiO₃*. Research Gate.
- Saputri, W. (2011). 'Penggunaan Piezoelektrik sebagai Sumber Energi LED Street Light untuk Penerangan Jalan'. Skripsi. Universitas Andalas. Padang.
- Sarwono, E. (2004). 'Perhitungan Polarisasi Spontan dan Momen Quadrupol Potensial Listrik Bahan PIZT (PbIn_xZr_yTi_{1-x-y}O_{3-x/2})'. Tesis. Universitas Indonesia. Depok.
- Scientific Equipment and Services. (2010). *User's Manual, Study of Dielectric Constant Model: DEC-01*. Rorkee: UA India.
- Setyawan, H. (2012). 'Pengaruh Doping Fe terhadap Perubahan Nilai Magnetisasi dan Rasio Magnetisasi pada Sampel La_{0,67}Sr_{0,33}Mn_{1-x}Fe_xO₃ (x=0, 0,05; 0,10; 0,15; 0,50)'. Tesis. Universitas Indonesia. Depok.
- Shen, L., Qiao, Y., Guo, Y., & Tan, J. (2012). Preparation and Formation Mechanism of Nano-Iron Oxide Black Pigment From Blast Furnace Flue Dust. *School Of Chemistry and Chemical Engineering, Departement of Chemical*, vol. 39 737-747.
- Skoog, D. A. & Leary, J. J. (1998). *Fundamental of Analysis*. Saunders College Publishing. United State of America.
- Sulistiyono, T. (2014). "Sintesis dan Karakterisasi Material Piezoelektrik PZT dengan Bahan Dopan La₂O₃ Menggunakan Metode *Solid State Reaction*'. Skripsi. Universitas Sebelas Maret. Surakarta.
- Smallman, R. E., & Bishop, R. J. (2000). *Modern Physical Metallurgy and Materials Engineering*. Hill International Book Company. New York

- Sobirin, M. (2016). 'Pengaruh Lama Pergerusan terhadap Konstanta Dielektrik, Kekerasan, dan Mikrostruktur Keramik Oksida SiO₂-MgO'. Skripsi. Universitas Negeri Semarang. Semarang.
- Suchanic, J. & Ptak, W.S. (1990). On The Phase-Transition in Bi_{0.5}Na_{0.5}TiO₃. *Ferroelectrics Lett. Sec.*, 12.71-78.
- Sujatno, Agus, Salam, R., Bandriyana, & Dimiyati, A. (2015). Studi Scanning Electron Microscopy (SEM) untuk Karakterisasi Proses Oxidasi Paduan Zirkonium. *Jurnal Forum Nuklir (JFN)*, 9 (2), November 2015.
- Sukेशa. (2014). Variation of Piezoelectric Coefficient and Dielectric Constant with Electric Field a Temperature: A Review. *Proceedings of RAECS*.
- Supriyatman. (2004). 'Uji Sifat Listrik Struktur Kapasitor Film Tipis Bahan PbZr_xTi_{1-x}O₃ (PZT) Doping In₂O₃ (PIZT)'. Skripsi. Institut Pertanian Bogor. Bogor.
- Thao, N. T., Alamdari, H., Kaliaguine, S., (2008). Charaterization and Reactivity of Nanoscale La (Co,Cu)O₃ Perovskite Catalyst Precusor for CO Hydrogenation. *Journal of Solid State Chemistry*, 181 (8): 2006-2019.
- Tim Penyusun Pedoman. (2012). *General Purpose, Portable Impedance/LCR meter*. Geneva. Tegam Way.
- Triwahyuni, D. (2008). 'Sintesis dan Karakterisasi Bahan Piezoelektrik Bi_{0.5}Na_{0.5}TiO₃ (BNT) dengan Metoda *Molten Salt*'. Tesis. Universitas Andalas. Padang.
- Vlack, V., Lawrence, H. (1995). *Ilmu dan Teknologi Bahan*. Jakarta. Erlangga.
- Velasco & Roman. (2007). Determining the Curie Temperature of Iron and Nickel. *The Physics Teacher*, Vol. 45.
- Wang, D.Y., Chan, N.Y, Choy, S., Tian, H.Y., Chan, H.L.W., & Li, S. (2010). Enhanced Ferroelectric and Piezoelectric Properties in Doped Lead-Free

$(\text{Bi}_{0.5}\text{Na}_{0.5})_{0.94}\text{Ba}_{0.06}\text{TiO}_3$ Thin Films. *Applied Physics Letters*, 97 (21): pp. 212901-1-212901-3.

Wangfeng, B., Wang, L., Zheng, P., & Wen, F. (2018). Pairing High Piezoelectric Properties and Enhanced Thermal Stability in Grain-Oriented BNT-Based Lead-Free Piezoceramics. *Ceramics International*, 44: 11402-11409.

Werner, K. (2009). *Piezoelectric Properties and Phase Transition Temperatures of The Solid Solution of $(1-x)(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3-x\text{SrTiO}_3$* . Graz University of Technology, Christian Doppler Laboratory for Advance Ferroic Oxides, Stremayrgasse 16, 8010 Graz, Austria.

Widanarto, W., Sahar, M.R., Ghoshal, S.K., Arifin, R., Rohani, M.S., & Hamzah, K.. (2013). Effect Of Natural Fe_3O_4 Nanoparticles on Structural and Optical Properties Of Er^{3+} Doped Tellurite Glass. *J. Magn. Magn. Mater*, 326 (2013) 123–128.

Widanarto, W., Fauzi, N., Cahyanto, W.T., & Mukhtar, E. (2015). Peningkatan Sifat Magnetik Material Hematit melalui Substitusi Barium dan Kontrol Temperatur Sintering. *Berkala Fisika*, Vol. 18, No. 4, Oktober 2015, hal 125 – 130, ISSN 1410-9662.

Xu, Q., Chen, X., Chen, W., Chen, S., Kim, B., & Lee, J. (2005). Synthesis, Ferroelectric, and Piezoelectric Properties of Some $(\text{Na}_{0.5}\text{Bi}_{0.5})\text{TiO}_3$. *Mater.Lett*, 59 (2005) 2437–2441.

Xu, Y. (1991). *Ferroelectric Materials and Their Applications*. North-Holland. New York.

Yang, Y., Lin, C. S., Chen, J. F., Hu, L., & Cheng, W. D. (2014). Magnetoelectric Effect at The Interfaces Between Nonmagnetic Perovskites: Ab Initio Prediction. *EPL (Europhysics Letters)*, 105 (2).

- Zeffry, R. (2015). 'Pengaruh Temperatur Kalsinasi terhadap Sifat Fisis Tembaga Oksida dari Daerah Pinti Kayu, Kec. Koto Parik Gadang Diateh, Kabupaten Solok Selatan'. Skripsi. Universitas Negeri Padang. Padang.
- Zen, N.A., Widanarto, W., & Cahyanto, W.T. (2014). Karakterisasi Struktur dan Sifat Magnetik Manganese Ferrite sebagai Bahan Magnet Permanen Isotropik. *Prosiding Pertemuan Ilmiah XXVIII HFI Jateng & DIY*, ISSN: 0853-0823.
- Zhu, Z., Li, G.R., Zheng, L., & Yin, Q.R. (2005). Microstructure, Domain Morphology, and Piezoelectric Properties of Si-Doped $\text{Pb}(\text{Mn}_{1/3}\text{Sb}_{2/3})\text{O}_3\text{-Pb}(\text{Zr,Ti})\text{O}_3$ System. *Material Science and Engineering B*, 119 (2005): 46.

