

## DAFTAR PUSTAKA

- Adesina, B.A., Otuyemi, O.D., Kolawole, K.A., and Adeyemi, A.T. 2013. Assessment of the impact of tongue size in patients with bimaxillary protrusion. *International Orthodontics*. 11(2): h. 221-232.
- Ardani, I.G.A., Heswari, D.W., and Alida, A. 2020. The correlation between class I, II, III dental and skeletal malocclusion in ethnic Javanese: a cross sectional study. *Journal of International Oral Health*. 12(3): h. 248-252.
- Agarwal, L., Tandon, R., Kulshrestha, R., and Gupta, A. 2016. Adenoid facies and its management: An orthodontic perspective. *Indian Journal of Orthodontics and Dentofacial Research*. 2(2): h. 50-55.
- Akan, S. and Kecik, D. 2019. Lower incisor inclination in relation to head posture, tongue and hyoid position. *Cumhuriyet Dental Journal*. 22(3): h. 310-317.
- Anggraini, L.D., Utomo, R.B., Sunarno, dan Pramono, D. 2018. Premature loss dan perkembangan rahang. *Insisiva Dental Journal: Majalah Kedokteran Gigi Insisiwa*. 7(2): h. 53-57.
- Anwar, K., dan Fatmawati. 2018. Pengaruh jumlah penduduk usia produktif, kemiskinan dan inflasi terhadap pertumbuhan ekonomi di Kabupaten Bireuen. *Jurnal Ekonomi Regional*. 1(1): h.15-22.
- Ardani, I.G.A.W., Heswari, D.W., and Alida, A. 2020. The correlation between class I, II, III dental and skeletal malocclusion in ethnic Javanese: a cross sectional study. *Journal of International Oral Health*. 12(3): h. 248-252.
- Bittencourt, M. 2015. Early treatment of patient with class III skeletal and dental patterns. *Dental Press Journal Orthodontics*. 20(6): h. 97-109.
- Bhalajhi, S.I. 2018. *Orthodontics: The Art and Science*. 5<sup>th</sup> Ed. Arya Medical Publishing House PVT LTD. New Delhi. h. 203-207.
- Brahmanta, A. 2017. *Monograf Gambaran Sefalometri Skeletal, Dental dan Jaringan Lunak: Pasien Fase Geligi Pergantian di Kelurahan Sukolilo yang Datang Berobat ke RSGM FKG UHT*. CV. Kartika Mulya. Surabaya. h. 9-31.
- Brunner, J., Fuchs, S., and Perrier, P. 2009. On the relationship between palate shape and articulatory behavior. *The Journal of the Acoustical Society of America*. 125(6): h. 3936-3949.

- Cassidy, S.E., Jackson, S.R., Turpin, D.L., Ramsay, D.S., Spiekerman, C., and Huang, G.J. 2014. Classification and treatment of Class II subdivision malocclusions. *American Journal of Orthodontics and Dentofacial Orthopedics*. 145(4): h. 443-451.
- Chauhan, A., Autar, R., Pradhan, K.L., and Yadav, V. 2015. Comparison of pharyngeal airway dimension, tongue, and hyoid bone position based on ANB angle. *National Journal OF Maxillofacial Surgery*. 6(1): h. 42.
- Chhbra, S., Khanna, P., Munjal, P., Mittal, S., and Arora, N. 2021. Evaluation of tongue posture and dimensions in relation to skeletal class I and class II patterns - a cephalometric study. *International Journal of Oral Health Dentistry*. 7(4): h. 276–281.
- Christiany, Budiyanti, A.E., Hidayat, A., and Hamilah, D.K. 2013. Difference of lateral cephalometry values between Australo-Malenesian and Deutero-Malay races. *Journal of Dentistry Indonesia*. 20(1): h. 9-14.
- Cobourne, T.M., and Dibiase, T.A. 2016. *Handbook of Orthodontic*. Elsevier. London. h. 10.
- Duran, G.S., Dindaroğlu, F., Görgülü, S., and Kılıç, S. 2015. Inconsistency between ANB Angle and Wits Appraisal in the Turkish Population. *Turkish Journal Orthodontics*. 28(3): 103-108.
- Fachrani, N. 2018. Hubungan Derajat Kecembungan Jaringan Keras terhadap Jaringan Lunak Wajah dengan Metode Subtelny pada Laki Laki dan Perempuan Suku Jawa. *Skripsi*. Program Studi Sarjana Kedokteran Gigi Universitas Brawijaya. Malang. (Tidak Dipublikasikan).
- Fadhilah, A.Z., dan Fitri, E.D. 2013. Perbandingan indeks cephalic dan gambaran bentuk kepala laki-laki dewasa pada suku Lampung dan Jawa di Desa Negeri Sakti Provinsi Lampung. *Medical Journal of Lampung University*. 2(1): h. 161-169.
- Fatima, F., and Fida, M. 2019. The assessment of resting tongue posture in different sagittal skeletal patterns. *Dental Press Journal of Orthodontics*. 24(3): h. 55-63.
- Feroza, N.A., Kurniawan, F.K.D., dan Wibowo, D. 2017. Hubungan antara kebiasaan buruk bernafas melalui mulut dan tingkat keparahan maloklusi di SMPN 4 Banjarbaru dan SMAN 4 Banjarbaru. *Dentino Jurnal Kedokteran Gigi*. 2(1): h. 39-43.
- Feu, D., Miguel, J.A.M., Celeste, R.K., and Oliveira, B.H. 2013. Effect of orthodontic treatment on oral health-related quality of life. *Angle Orthodontist*. 83(5): h. 892-898.

- Fitri, H., Iswani, R., dan Alamsyah, Y. 2019. Analisa gambaran rontgen foto sefalometri lateral terhadap profil wajah pada pasien perawatan ortodonti. *B-Dent Jurnal Kedokteran Gigi Universitas Baiturrahmah*. 3(2): h. 83–89.
- Grimm, D.L., Stone, M., Woo, J., Lee, J.H., Hwang, J.H., Bedrosian, G.E., and Prince, J.L. 2017. The effects of palate features and glossectomy surgery on production. *Journal of Speech Language and Hearing Research*. 60(12): h. 3417–3423.
- Gupitasari, A., Herniyati, dan Ade Putri, L.S.D. 2018. Prevalensi kebiasaan buruk sebagai etiologi maloklusi klas I angle pada pasien klinik ortodonsia RSGM Universitas Jember tahun 2015-2016. *E-Jurnal Pustaka Kesehatan*. 6(2): h. 365-370.
- Hadi, S. 2016. *Metodologi Riset*. Pustaka Pelajar. Yogyakarta. h. 113-114.
- Hassan, A.H. 2011. Mandibular cephalometric characteristics of a saudi sample of patients having impacted third molars. *Saudi Dent Journal*. 23: h.73-80.
- Herawati, H., Sukma, N., and Utami, R.D. 2015. Relationships between deciduous teeth premature loss and malocclusion incidence in elementary school in Cimahi. *Journal of Medicine and Health*. 1(2): h. 156-69.
- Hlongwa, P. 2019. Cephalometric analysis: manual tracing of a lateral cephalogram. *South African Dental Journal*. 74(7): h. 389–393.
- Hwang, D. M., Lee, J. Y., Choi, Y. J., and Hwang, C. J. 2019. Evaluations of the tongue and hyoid bone positions and pharyngeal airway dimensions after maxillary protraction treatment. *CRANIO*. 37(4): h. 214-222.
- Iwasaki, T., Sato, H., Suga, H., Takemoto, Y., Inada, E., Saitoh, I., and Yamasaki, Y. 2017. Relationships among nasal resistance, adenoids, tonsils, and tongue posture and maxillofacial form in Class II and Class III children. *American Journal of Orthodontics and Dentofacial Orthopedics*. 151(5): h. 929-940.
- Jamilian, A., Kiaee, B., Sanayei, S., Khosravi, S., and Perillo, L. 2016. Orthodontic treatment of malocclusion and its impact on oral health-related quality of life. *The Open Dental Journal*. 10: h. 236-241.
- John, P. 2019. *Textbook Dental of Radiology*. 2<sup>nd</sup> Ed. New Delhi: Jaypee Hights Medical Publisher Inc. h. 117-120.
- Kalgotra, S. and Mushtaq, M. 2016. Position of tongue in skeletal class II and class III - a cephalometric study. *Journal of Dental and Medical Sciences*. 15(4): h. 33–38.

- Karki, S., Parajuli, U., Kunwar, N., Namgyal, K., and Wangdu, K. 2014. Distribution of malocclusion and occlusal traits among Tibetan adolescents residing in Nepal. *Orthodontic Journal of Nepal*. 4(2): h. 28-31.
- Kestin, I. 2015. Statistic in medicine. *Anesthesia and intensive care medicine*. 16(4): h. 1-8.
- Kumar, A., Sharma, N., and Shrivastav, S. 2018. Assessment of changes in tongue position in class II division 1 patients treated with functional appliances - an in-vivo study. *International Journal of Current Research and Review*. 10(8): h. 10–14.
- Kwak, S.G., and Kim, J.H. 2017. Central limit theorem: The cornerstone of modern statistics. *Korean Journal of Anesthesiology*. 70(2): h. 144-156.
- Lee, Y.S., Ryu, J., Baek, S.H., Lim, W.H., Yang, I.H., Kim, T.W., and Jung, S.K. 2021. Comparative analysis of the differences in dentofacial morphology according to the tongue and lip pressure. *Diagnostics*. 11(3): h. 1–9.
- Lubis, H.F. 2009. Perbedaan Dimensi Lidah dengan Relasi Rahang dalam Arah Anteroposterior Ditinjau dari Radiografi Sefalometri Lateral. *Tesis*. Program Studi Pendidikan Dokter Gigi Spesialis Ortodonsia Universitas Sumatera Utara. Medan. (Tidak Dipublikasikan).
- Lubis, H.F., Nainggolan, L.I., and Marwan, A. 2020. Relationship between the nasopharyngeal width and hyoid bone position in skeletal malocclusion. *Journal of International Dental and Medical Research*. 13(2): h. 608-613.
- Lubis, M.M. dan Fulvian, J. 2021. Perbedaan tinggi vertikal wajah pada maloklusi kelas I dan II skeletal. *Padjadjaran Journal of Dental Researchers and Students*. 5(1): h. 51-56.
- Mageet, A.O. 2016. Classification of skeletal and dental malocclusion: revisited. *Stomatology Edu Journal*. 3(2): h. 205–211.
- Mallya, S.M., Lam, E.W.N., Board, A., Radiology, M., Chapman, K., Science, C., and Dean, A. 2019. *White and Pharoah ' s Oral Radiology Principles and Interpretation*. 8th Ed. Elsevier. Toronto. h. 119-124, 400-407.
- McHugh, M. 2012. Interrater reliability: the kappa statistic. *Biochem Med*. 22(3): pp. 276–282.
- Littlewood, S.J., and Mitchell, L. 2019. *An Introduction to Orthodontics*. Oxford University Press. Toronto.
- Nanda, R. 2015. *Esthetic and Biomechanic In Orthodontic*. 2<sup>nd</sup> Ed. Elsevier. St. Louis. h. 1.

- Ninditya, S. 2017. Perbedaan Lebar dan Panjang Lengkung Gigi serta Tinggi Palatum pada Suku Jawa dan Batak. *Skripsi*. Program Studi Sarjana Kedokteran Gigi Universitas Brawijaya. Malang. (Tidak Dipublikasikan).
- Norton, N.S. 2012. *Netter's Head and Neck Anatomy for Dentistry*. 2<sup>nd</sup> Ed. Elsevier Saunders. Philadelphia. h. 383.
- Neville, B.W., Damm, D.D., Allen, C.M., and Bouquot, J.E. 2012. *Oral and Maxillofacial Pathology*. 3<sup>rd</sup> Ed. Saunders Elsevier. St. Louis. h. 9.
- Phulari, B.S. 2017. *Orthodontics Principles and Practice 2nd Edition*. Jaypee Brothers Medical Publisher's. New Delhi. h. 139-142, 373-400.
- Premkumar, S. 2015. *Textbook of Orthodontics*. Elsevier. New Delhi. h. 265-299.
- Primozić, J., Farenik, F., Perinetti, G., Richmond, S., and Ovsenić, M. 2013. The association of tongue posture with the dentoalveolar maxillary and mandibular morphology in class III malocclusion: a controlled study. *Eur J Orthod*. 35(3): h. 388-393.
- Proffit, W.R., Field, H.W., Larson, B., and Server, D.M. 2019. *Cotemporary orthodontics*. 6<sup>th</sup> Ed. Elsevier. Philadelphia. h. 2.
- Rahayu, F. 2017. *Variasi Wajah Suku Melayu Riau*. Departemen Biologi IPB. Bogor.
- Ratunanda, S.S., Satriyo, J.I., Samiadi, D., Madiadipoera, T., dan Anggraeni, R. 2016. Efektivitas terapi kortikosteroid intranasal pada hipertrofi adenoid usia dewasa berdasarkan pemeriksaan narrow band imaging. *Majalah Kedokteran Bandung*. 48(4): h. 228-233.
- Shah, G., Kubavat, A., and Desai, M. 2020. The association of tongue posture with dentoalveolar maxillary and mandibular morphology in class I, class II, class III, sagittal relation. *International Journal of Scientific Research*. 9(8): h. 1-2.
- Singh, G. 2015. *Textbook of Orthodontics*. 3<sup>rd</sup> Ed. Jaypee Hights Medical Pub Inc. New Delhi. h. 3-4, 96, 159-166, 280, 597, 613-614, 619,631.
- Selvi, K., Shanmugham, K.G., and Kannan, M.S. 2019. A review on role of tongue in malocclusion. *Indian Journal of Public Health Research & Development*. 10(12): h. 1067-1074.
- Subrahmanya, R.M., and Gupta, S. 2014. Assessment and comparison of tongue posture in individuals with different vertical facial patterns. *Journal of Orofacial Research*. 4(2): h.67-71.

- Sugiyono. 2019. *Metode Penelitian Kuantitatif*. Alfabeta. Bandung. h. 19-20, 138.
- Syabira, T.A. dan Sahelangi, O.P. 2019. Gambaran nilai pengukuran parameter sefalometrik pasien ras Deutro Melayu usia 6-12 tahun menggunakan analisis steiner. *Jurnal Kedokteran Gigi*. 1: h. 48–52.
- Tseng, Y.C., Wu, J.H., Chen, C.M., and Hsu, K.J. 2017. Correlation between change of tongue area and skeletal stability after corecction of mandibular prognathism. *Kaohsiung Journal of Medical Sciences*. h. 1-6.
- Verma, S., Agrawal, D., Prabhat, K., and Tandon, P. 2012. A cephalometric evaluation of tongue from the rest position to centric occlusion in the subjects with class II division 1 malocclusion and class I normal occlusion. *Journal of Orthodontic Science*. 1(2): h. 34-39
- Wang, X., and Cheng, Z. 2020. Cross-sectional studies: strengths, weaknesses, and recommendations. *Chest*. 158(1): h. 65–71.
- Yilmaz, F., Sagidic, D., Karacay, S., Akin, E., and Bulakbasi, N. 2011. Tongue movements in patients with skeletal Class II malocclusion evaluated with real-time balanced turbo field echo cine magnetic resonance imaging. *American Journal of Orthodontics and Dentofacial Orthopedics*. 139(5): h. 415-425.
- Yoon, A. J., Zaghi, S., Ha, S., Law, C. S., Guilleminault, C., dan Liu, S. Y. 2017. Ankyloglossia as a risk factor for maxillary hypoplasia and soft palate elongation: A functional–morphological study. *Orthodontics and Craniofacial Research*. 20(4). h. 237-244.