

DAFTAR PUSTAKA

- Alkhatip, A.A.A. M., M. G. Kamel, M. K. Hamza, E. M. Farag, H. M. Yassin, M. Elayashy, *et al.*. 2021. The Diagnostic and Prognostic Role of Neutrophil-to-Lymphocyte Ratio in COVID-19; a Systematic Review and Meta-analysis (online). *Expert Review of Molecular Diagnostics* <https://doi.org/10.1080/14737159.2021.1915773> Diakses pada 1 Oktober 2021.
- Amanda, D. A. 2020. Rasio Neutrofil-Limfosit pada COVID-19; Sebuah tinjauan literatur. *Wellness And Healthy Magazine* 2(2): 219–223.
- American Thoracic Society (ATS). 2020. Diagnosis and Management of COVID-19 Disease. *American Journal Respiratory Critical Care Medical* 12(21): 19-22.
- Andafarm. 2021. *Perkembangan terkait kasus COVID-19 (corona) di seluruh Provinsi Jawa Tengah per kota / kabupaten sampai 17 Maret 2022* (Online).https://m.andrafarm.com/_andra.php?_i=daftar-co19kota&noprovkot=10&corke=1000&urut=2&asc=01100000000#Tabel%20Corona. Diakses pada 17 Maret 2022.
- Badan Pusat Statistik (BPS). 2020. *Sensus Penduduk 2020* (online). <http://banyumaskab.bps.go.id/statictable/2021/03/06/304/jumlah-penduduk-menurut-kecamatan-dan-jenis-kelamin-di-kabupaten-banyumas-2020.html>. Diakses pada tanggal 19 Desember 2021.
- Bhaskaran, K., Bacon S., Evan S. J. W., Bates C. J., Rentsch C. T., MacKenna B. 2021. Factors Associated With Deaths Due To COVID-19 Versus Other Causes; Population-Based Cohort Analysis Of UK Primary Care Data And Linkednational Death Registrations Within The Open SAFELY Platform. *The Lancet Regional Health - Europe* 6 (21): 100109.
- Borges, L., Tania C. P., Rui C., Elaine H. 2020. COVID-19 and Neutrophils; The Relationship Between Hyperinflammation an Neutrophil Extracellular Traps. *Hindawi* 2020; 8829674s
- Bounacera, A., Benedetta S., Michele C., Lorenzo M. 2022. Neutrophil to Lymphocyte Ratio: An Emerging Marker of the Relationships between the

- Immune System and Diseases. *International Journal of Molecular Sciences* 23(3636): 1-10.
- Bwire, G. M. (2020). Coronavirus: Why Men are More Vulnerable to COVID-19 Than Women? *SN Comprehensive Clinical Medicine* 2(7), 874–876.
- Casella, M., Rajnik M., Cuomo A. 2020. Features, Evaluation and Treatment Coronavirus (COVID-19). *Stat Pearls Publishing* 29(2): 119-30.
- Channappanavar, R., Zhao J., Perlman S. 2018. T Cell-Mediated Immune Response To Respiratory Coronaviruses. *Journal* 59 (14): 118–28.
- Chen N., Zhou M., Dong X., Qu J., Gong F., Han Y., et al. 2020. Epidemiological and Clinical Characteristics of 99 Cases of 2019 Novel Coronavirus Pneumonia in Wuhan, China; a Descriptive Study. *Lancet* 23(395):507–513.
- Chen, Y., Guom Y., Pan Y., Zhao Z. J. 2020. Structure Analysis of the Receptor Binding of 2019- nCoV. *Biochemical and Biophysical Research Communications* 525(1): 135–140.
- Cipollaro, L., Giordano L., Padulo J., Oliva F., Maffulli N. 2020. Musculoskeletal Symptoms in SARS-CoV-2 (COVID-19) Patients. *Journal Orthop Surgical* 18 (15): 178 – 86.
- Clerkin, K. J., Justin F. A., Raikhelkar J., Sayer G., Griffin J. M., Masoumi A., et al. 2020. COVID-19 and Cardiovascular Disease. *Circulation* 17(141):1648–55.
- Dahlan, M.S., 2014. *Statistik untuk Kedokteran dan Kesehatan; Deskriptif, Bivariat dan Multivariat, Dilengkapi Aplikasi Menggunakan SPSS*. Epidemiologi Indonesia, Jakarta.
- Driggin, E., Madhavan M. V., Bikdelli B., Chuich T., Laracy J., Zocca G. B., et al. 2020. Cardiovascular considerations For Patients, Health Care Workers, And Health Systems During the COVID-19 Pandemic. *Journal American Collection Cardiol* 97(75): 2352–2371.
- Elviani, R., Anwar, C., & Sitorus, R. J. (2021). Gambaran Usia pada Kejadian COVID-19. *Jambi Medical Jurnal* 9(2): 204–209.
- Forget, P., Celine K., J., Jean, P D., Dominique, L. 2017. What is the Normal Value of the Neutrophil-to-lymphocyte Ratio? *BMC Res Notes* 10(12): 1-11.

- Gandhi, R., John B., Rio C. D. 2020. Mild to Moderate COVID-19. *The New England Journal of Medicine* 383 (18): 1757-67.
- Gelzo, M., Sara C., Biagio P., Annunziata D. R., Gustavo C., Filippo S., et al.. 2021. Prognostic Role of Neutrophil to Lymphocyte Ratio in COVID-19 Patients; Still Valid in Patients That Had Started Therapy? *Frontier in Public Health* 6(9): 1-5.
- Ghannam, M., Alshaer Q., Al-Chalabi M., Zakarna L., Robertson J., Manousakis G. 2020. Neurological Involvement of Coronavirus Disease 2019; a Systematic Review (online). *Journal Neurol.* doi; 10.21203/rs.3.rs-31183/v1 diakses tanggal 30 September 2021.
- Guan W.J., Ni Z.Y., Hu Y., Liang W.H., Ou C.Q., He J.X., et al. 2020. Clinical Characteristics of Coronavirus Disease 2019 in China. *N Engl J Med* 382(10): 1708–20.
- Guragac, A., & Demirer Z. 2016. The Neutrophyl to Lymphocytr Ratio in Clinical Practice. *Cuaj Letters* 11(34): 1-5.
- Hai, L. & Zhi D. H. 2020. The Clinical Utility Of Neutrophil To Lymphocyte Ratio In Pregnancy Related Complications: A Mini-Review. *Journal of Laboratory and Precision Medicine* 5(1): 18-29.
- Han, R., Hang, R., Jiang, H., Dong, J., Peng, H., Zhang, D. 2020. Early Clinical and CT manifestations of coronavirus disease 2019 (COVID-19) pneumonia. *American Journal of Roentgenology* 215(2):338-343.
- Hang, I & R. Pranata. 2020. Lymphopenia In Severe Coronavirus Disease-2019 (COVID-19); Systematic Review and Meta-analysis. *Journal of Intensive Care* 19(8):1-10.
- Hikmawati, I. & Setiyabudi R.. 2021. Epidemiology of COVID-19 in Indonesia; Common Sourc3 and Propagated Source as a Cause for Outbreaks. *Journal Infect Dev Countries* 15(5): 646-652.
- Hoffmann, M., Kleine-Weber H., Schroeder S. 2020. SARS-CoV-2 Cell Entry Depends on ACE2 and TMPRSS2 and is Blocked by a Clinically Proven Protease Inhibitor. *Cell* 181(2):271-80.

- Imran, M. M., Ahmad U., Usman U., Ali M., Shaukat A., Gul N.. 2020. Neutrophil/Lymphocyte Ratio – a Marker of COVID-19 Pneumonia Severity. *Inj J Clinical Practice* 21 (75): 1-7.
- Issac, V., Chia Y.W., Chun, T. H. 2017. Elevated Neutrophil To Lymphocyte Ratio Predicts Mortality In Medical Inpatients With Multiple Chronic Conditions. *Medicine* 95(23): 916-927.
- Jafarzadeh, A., Sara J., Parvin N., Pejman M., Maryam Nemati. 2020. Lymphopenia an Important Immunological Abnormality in Patient with COVID-19; Possible Mechanisms. *Wiley Immunology*
- Kakodkar P., Kaka N., Baig M. 2020. A Comprehensive Literature Review on the Clinical Presentation, and Management of the Pandemic Coronavirus Disease 2019 (COVID-19). *Cureus* 23(12): 765-72.
- Kalantari, H., Tabrizi, A. H. H., & Foroohi, F. 2020. Determination of COVID-19 prevalence with regards to age range of patients referring to the hospitals located in western Tehran, Iran. *Gene Reports*, <https://doi.org/10.1016/j.genrep.2020.100910> diakses 20 Januari 2022
- Kementerian Kesehatan RI (Kemenkes RI). 2020. *Pedoman Pencegahan dan Pengendalian Coronavirus Disease (COVID-19)*. Departemen Kesehatan, Jakarta.
- Kementerian Kesehatan RI (Kemenkes RI). 2021. *Keputusan Menteri Kesehatan Republik Indonesia Nomor Hk.01.07/Menkes/446/2021 Tentang Penggunaan Rapid Diagnostic Test Antigen Dalam Pemeriksaan Corona Virus Disease 2019 (COVID-19)*. Departemen Kesehatan, Jakarta.
- Kementerian Kesehatan RI (Kemenkes RI). 2021. *Keputusan Menteri Kesehatan Republik Indonesia Nomor Hk.01.07/Menkes/5671/2021 Tentang Manajemen Klinis Tata Laksana Corona Virus Disease 2019 (COVID-19) Di Fasilitas Pelayanan Kesehatan*. Departemen Kesehatan, Jakarta.
- Kementerian Kesehatan RI (Kemenkes RI). 2022. *Keputusan Menteri Kesehatan Republik Indonesia Nomor HK.02.01/MENKES/18/2022 Tentang Pencegahan Dan Pengendalian Kasus COVID-19 Varian Omicron (B.1.1.529)*. Departemen Kesehatan, Jakarta.

- Kementerian Kesehatan RI (Kemenkes RI). 2022. *Situasi terkini perkembangan Corona virus.* Available from: <https://COVID19.kemkes.go.id/situasi-infeksi-emerging/> diakses 26 Agustus 2021
- Khairi, A., Mufliahah, H., Damayanti, M. 2022. Hubungan Pemberian Remdesivir dengan Durasi Rawat Inap pada Pasien Covid-19 di Rumah Sakit Al-Islam Bandung. *Journal Medical Science*, 2(1), 354-359.
- Kismono, G., Rosari, R., & Suprihanto, J. (2014). Faktor-Faktor Demografik (Jenis Kelamin, Usia, Status Pernikahan, Dukungan Domestik) Penentu Konflik Pekerjaan dan Keluarga dan Intensi Keluar Karyawan: Studi pada Industri Perbankan Indonesia. *Jurnal Siasat Bisnis*, 17(2), 208–224.<https://doi.org/10.20885/jsb.vol17.i ss2.art6>.
- Klok, F.A., Kruip M. J. H. A., Meer V. D. 2020. Incidence of Thrombotic Complications in Critically Ill ICU Patients with COVID-19. *Thromb Respiration* 4(191): 145-47.
- Lemeshow, S., Hosmer, D.W., Klar, J & Lwanga, S.K. 1997. *Besar Sampel Dalam Penelitian Kesehatan.* Makalah disampaikan dalam Gajah Mada University Press, Jogjakarta.
- Li, X., Liu C., Mao Z., Xiao M., Wang L., Se S., Qi, et al. 2020. Predictive Values Of Neutrophil-To-Lymphocyte Ratio on Disease Severity and Mortality In COVID-19 Patients, a Systematic Review and Meta-Analysis. *Critical Care* 26(647):1-10.
- Liu Y., Du X., Chen J., Jin Y., Peng L., Wang H. H. X., et al.. 2020. Neutrophil to Lymphocyte Ratio as an Independent Risk Factor for Mortality in Hospitalized patients with COVID-19. *J Infect* 17(28): 1-7.
- Ma Y, Shi N, Fan Y, Wang J et al. 2020. Predictive Value of Neutrophil-to-lymphocyte ratio (NLR) for Diagnosis and Worse Clinical Course of the COVID-19: Findings from Ten Provinces of China. China: a retrospective cohort study. *Lancet* 10(20):1-8.
- Mao, L., Jin H., Wang M., Hu Y., Chen S., He Q., et al.. 2020. Neurologic Manifestations Of Hospitalized Patients With Coronavirus disease 2019 in Wuhan, China. *JAMA Neurol* 42(8): 669–90.

- Mehta, O. P., Bhandari P., Raut A., Kacimi S. E. O., Huy N. T.. 2021. Coronavirus Disease (COVID-19); Comprehensive Review of Clinical Presentation. *Frontiers in Public Health* 85(8): 1-9.
- Mercier J. & Voutsadakis I. 2018. The Platelets-Neutrophils To Lymphocytes Ratio; A New Prognostic Marker In Metastatic Colorectal Cancer. *J Gastrointest Oncol* 42(9): 478-486.
- Ortiz-Prado, E., Simbaña-Rivera, K., GómezBarreno, L., Rubio-Neira, M., Guaman, L. P., Kyriakidis, N. C., Muslin, C., Jaramillo, A. M. G., Barba-Ostria, C., Cevallos-Robalino, D., Sanches-SanMiguel, H., Unigarro, L., Zalakeviciute, R., Gadian, N., & López-Cortés, A. 2020. Clinical, molecular, and epidemiological characterization of the SARSCoV-2 virus and the Coronavirus Disease 2019 (COVID-19), a comprehensive literature review. *Diagnostic Microbiology and Infectious Disease* 98(1).
- Parasher, A. 2021. Current Understanding of its Pathophysiology, Clinical Presentation and Treatment. *Postgrad Med J* 52(97): 312-321.
- PDPI, PEEKI, PAPDI, PERDATIN, IDAI. 2020. *Pedoman Tatalaksana COVID-19 Edisi 3*. PDPI, Jakarta.
- Pemprov Jateng. 2021. *Peta Sebaran Kasus COVID-19 Jawa Tengah* (Online). <http://corona.jatengprov.go.id/data>. Diakses pada tanggal 20 Agustus 2021.
- Qun, S., Yulan W., Jun C., Xiang H. 2020. Neutrophil-to-Lymphocyte Ratios Are Closely Associated With the Severity and Course of Non-mild COVID-19. *Frontiers in Immunology* 20(11); 2160-71.
- Rabi, F.A., Al Zoubi M.S., Kasasbeh G.A., Salameh D.M., Al-Nasser A.D.. 2020. SARS-CoV-2 and Coronavirus Disease 2019; What We Know So Far. *Journal* 9 (2): 1-12.
- Rotty L, Kurube J, Harijanto PN, et al. 2022. The Correlation between Neutrophil-to-Lymphocyte Ratio with C-reactive Protein and D-dimer Level among Indonesian COVID-19 Cases. *Open Access Maced J Med Sci*, 10:335- 338.

- Ruiz, M. A. B., Eaquel O. L., Guillermo G. G. 2022. Role of Neutrophil Extracellular Traps in COVID-19 Progression; an Insight for Effective Treatment. *Biomedicine* 10(31): 1-18.
- Sari, L. M., Yaslina, Y., & Suryati, I. 2020. Edukasi Kesehatan tentang Infeksi Virus Corona. *Jurnal Abdimas Kesehatan Perintis* 2(1): 58–63.
- Sastroasmoro, S., & S. Ismael. 2011. *Dasar-Dasar Metodologi Penelitian Klinis. Edisi ke-4.* Sagung SETO, Jakarta.
- Seftiya, A., & Kosala, K. 2021. Epidemiologi Karakteristik Pasien COVID-19 di Kalimantan Utara. *Jurnal Sains Kesehatan*, 3(5):645-653.
- Selanno, Y., Yuyun W., Tenri E., Mansyur A. 2021. Analysis of Neutrophil Lymphocyte Ratio and Absolute Lymphocyte Count as Predictors of Severity of COVID-19 Patients. *Indonesian Journal of Clinical Pathology and Medical Laboratory* 27(2): 184-189.
- Seyit, M., Avci E., Nar R., Senol H., Yilmaz A., Ozen M. et al. 2020. Neutrophil to lymphocyte ratio, lymphocyte to monocyte ratio and platelet to lymphocyte ratio to predict the severity of COVID- 19. *American Journal of Emergency Medicine* 40(2021); 110-114.
- Sheraton, M., N. Deo, R. Kashyap, S. Surani. 2020. A Review of Neurological Complications of COVID-19. *Cureus* 3(4):181192
- Shereen, M. A., Khan S., Kazmi A., Bashir N., Siddique R.. 2020. COVID-19 Infection; Emergence Transmission, and Characteristics of Human Coronaviruses. *Journal of Advanced Research* 23(24): 91-98.
- Shi, S., Qin M., Shen B., Cai Y., Liu T., Yang F., et al.. 2020. Association of Cardiac Injury with Mortality in Hospitalized Patients with COVID-19 in Wuhan, China. *JAMA Cardiol* 35(5):802–810.
- Siagian, T. H. 2020. Mencari Kelompok Berisiko Tinggi Terinfeksi Virus Corona dengan Discourse Network Analysis. *Jurnal Kebijakan Kesehatan Indonesia* 9(2): 98– 106.
- Silva, L. H. A. C., Deyse C. M. C., Essia D. A. L. 2021. Neutrophils and COVID-19; The Road so Far. *International Immunopharmacology* 90(21): 1007-1015.

- Song, M., Graubard, B.I., Rabkin, C.S., Engels, E.A. 2021. Neutrophil-to-lymphocyte ratio and mortality in the United States general population. *Science Rep* 1(11): 464-472.
- Stewart, C. 2020. Daily new coronavirus (COVID-19) cases in Italy since February 2020 (Online). *Statista*. Available from:<https://www.statista.com/statistics/1101690/coronavirus-new-cases-development-italy/>. Diakses 17 Desember 2021
- Styawan, D. A. 2021. Pandemi COVID-19 dalam Perspektif Demografi. *Seminar Nasional Official Statistics* 2020(1): 182–189.
- Sungnak, W., Huang N., Bécavin C., et al.. 2020. HCA Lung Biological Network. SARS-CoV-2 Entry Factors are Highly Expressed in Nasal Epithelial cells Together with Innate Immune Genes. *Nat Med* 26(5): 681-687.
- Sutaryono, S. D., Andasari H. S., Kasjono. 2020. Diagnosis and Epidemiology of COVID-19 Outbreak in Indonesia. *Jurnal Teknologi Laboratorium* 9(1):49-57.
- Suwanwongse, K., Shabarek N. 2020. Rhabdomyolysis as a Presentation of 2019 Novel Coronavirus Disease. *Cureus* 19(12):737-756.
- Tang, N., Li D., Wang X., Sun Z. 2020. Abnormal Coagulation Parameters Are Associated With Poor Prognosis In Patients With Novel Coronavirus Pneumonia. *Journal Thromb Haemost* 18(4): 844-847.
- Tian, Y., Rong L., Nian W., He Y. 2020. Review Article; Gastrointestinal Features In COVID-19 And The Possibility Of Faecal Transmission. *Aliment Pharmacol Ther* 98(51): 843–851.
- Tsai, P. H., Lai W. Y., Lin Y. Y., Luo Y.H., Lin Y. T., Chen H. K. 2021. Clinical Manifestation and Disease Progression in COVID-19 Infection. *Journal Chin Med Assoc* 10(84):1-12.
- Veerdonk, V. D., Netea N. G., Deuren V. M. 2020. Kallikrein-kinin Blockade in Patients with COVID-19 to Prevent Acute Respiratory Distress Syndrome (online). *eLife*. doi:10.7554/eLife.57555 diakses pada 28 September 2021.
- Wang, C., Deng, R., Gou, L., Fu, Z., Zhang, X., Shao, F., Wang, G., Fu, W., Xiao, J., Ding, X., Li, T., Xiao, X., & Li, C. 2020. Preliminary study to identify

- severe from moderate cases of COVID-19 using combined hematology parameters. *Annals of Translational Medicine* 8(9): 593– 593.
- Warsida, R. Y., Adioetomo, S. M., & Pardede, E. 2013. Pengaruh Variabel SosioDemografis terhadap Mobilitas Ulang Alik di Jabodetabek. *Jurnal Ekonomi Dan Pembangunan Indonesia*, 13(2):159-176.
- World Health Organization (WHO). 2020. Antigen-Detection in the Diagnosis of SARS-CoV-2 Infection Using Rapid Immunoassays. WHO. <https://www.who.int/docs/default-source/coronavirus/who-china-joint-mission-on-COVID-19-final-rep>. Diakses pada tanggal 15 September 2021
- World Health Organization (WHO). 2020. WHO Director-General's Opening remarks at the media briefing on COVID-19 (online). WHO. <https://www.who.int/director-general/speeches/detail/who-director-general-zs-opening-remarks-at-the-media-briefing-on-COVID-19-11-march-2020>. Diakses pada tanggal 27 November 2021.
- World Health Organization (WHO). 2021. *COVID-19 Clinical Management Living Guidance 2021*. WHO.
- World Health Organization (WHO). 2021. WHO Coronavirus (COVID-19) Dashboard (online). WHO. <https://COVID19.who.int/table>. Diakses pada tanggal 27 Desember 2021
- Wulandari, A., Rahman, F., Pujianti, N., Sari, A. R., Laily, N., Anggraini, L., Muddin, F. I., Ridwan, A. M., Anhar, V. Y., Azmiyannoor, M., Prasetio, D. B. 2020. Hubungan Karakteristik Individu dengan Pengetahuan tentang Pencegahan Coronavirus Disease 2019 pada Masyarakat di Kalimantan Selatan. *Jurnal Kesehatan Masyarakat Indonesia* 15(1):42-46.
- Xu, H., Zhong, L., Deng, J., Peng, J., Dan, H., Zeng, X., Li, T., Chen, Q. 2020. High expression of ACE2 receptor of 2019-nCoV on the epithelial cells of oral mucosa. *International Journal of Oral Science* 12(8).
- Xu, Z., Shi L., Wang Y. 2020. Pathological Findings of COVID-19 Associated with Acute Respiratory Distress Syndrome. *Lancet Respir Med* 8(4): 420-32.

- Yang, A.P., Liu J.P., Tao W.Q., Li H.M. 2020. The Diagnostic and Predictive Role of RNL, d-RNL and PLR in COVID-19 Patients. *International Immunopharmacology* 97(84): 489-504.
- Yanti, H., Soedewo F. H., Wardhani P. 2017. Correlation of Neutrophils/Lymphocytes Ratio and C-Reactive Protein in Sepsis Patients. *Indonesia Journal of Clinical Pathology and Medical Laboratory* 23(2): 178–183.
- Ye Z., Zhang Y., Wang Y., Huang Z., Song B. 2020. Chest CT Manifestations of New Coronavirus Disease 2019 (COVID-19); a Pictorial Review. *Eur Radiol* 97(30): 4381-4389.
- Yuki, K., Fujiogi M., Koutsogiannaki S. 2020. COVID-19 Pathophysiology ; a Review. *Clinical Immunology* 215 (20): 1811-427.
- Zeng, F., Yuzhao H., Ying G., Mingzhu Y. 2020. Association of Inflammatory Markers with the Severity of COVID-19; a Meta-analysis. *International Journal of Infection Disease* 96(20): 467-74.
- Zou, X., Chen K., Zou J., Han P., Hao J., Han Z. 2020. Single-cell RNA-seq Data Analysis on the Receptor ACE2 Expression Reveals the Potential Risk of Different Human Organs Vulnerable to 2019-nCoV Infection. *Frontier of Medicine* 14 (2): 185-192.