

DAFTAR REFERENSI

- Adisaputra, M. K., Hendrizan, M. & Kholiq, A., 2010. *Katalog Foraminifera Perairan Indonesia*. Bandung: Badan Litbang Energi dan Sumberdaya Mineral.
- Akimoto, K., 1994. Cenozoic foraminiferal biostratigraphy, paleobathymetry, paleoenvironments, and paleoceanography of the new Herbrides Island Arc and north d'Entrecasteaux ridge area. *Proceedings of The Ocean Drilling Program*, Volume 134, pp. 265-291.
- Be, A. W. H., 1977. An ecological, zoogeographic and taxonomic review of recent planktonic foraminifera. In: *Oceanic Micropaleontology*. London: Academic Press, pp. 1-100.
- Be, A. W. H. & Hutson, W. H., 1977. Ecology of planktonic foraminifera and biogeographic patterns of life and fossil assemblages in the Indian Ocean. *Micropaleontology*, Volume 23, pp. 360-414.
- Be, A. W. H. & Tolderlund, B. S., 1971. Distribution and ecology of living planktonic foraminifera in surface waters of the Atlantic and Indian Oceans. In: *Micropaleontology of The Oceans*. London: Cambridge University Press, pp. 105-149.
- Berger, W. H., 1968. Planktonic foraminifera: Selective solution and paleoclimatic interpretation. *Deep-Sea Research*, Volume 15, pp. 31-43.
- Berger, W. H., 1970. Planktonic foraminifera: Differential production and expatriation off Baja California. *Limnology and Oceanography*, 15(2), pp. 183-204.
- Bierman, P., Lewis, M., Ostendorf, B. & Tanner, J., 2011. A review of methods for analysing spatial and temporal patterns in coastalwater quality. *Ecological Indicators*, Volume 11, pp. 103-114.
- Bignot, G., 1982. *Les Microfossiles*. Paris: Dunod Universite.
- Boersma, A., 1990. *Oligocene Benthic foraminifers from North Atlantic sites: benthic foraminifers as water mass indexes in the North and South Atlantic*. Texas, Proceedings of the Ocean Drilling Program, Scientific Results.
- Boltovskoy, E. & Wright, R., 1976. *Recent Foraminifera*. Den Haag: Junk Publisher.
- Boudagher-Fadel, M. K., 2013. *Biostratigraphic and Geological Significance of Planktonic Foraminifera*. 2nd ed. London: University College London Press.

- Braiser, M. D., 1980. *Microfossils*. London: Chapman & Hall.
- Callister, W. D., 2007. *Materials Science and Engineering: An Introduction*. 7th ed. New York: John Wiley and Sons, Inc..
- Caralp, M. H., 1989. Size and morphology of the benthic foraminifer *Melonis barleeanum*; relationship with marine organic matter. *Journal of Foraminiferal Research*, 19(3), pp. 235-245.
- Carnahan, E. A., Hoare, A. M., Hallock, P., Lidz, B. H. & Reich, C. D., 2009. Foraminiferal assemblages in Biscayne Bay, Florida: Responses to urban and agricultural influence in a subtropical estuary. *Marine Pollution Bulletin*, Volume 59, pp. 221-233.
- Carpenter, K., 1998. An Introduction to the Oceanography, Geology, Biogeography, and Fisheries of the Tropical and Subtropical Western and Central Pacific. In: *The Living Marine Resources of the Western Central Pacific*. Rome: FAO, pp. 1-19.
- Clarke, K. R. & Warwick, R. M., 2001. *Change in Marine Communities, An Approach to Statistical Analysis and Interpretation*. 2nd ed. Plymouth: PRIMER-E Ltd.
- Corliss, B. H., 1991. Morphology and microhabitat preferences of benthic foraminifera from the northwest Atlantic Ocean. *Marine Micropaleontology*, Volume 17, pp. 195-236.
- Dahuri, R., Putra, S. N., Zairon & Sulistiono, 1993. *Metode dan Teknik Analisis Biota Perairan*. Bogor: PPLH-LP Institut Pertanian Bogor.
- Dennis, B. & Patil, G. D., 1977. The use of community diversity indices for monitoring trends in water pollution impact. *Tropical Ecology*, Volume 18, pp. 36-51.
- Di Stefano, A., Verducci, M., Lirer, F., Ferraro, L., Iaccarino, S. M., Husing, S. K. & Hilgen, F. J., 2010. Paleoenvironmental conditions preceding the Messinian Salinity Crisis in the Central Mediterranean: Integrated data from the Upper Miocene Trave section (Italy). *Paleogeography, Paleoclimatology, Paleoecology*, Volume 297, pp. 37-53.
- Drinia, H., 2009. Palaeoenvironmental reconstruction of the Oligocene Afales Basin, Ithaki island, western Greece. *Central European Journal of Geosciences*, 1(1), pp. 1-18.
- Fachrul, M. F., 2008. *Metode Sampling Bioekologi*. Jakarta: Bumi Aksara.

- Food and Agriculture Organization of the United Nations, 1981. *Atlas of The Living Resources of The Seas*. Rome: FAO.
- Gebhardt, H., 1999. Middle to Upper Miocene benthonic foraminiferal palaeoecology of the Tap Marls (Alicante Province, SE Spain) and its palaeoceanographic implications. *Paleogeography, Paleoclimatology, Paleoecology*, Volume 145, pp. 141-156.
- Goldstein, S. T., 1999. Foraminifera: A Biological Overview. In: *Modern Foraminifera*. Dordrecht: Kluwer Academic Publishers, pp. 37-55.
- Gordon, A. L., Field, A. & Llahude, A. G., 1994. Thermocline o the Flores and Banda Seas. *Journal of Geophysical Research*, Volume 88, pp. 18.235-18.242.
- Gupta, A. K., 1994. Taxonomy and bathymetric distribution of Holocene deep-sea benthic foraminifera in the Indian Ocean and Red Sea. *Micropaleontology*, Volume 40, pp. 351-67.
- Gupta, A. K., 1997. Paleooceanographic and paleoclimatic history of the Somali Basin during the Pliocene-Pleistocene: Multivariate analysis of benthic foraminifera. *Journal of Foraminiferal Research*, Volume 27, pp. 196-208.
- Gupta, A. K. & Thomas, E., 1999. Latest Miocene through Pleistocene Paleooceanography, Evolution of the NW Indian Ocean. *Paleooceanography*, Volume 31, pp. 111-124.
- Gupta, A. K. & Thomas, E., 2003. Initiation of northern hemisphere glaciation and strengthening of northeast Indian monsoon. *Geology*, Volume 31, pp. 47-50.
- Hallock, P., 1999. Symbiont-bearing Foraminifera. In: *Modern Foraminifera*. Dordrecht: Kluwer Academic Publisher, pp. 123-129.
- Hallock, P., Lidz, B. H., Cockey-Burkhard, E. M. & Donnelly, K. B., 2003. Foraminifera as bioindicators in coral reef assessment and monitoring. *Environmental Monitoring and Assessment*, 11(1), pp. 40-46.
- Hall, R., 1996. Reconstructing Cenozoic Southeast Asia. *Geological Society Special Publication*, Volume 106, pp. 153-184.
- Hamzah, A., Susanto, A., Soesianto, F. & Istiyanto, J. E., 2007. Studi komparasi algoritma hierarki dan partisi untuk clustering dokumen teks berbahasa Indonesia. *ACADEMIA ISTA*, Volume 15, pp. 21-30.
- Haq, B. U. & Boersma, A., 1978. *Introduction to Marine Micropaleontology*. London: Elsevier.

- Hasslet, S. K., 2002. *Quaternary Environmental Micropaleontology*. London: Routledge.
- Hayward, B. W., Carter, R., Grenfell, H. R. & Hayward, J. J., 2001. Depth distribution of Recent deep-sea benthic foraminifera east of New Zealand, and their potential for improving paleobathymetric assessments of Neogene microfaunas. *New Zealand Journal of Geology and Geophysics*, Volume 44, pp. 555-587.
- Holbourn, A., Henderson, A. S. & MacLeod, N., 2013. *Atlas of Benthic Foraminifera*. New Jersey: John Wiley and Sons.
- Jayaraju, N., Reddy, B., Reddy, K. & Reddy, A. N., 2010. Deep-sea benthic foraminiferal distribution in southwest Indian Ocean: Implications to Paleocology. *International Journal of Geosciences*, Volume 1, pp. 79-86.
- Jones, D. J., 1956. *Introduction to Microfossils*. New York: Harper & Brother Publishers.
- Jones, J. I., 1967. Significance of distribution of planktonic foraminifera in the Equatorial Atlantic Undercurrent. *Micropaleontology*, 13(4), pp. 489-501.
- Jorissen, F. J., de Stigter, H. C. & Widmark, J. G. V., 1995. A conceptual model explaining benthic foraminiferal microhabitats. *Marine Micropaleontology*, Volume 26, pp. 3-15.
- Jorissen, F. J., Fontanier, C. & Thomas, E., 2007. Paleooceanographical Proxies Based on Deep-Sea Benthic Foraminiferal Assemblage Characteristics. In: *Development in Marine Geology*. London: Elsevier, pp. 263-325.
- Kaiho, K., 1994. Benthic foraminiferal dissolved-oxygen index and dissolved-oxygen levels in the modern ocean. *Geology*, Volume 22, pp. 719-722.
- Krebs, C. J., 1989. *Ecological Methodology*. New York: Harper Collins.
- Kurniawan, E. P., 2003. *Bathimetri, komposisi sedimen dan acoustic backscattering strength dasar laut dalam di selat makassar*, Bogor: Institut Pertanian Bogor.
- Kuroyanagi, A. & Kawahata, H., 2004. Vertical distribution of living planktonic foraminifera in the Japan Sea and northwestern North Pacific Ocean. *Marine Micropaleontology*, Volume 53, pp. 173-196.
- Lembaga Ilmu Pengetahuan Indonesia, 2014. *Integrasi Kajian Karakter Oseanografi, Geologi, dan Keanekaragaman Biota Perairan Laut Dalam di Laut Sulawesi*, Jakarta: Pusat Penelitian Oseanografi, LIPI.
- Lewis, S. D., 1991. Geophysical settings of the Sulu and Celebes Sea. *Proceedings of The Ocean Drilling Program*, Volume 124, pp. 65-73.

- Loubere, P., 1996. The surface ocean productivity and bottom water oxygen signals in deep water benthic foraminiferal assemblages. *Marine Micropaleontology*, Volume 28, pp. 247-261.
- Martinez-Colon, M., Hallock, P. & Green-Ruiz, C., 2009. Strategies for using shallow-water benthic foraminifers as bioindicators of potentially toxic elements: a review. *The Journal of Foraminiferal Research*, 39(4), pp. 278-299.
- Middelburg, J. J. & Levin, L. A., 2009. Coastal hypoxia and sediment biogeochemistry. *Biogeosciences*, Volume 6, pp. 1273-1293.
- Muller, P. J. & Suess, E., 1979. Productivity sedimentation rate and sedimentary organic matter in the oceans. *Deep Sea Research*, Volume 26, pp. 1347-1367.
- Murray, J. W., 1991. *Ecology and Palaeoecology of Benthic Foraminifera*. Harlow: Longman Harlow.
- Nichols, G. & Hall, R., 1999. History of the Celebes Sea Basin based on its stratigraphic and sedimentological record. *Journal of Asian Earth Sciences*, Volume 17, pp. 47-59.
- Nuglisch, K., 1985. *Foraminiferen: Marine Mikroorganismen*. Heidelberg: Spektrum Akademischer Verlag.
- Nybakken, J. W., 2001. *Marine Biology: An Ecological Approach*. San Fransisco: Addison Wesley Longman Inc.
- Odum, E. P., 1971. *Fundamental of Ecology*. Philadelphia: W.B. Saunders Company.
- Okvariani, M., 2002. *Kelimpahan dan distribusi horizontal foraminifera bentik resen di perairan utara Pulau Kangean, Kabupaten Sumenep, Madura Timur*, Bandung: Universitas Padjadjaran.
- Postuma, J. A., 1971. *Manual of Planktonic Foraminifera*. London: Elsevier Science.
- Pringgoprawiro, H., 2000. *Foraminifera: Pengenalan Mikrofosil dan Aplikasi Biostratigrafi*. Bandung: ITB.
- Rathburn, A. E. & Corliss, B. H., 1994. The ecology of living (stained) deep-sea benthic foraminifera from the Sulu Sea. *Paleoceanography*, Volume 9, pp. 87-150.
- Ravelo, A. C. & Fairbanks, R. G., 1990. Reconstructing tropical Atlantic hydrography using planktonic foraminifera and an ocean model. *Paleoceanography*, 5(3), pp. 409-431.

- Ruddiman, W. F. 2006. Orbital changes and climate. *Quaternary Science Review*, Volume 25, pp. 3092-3112.
- Salvador, A., 1994. *International Stratigraphic Guide*. Colorado: Geological Society of America.
- Seiglie, G. A., 1968. Foraminiferal assemblages as indicators of high organic carbon content in sediments and of polluted waters. *The American Association of Petroleum Geologists Bulletin*, 52(11), pp. 2231-2241.
- Sen Gupta, B. K., 2002. *Modern Foraminifera*. Dordrecht: Kluwer Academy Publishers.
- Setiawan, D., 2008. *Struktur Komunitas Makrozoobentos Sebagai Bioindikator Kualitas Lingkungan Perairan Hilir Sungai Musi*, Bogor: Institut Pertanian Bogor.
- Sgarella, F. & Moncharmont, M., 1993. Benthic foraminifera of the Gulf of Naples (Italy): Systematics and autoecology. *Bolletino della Società Paleontologica Italiana*, Volume 32, pp. 145-264.
- Smith, W. H. F. & Sandwell, D. T., 1997. Global seafloor topography from satellite altimetry. *Science*, Volume 277, pp. 1957-1962.
- Soegianto, A., 1994. *Ekologi Kuantitatif Metode Analisis Populasi Komunitas*. Surabaya: Usaha Nasional.
- Spezzaferri, S., 1995. Planktonic foraminiferal paleoclimatic implications across the Oligocene-Miocene transition in the oceanic record (Atlantic, Indian and South Pacific). *Paleogeography Paleoclimatology Paleoecology*, pp. 43-74114.
- Steele, J. H., Thorpe, S. A. & Turekian, K. K., 2009. *Elements of Physical Oceanography: A derivative of the Encyclopedia of Ocean Sciences*. Cambridge: Academic Press.
- Suhartati, M. N., 1988. First note of brackish water agglutinated foraminifera from Jawa. *Tropical Biodiversity*, 3(2), pp. 57-63.
- Supriyadi, I. H., 1996. Mangenal tipe sedimen laut. *Lonawarta*, Volume 19, pp. 55-65.
- Teichert, C., 1965. *Devonian Rocks and Paleogeography of Central Arizona*. Washington: U.S. Government Printing Office.
- Tyszka, J. & Kaminski, M. A., 1995. *Factors coltrolling the distribuiton of agglutinated foraminifera in Aalenian-Bajocian dysoxic facies*. Krakow, Grzybowski Foundation Special Publication.

- Valiela, I., 1984. *Marine Ecological Process*. New York: Springer.
- Van der Zwaan, G. J., 1982. Paleocology of late Miocene Mediterranean Foraminifera. *Micropaleontological Bulletin*, Volume 25, p. 202.
- Watkins, J. M., Mix, A. C. & Wilson, J., 1998. Living planktonic foraminifera in the central tropical Pacific Ocean: articulating the equatorial 'cold tongue' during La Niña, 1992. *Marine Micropaleontology*, Volume 33, pp. 157-174.
- Woodruff, F., 1979. *Deep sea benthic foraminiferal changes associated with the middle Miocene oxygen isotopic event DSDP Site 289, equatorial Pacific*, Los Angeles: University of Southern California.
- Wyrтки, K., 1987. Indonesian through flow and the associated pressure gradient. *Journal of Geophysical Research*, 92(12), pp. 12941-12946.
- Zulkifli, H. & Setiawan, D., 2008. Struktur komunitas makrozoobenthos di Perairan Sungai Musi kawasan Pulokerto sebagai instrument biomonitoring. *Jurnal Natur Indonesia*, 14(1), pp. 95-99.