

## REFERENCES

- Adam, L. (2019). Determinan Hipertensi Pada Lanjut Usia. *Jambura Health and Sport Journal*, 1(2), 82-89. 10.37311/jhsj.v1i2.2558
- Affusim, C. C., & et all. (2018). A pattern of Blood Pressure and Family Function in Adult Hypertensive Patients Attending a Tertiary Hospital in a Rural Area. *Researchget: International Journal of Advances Researchin Scientific and Enginerig*, 4(5). <http://dx.doi.org/10.7324/IJASRE.2018.32719>
- Ajani, K., et all. (2021). Levels and Predictors of Self-Care Among Patients with Hypertension in Pakistan. *NCBI NLM*, 14. doi: 10.2147/IJGM.S297770
- Alliance, G. (2019). APPENDIX BFAMILY HISTORY IS IMPORTANT FOR YOUR HEALTH. *NCBI:NLM*. <https://www.ncbi.nlm.nih.gov/books/NBK115560/>
- Araújo-Soares, V., et all. (2018). Developing Behavior Change Interventions for Self-Management in Chronic Illness. *Europian Psikologis*, 24(1): 7–25. doi: 10.1027/1016-9040/a000330
- Awaludin, S., Upoyo, A. S., & Purnawan, I. (2018). Pengaruh Light Massage Terhadap Tekanan Darah Penderita Hipertensi Primer Di Kabupaten Banyumas. *Interest : Jurnal Ilmu Kesehatan*, 7(1), 1-5. <https://doi.org/10.37341/interest.v7i1.50>
- Barati, F., et all. (2019). Validation of the Persian version of self-care tools for hypertension among older adults. *Medicinski Glasnik*, 16(2). doi: 10.17392/1026-19
- Berman, A., Kozier, B., & Snyder, S. (2014). *Kozier & Erb's Fundamentals of Nursing: Concepts, Process and Practice*. Pearson.
- Bilal, M. (2016). Knowledge, Awareness and Self-Care Practices of Hypertension among Cardiac Hypertensive Patients. *Global Journal of health Science*, 8(2): 9–19. doi: 10.5539/gjhs.v8n2p9
- BPS. (2018). *Badan Pusat Statistik*. Prevalensi tekanan darah tinggi menurut jenis kelamin 2013-2018. <https://www.bps.go.id/indicator/30/1780/1/prevalensi-tekanan-darah-tinggi-menurut-jenis-kelamin.html>
- Buford, T. W. (2017). Hypertension and Aging. *NCBI: HHS Public Acces*, 26, 96-111. doi: 10.1016/j.arr.2016.01.007
- Chang, K.-O., & Oh, M. J. (2019). Effects of Stroke Prevention Education Program of Oriental Nursing on Self-Health Perception Change, Health Behavior Change, Self-Care and Physiological Index of adult and elderly people. *Journal of the Korea Academia-Industrial cooperation Society*, 20(1), 111-120.
- Chia, Y.-C., Turana, Y., Sukonthasarn, A., & et al. (2022). Comparison of guidelines for the management of hypertension: Similarities and differences between international and Asian countries; perspectives from HOPE-Asia Network. *The Journal of Clinical Hypertension*, 23(3), 422-434. <https://doi.org/10.1161/HYPERTENSIONAHA.122.19105>
- Dinkes Jateng. (2019). *Rencana Strategis Dinas Kesehatan Provinsi Jawa Tengah Tahun 2018-2023*. Dinas Kesehatan Provinsi Jawa Tengah. Retrieved September 19, 2022, from <https://dinkes.jatengprov.go.id/wp-content/uploads/2019/08/Renstra-2018-2023.pdf>

- Eldawati, E., Said, F. M., & Umar, N. S. (2022). Self-Care in Patients With Hypertension in Indonesia. *KnE Life Sciences*, 2022, 488-496. [10.18502/kls.v7i2.10347](https://doi.org/10.18502/kls.v7i2.10347)
- Falkner, B., & Lurbe, E. (2020). Primordial Prevention of High Blood Pressure in Childhood. *AHA Journal*, 75, 1142-1150. <https://doi.org/10.1161/HYPERTENSIONAHA.119.14059>
- Felix, C., & et all. (2020). Low levels of awareness, treatment, and control of hypertension in Andean communities of Ecuador. *JCH: Journal Of Clinical Hypertension*, 22(9): 1530–1537. doi: 10.1111/jch.13982
- Fitriana, N. H. (2021). Hubungan Persepsi Terhadap Perilaku Kepatuhan pengobatan Penderita Hipertensi di Wilayah Kerja Puskesmas 1 Sumbang Pada Era Pandemi Covid-19. *Thesis: Universitas Jenderal Soedirman*.
- Gebremichael, G. B., et all. (2019). *Self-care practices and associated factors among adult hypertensive patients in Ayder Comprehensive Specialized Hospital, Tigray, Ethiopia, 2018*. NCBI. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6685278/>
- Gibson, D. S. (2018). Patient expectations of hypertension and diabetes medication: Excessive focus on short-term benefits. *SAGE Open Medicine*. doi: 10.1177/2050312118821119
- Gligor, L., & Chaiyawat, W. (2020). Patient Care Approach Using Nursing Theories - Comparative Analysis of Orem's Self-Care Deficit Theory and Henderson's Model. *Acta Medica Transilvanica*, 25, 11-14. <https://doi.org/10.2478/amtsb-2020-0019>
- Gonzalo, A., & Nickle, L. (2021). Dorothea Orem: Self-Care Deficit Nursing Theory. *Nurseslabs*. <https://nurseslabs.com/dorothea-orems-self-care-theory/>
- Goodhart, A. K. (2016). Hypertension from the patient's perspective. *British Journal of general Practice*, 66(652): 570. doi: 10.3399/bjgp16X687757
- Gusty, R. P., & Merdawati, L. (2020). Self-Care Behaviour Practices and Associated Factors Among Adult Hypertensive Patient in Padang. *Jurnal Keperawatan*, 11(1), 51-58. <https://doi.org/10.22219/jk.v11i1.10281>
- Hae-Ra, H., Lee, H., Commodore-Mensah, Y., & Kim, M. (2014). Development and Validation of the Hypertension Self-Care Profile: A Practical Tool to Measure Hypertension Self-Care. *J Cardiovasc Nurs*, 29(3), E11-E20. doi: 10.1097/JCN.0b013e3182a3fd46
- Hussen, F. M., et all. (2020). Self-care practice and associated factors among hypertensive patients in public health facilities in Harar Town, Eastern Ethiopia: A cross-sectional study. *SAGE Open Medicine*, 8, 1-9. DOI: 10.1177/2050312120974145
- Kang, S. Y., & Lee, J. A. (2019). Impact of family communication on self-rated health of couples who visited primary care physicians: A cross-sectional analysis of Family Cohort Study in Primary Care. *NCBI:PLoS One*, 14(3). doi: 10.1371/journal.pone.0213427
- Kemenkes RI. (2019). *Hipertensi Penyakit Paling Banyak Diidap Masyarakat*. Kementerian Kesehatan Republik Indonesia. Retrieved September 19, 2022, from <https://www.kemkes.go.id/article/view/19051700002/hipertensi-penyakit-paling-banyak-diidap-masyarakat.html>
- Kurniati, M. F., & Efendi, Y. (2020). Self Care Agency Berdasarkan Dorothea Orem Pada Tahap Perkembangan Beginning Family dan Child Bearing Family. *Jurnal Ilmu Keperawatan Komunitas*, 3(2), 29-39. <https://doi.org/10.32584/jikk.v3i2.792>

- Lee, K. S., et al. (2019). The relationship between psychological states and health perception in individuals at risk for cardiovascular disease. *Psychology Research and Behavior Management*, 12. <https://www.tandfonline.com/doi/full/10.2147/PRBM.S198280>
- Loke, W. H., & Ching, S. M. (2022). Prevalence and factors associated with psychological distress among adult patients with hypertension in a primary care clinic: A cross-sectional study. *NCBI: Malays Fam Physician.*, 17(2): 89–98. doi: 10.51866/oa.131
- Lynch, H. a. a. M. (2019). Exploring patient experiences with and attitudes towards hypertension at a private hospital in Uganda: a qualitative study. *International Journal for Equity in Health*, 206. <https://doi.org/10.1186/s12939-019-1109-9>
- Markam, S. S., & Rahmawati, S. W. (2018). Keluarga dan Pembentukan Karakter. *Buletin KPIN Konsorsium Psikologi Ilmiah Nusantara*. <https://buletin.kpin.org/index.php/arsip-artikel/284-keluarga-dan-pembentukan-karakter>
- Melaku, T., Bayisa, B., Fekeremariam, H., Feyissa, A., & Gutasa, A. (2022). Self-care practice among adult hypertensive patients at ambulatory clinic of tertiary teaching Hospital in Ethiopia: a cross-sectional study. *J Pharm Policy Pract*, 15(23). 10.1186/s40545-022-00421-3
- Merschel, M. (2020). *The connection between diabetes, kidney disease and high blood pressure*. American Heart Association. <https://www.heart.org/en/news/2020/11/03/the-connection-between-diabetes-kidney-disease-and-high-blood-pressure>
- McPherson, F., Melvin, K. C., Belew, D. L., & McGraw, K. (2016). Health Perception and Wellness Behavior Survey among Military Beneficiaries. *Annals of Psychiatry and Mental Health*, 4(2), 1060. <https://www.semanticscholar.org/paper/Health-Perception-and-Wellness-Behavior-Survey-McPherson-Melvin/b2d87a75b82cd571b5e7ddf62ffa3d0ca47b595c>
- Miao, J.-H., Wang, H.-S., & Liu, N. (2020). The evaluation of a nurse-led hypertension management model in an urban community healthcare. *Medicine (Baltimore)*, 99(27): e20967. doi: 10.1097/MD.00000000000020967
- Motlagh, S. F. Z., Chaman, R., Sadeghi, E., & Eslami, A. A. (2016). Self-Care Behaviors and Related Factors in Hypertensive Patients. *Iran Red Crescent Med J.*, 18(6). PMID: 27621938; PMCID: PMC5004506. 10.5812/ircmj.35805.
- Muhlisin, A., & Irdawati. (2017). Teori Self Care dari Orem dan Pendekatan dalam Praktek Keperawatan. *Jurnal Berita Ilmu Keperawatan*, 2(2). <https://journals.ums.ac.id/index.php/BIK/article/download/3800/2460>
- Naci, H., & et al. (2018). How does exercise treatment compare with antihypertensive medications? A network meta-analysis of 391 randomised controlled trials assessing exercise and medication effects on systolic blood pressure. *British Journal of Sports Medicine*, 53(14). <http://dx.doi.org/10.1136/bjsports-2018-099921>
- Nadewu, A. N., & Geda, B. (2018). Adherence to Healthy Lifestyle among Hypertensive Patients in Harar Region, Eastern Ethiopia. *Journal of Primary Health Crae: Open Acces*, 8(4). DOI: 10.4172/2167-1079.1000308

- Nagata, J. M., et al. (2021). Physical Activity and Hypertension From Young Adulthood to Middle Age. *Pubmed:NCBI*, 60(6), 757-765. doi: 10.1016/j.amepre.2020.12.018
- Nasresabetghadam, S. (2021). *The effects of Orem's self-care theory on self-care behaviors among older women with hypertension: A randomized controlled trial - Nurs Midwifery Stud.* Nursing and Midwifery Studies. DOI: 10.4103/nms.nms\_9\_20
- Nur, D. O., Khasanah, S., & Sukmaningtyas, W. (2021). Intensi dan Perilaku Perawatan Diri pada Penderita Hipertensi di Puskesmas 2 Sumbang Kabupaten Banyumas. *Seminar Nasional Penelitian dan Pengabdian Kepada Masyarakat (SNPPKM)*, (ISSN 2809-2767). <https://prosiding.uhb.ac.id/index.php/SNPPKM/article/download/782/213>
- Ong-artborirak, P., & Seangpraw, K. (2019). Journal of Multidisciplinary Healthcare. *Association Between Self-Care Behaviors and Quality of Life Among Elde | JMDH*, 12. <https://doi.org/10.2147/JMDH.S227617>
- Otenyo, S. O., & Kereri, D. K. (2021). Illness Perceptions and Adherence to Medication Regimen among Hypertensive Patients Attending a County Referral Hospital in Kenya. *ClinMed International Library Journal: Journal of Hypertension and Management*. DOI: 10.23937/2474-3690/1510059
- Pahria, T., Nugroho, C., & Yani, D. I. (2022). Factors Influencing Self-Care Behaviors in Hypertension Patients With Complications. *Vascular Health and Risk Management. NCBI: National Library of Medicine*, 18, 463-471. 10.2147/VHRM.S366811
- Pan, J., & et al. (2021). The Effect of Social Support on Treatment Adherence in Hypertension in China. *Dovepress*. <https://doi.org/10.2147/PPA.S325793>
- Pescatello, L. S., et al. (2015). Exercise for Hypertension: A Prescription Update Integrating Existing Recommendations with Emerging Research. *PubMed:NCBI*, 11, 87. doi: 10.1007/s11906-015-0600-y.
- Pratiwi, D., & Susilo, R. (2020). Perbedaan Pemberian Terapi Rendam Kaki Air Hangat dan Senam Jantung Sehat Terhadap Perubahan Tekanan Darah pada Lansia Hipertensi di Desa Sumbang. *Jurnal Human Care*, 5(4), 943-952. <http://dx.doi.org/10.32883/hcj.v5i4.838>
- Putra, R. G. R., & Indriyawati, N. (2022). Description Of Suffering Duration, Self-Care Behavior, And Grade In Hypertension Patients. *Jurnal Keperawatan Global*, 7(2). <https://doi.org/10.37341/jkg.v0i0.534>
- Rahma, R. G., & Indriawati, N. (2022). Description Of Suffering Duration, Self-Care Behavior, And Grade In Hypertension Patients. *Jurnal Keperawatan Global*, 7(2). <https://doi.org/10.37341/jkg.v0i0.534>
- Rego, M. L., & et al. (2019). Physical Exercise for Individuals with Hypertension: It Is Time to Emphasize its Benefits on the Brain and Cognition. *Clinical Medicine Insight: Cardiology*, 13. doi: 10.1177/1179546819839411
- Riecken, K. H. B.-., & Rhodes, R. E. (2008). A birth of inactivity? A review of physical activity and parenthood. *Pubmed:NCBI*, 46(2), 99-100. doi: 10.1016/j.yjmed.2007.08.003
- Romadhon, W. A., Aridamayanti, B. G., Syanif, A. H., & Sari, G. M. (2020). Faktor-Faktor yang Mempengaruhi Self-care Behavior pada Klien dengan Hipertensi di Komunitas. *Jurnal Penelitian Kesehatan "SUARA FORIKES" (Journal of Health Research "Forikes Voice")*, 11(Nomor khusus), 37. <http://dx.doi.org/10.33846/sf11nk206>



- Romadhon, W. A., Haryanto, J., Makhfudli, M., & Hadisuyatmana, S. (2020). Hubungan antara Self Efficacy dan Self Care Behavior pada Lansia dengan Hipertensi. *Jurnal Penelitian Kesehatan "SUARA FORIKES" (Journal of Health Research "Forikes Voice")*, 11(4), 394. <http://dx.doi.org/10.33846/sf11414>
- Sakinah, M. F., Rejeki, D. S. S., & Nurlaela, S. (2021). Faktor yang Berhubungan dengan Kejadian Hipertensi di Perdesaan dan Perkotaan Kabupaten Banyumas (Analisis Data RISKESDAS 2018), 13(1), 46-63. <http://jos.unsoed.ac.id/index.php/kesmasindo/article/view/3454/2092>
- Santoso, W., & Sudarsih, S. (2019). Perception Of Nursing Ability In Improving Motivation And Hope In Hypertension Patients In Hospitals In East Jawa. *International Journal of Nursing and Midwifery Science*. DOI: 10.29082/IJNMS/2019/Vol3/Iss1/215
- Snyder, S., Frandsen, G., & Berman, A. (2016). *Kozier and Erb's Fundamentals of Nursing* (10th ed.). Pearson. 10.1016/j.nepr.2011.09.002
- Soesanto, E. (2022). Persepsi Lanjut Usia Dalam Upaya Perawatan Penyakit Hipertensi. *The Indonesian Journal of Health Science*, 14(1), 92-102. <https://doi.org/10.32528/ijhs.v14i1.7939>
- Stamp, K. D., et all. (2016). Family Partner Intervention Influences Self-Care Confidence and Treatment Self-Regulation in Patients with Heart Failure. *PubMed:HHS Public Acces*, 15(5), 317-327. doi: 10.1177/1474515115572047
- Still, C. H. (2020). A Community and Technology-Based Approach for Hypertension Self-Management (COACHMAN) to Improve Blood Pressure Control in African Americans: Results from a Pilot Study. *Dovepress*, 14. <http://doi.org/10.2147/PPA.S283086>
- Sudarsono, A., & Suharsono, Y. (2016). Hubungan Persepsi terhadap Kesehatan dengan Kesadaran (Mindfulness) Menyeter Sampah Anggota Klinik Asuransi Sampah Di Indonesia Medika. *Jurnal Ilmiah Psikologi Terapan*, 4(1), 31-52. <https://doi.org/10.22219/jipt.v4i1.2876>
- Thomas, S. N., & Hovick, S. R. (2021). The Indirect Effect of Family Communication Patterns on Young Adults' Health Self-disclosure: Understanding the Role of Descriptive and Injunctive Norms in a Test of the Integrative Model of Behavioral Prediction. *Communication Reports*, 34(3). <https://doi.org/10.1080/08934215.2021.1924213>
- Torres-Soto, N. Y., Corral-Verdugo, V., & Corral-Frias, N. S. (2022). The relationship between self-care, positive family environment, and human wellbeing. *Science Direct*, 3(100076). <https://doi.org/10.1016/j.wss.2022.100076>
- Ulya, M. (2022). *Hubungan Nursing Agency dan Dukungan Keluarga dengan Self-care Behavior Penderita Hipertensi di Desa Sikapat Sumbang Selama Pandemi Covid-19* [Skripsi]. Universitas Jenderal Soedirman. <http://repository.unsoed.ac.id/14779/>
- Upoyo, A. S., Taufik, A., Anam, A., Nuriya, Saryono, Setyopranoto, I., & Pangestuti, H. S. (2021). Translation and Validation of the Indonesian Version of the Hypertension Self-care Profile. *Open Access Macedonian Journal of Medical Sciences*, 9(E), 980-984. <https://doi.org/10.3889/oamjms.2021.7119>
- Viinkainen, J., et all. (2022). Does better education mitigate risky health behavior? A mendelian randomization study. *Economic & Human Biology*, 46. <https://doi.org/10.1016/j.ehb.2022.101134>

- Ware, J. (1976). *Scales for measuring general health perceptions*. - PMC. NCBI: Health services Research. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1071941/>
- Wendland, D., & Skinner, D. (2020). Key Influences on Self-Care Behavior. *Self-Care Journal*, 11(1), 1-8. <https://selfcarejournal.com/article/key-influences-on-self-care-behavior/>
- Waters, L. (2019). Using positive psychology interventions to strengthen family happiness: A family systems approach. *The Journal of Positive Psychology*. <https://doi.org/10.1080/17439760.2020.1789704>
- WHO. (2013). *Family as Centre of Health Development*. World Health Organization (WHO). <https://apps.who.int/iris/bitstream/handle/10665/205062/B4972.pdf?sequence=1>
- WHO. (2021). Hypertension. *World Health Organization (WHO)*. <https://www.who.int/news-room/fact-sheets/detail/hypertension>
- WHO. (2021). *More than 700 million people with untreated hypertension*. World Health Organization (WHO). <https://www.who.int/news/item/25-08-2021-more-than-700-million-people-with-untreated-hypertension>
- Wicaksono, K. E., & Alfianto, A. G. (2019). Family Centered Empowerment Model Terhadap Perubahan Perilaku Keluarga Miskin Mencegah Hipertensi Di Kecamatan Bantur. *Jl-KES (Jurnal Ilmu Kesehatan)*, 2(2), 55-60. <https://doi.org/10.33006/ji-kes.v2i2.115>
- Yiğitalp, G., Değer, V. B., & Çifçi, S. (2021). Health literacy, health perception and related factors among different ethnic groups: a cross-sectional study in southeastern Turkey. *BMC Public Health* volume, 1109. <https://doi.org/10.1186/s12889-021-11119-7>