

DAFTAR REFERENSI

- Alexopoulos, C. J., Mims, C. W., dan Blackwell, M. 1996. *Introductory Mycology, Fourt Edition*. New York: John Wiley and Sons, Inc.
- Allen, J.W. & Gartz, J. 2009. *Magic Mushroom in Some Third World Country*. Psilly Publication. Seattle, Washington.
- Amandeep, K., Atri, N.S., & Munruchi, K. 2015. Ecology, Distribution Perspective, Economic Utility and Conservation of Coprophilous Agarics (*Agaricales*, Basidiomycota) Occurring in Punjab, India. *Current Research in Environmental & Applied Mycology*, 5(3). pp. 213-247.
- Andersson, C., Kristinsson, J., & Gry, J. 2009. *Occurrence and use of hallucinogenic mushrooms containing psilocybin alkaloids*. Nordic Council of Ministers. Copenhagen.
- Angel, K. & Wicklow, D.T. 1975. Relationship between coprophilous fungi and fecal substrate in Colorado grassland. *Mycologia*, 67. pp. 63-74.
- Bas, C., Kuyper, T.W., Noordeloos, M.E. & Vellinga, E.C. 1999. *Flora Agaricina Neerlandica 4*. Food And Agriculture Organization Of The United Nations. Rotterdam.
- Berger, K.J., & Guss, D.A. 2005. Mycotoxins Revisited: Part II. *The Journal of Emergency Medicine*, 28(2). pp. 175-183.
- Beug, M.W. & Bigwood, J. 1981. Psilocybin And Psilocin Levels In Twenty Species Seven Genera Of Wild Mushrooms In The Pacific Northwest, U.S.A. *Journal Of Ethnopharmacology*, 5. pp. 271- 285.
- Beug, M.W. 2000. Poisonous and hallucinogenic Mushrooms. The Evergreen State College Olympia WS. <http://www.academicevergreen.edu/projects/mushrooms/phm/index.htm> diakses tanggal 16 Oktober 2016.
- Bustillos, R. G., Dulay, R. M. R., Kalaw, S.P., & Reyes, R.G. 2014. Optimization of culture conditions for mycelial growth and basidiocarp production of Philippine strains of *Panaeolus antillarum* and *Panaeolus cyanescens*. *Mycosphere*, 5(3). pp. 398-404.
- Cortez, V.G. & Silveira, R.M.B. 2008. The agaric genus *Stropharia* (Strophariaceae, *Agaricales*) in Rio Grande do Sul State, Brazil. *Fungal Diversity*, 32. pp. 31-57.
- Cortez, V.G. 2004. The Stropharioideae (Strophariaceae, *Agaricales*) from Santa Maria, Rio Grande Do Sul, Brazil. *Mycotaxon*, 89(2). pp. 355-378.
- Cruz, V.R., Guzman, G., Arambula, A.R.V., Rodríguez, A., Matheny, P.B., Garcia, M.S., & Davalos, L.G. 2013. Phylogenetic inference and trait evolution of the psychedelic mushroom genus *Psilocybe* sensu lato (*Agaricales*). *Botany*, 91. pp. 573-591.
- Delval, A.G., Platas, G., Arenal, F, Orihuela, J.C., Garcia, M., Hernandez, P., Royo, I., De Pedro, N., Silver, L.L., Young, K., Vicente, M.F., & Pelaez, F. 2003. Novel Illudins From *Coprinopsis Episcopalis* (Syn. *Coprinus Episcopalis*),

- And The Distribution Of Illudin-Like Compounds Among Filamentous Fungi. *Mycol. Res*, 107(10). pp. 1201-1209.
- Desjardin, D. E. 1998. *The Genus Marasmius from the Southern Appalachian Mountains*. PhD diss., University of Tennessee.
- Dulay, R.M.R., Cabalar, A.C., De Roxas, M.J.B., Concepcion, J.M.P., Cruz, N.E., Esmeralda, M., Jimenez, N., Aguilar, J.C., De Guzman, E.J., Santiago, J.Q., Samoy, J.R., Bustillos, R.G., Kalaw, S.P., & Reyes, R.G. 2015. Proximate composition and antioxidant activity of *Panaeolus antillarum*, a wild coprophilous mushroom. *Current Research in Environmental & Applied Mycology*, 5(1). pp. 52-59.
- Ebersohn, C & Eicker, A. 1992. Coprophilus Fungal Special Composition And Species Diversity On Various Dung Substrates Of African Game Animals. *Bot. Bull Academia Sinica*, 33. pp. 85-95.
- Gartz, J., John W. A., & Mark D. M. 1994. Ethnomycology, biochemistry, and cultivation of *Psilocybe samuiensis* Guzmk, Bandala and Allen, a new psychoactive fungus from Koh Samui, Thailand. *Journal of Ethnopharmacology*, 43. pp. 73-80.
- Genest, K., Hughes, D.W., & Rice, W.B. 1968. Muscarine In *Clitocybe* Species. *Journal of Pharmaceutical Sciences*, 57. pp. 331-333.
- Guzman, G. 1995. Supplement to the monograph of the genus *Psilocybe*. *Taxonomic Monographs of Agaricales. Bibliotheca Mycologica*, 159. pp. 91-141.
- Halama, M., Witkowska, D., Misiak, I. Z., & Poliwoda, A. 2014. An Adventive *Panaeolus antillarum* in Poland (Basidiomycota, Agaricales) with Notes on Its Taxonomy, Geographical Distribution, and Ecology. *Bio One Research Revolved*, 35(1). pp. 3-22.
- Halfter, G & Matthew, S.E. 1971. The natural history of dung beetles: A supplement on associated biota. *Revista latinoamericana de microbiología*, 13. pp. 147-163.
- Hallen, H.E., Watling, R., & Adams, G.C., 2003. Taxonomy And Toxicity Of *Conocybe Lactea* And Related Species. *Mycol. Res*, 107(8). pp. 969-979.
- Hansen, L., & Knudsen, H. 1992. Nordic macromycetes 2. Polyporales, Boletales, Agaricales, Russulales. *Nordsvamp Copenhagen*, 474. pp. 255-258.
- Hausknecht, A., Kalamees, K., Knudsen, H., & Mukhin, V. 2009. The Genera *Conocybe* and *Pholiotina* (Agaricomycotina, Bolbitiaceae) in Temperate Asia. *Folia Cryptog. Estonica*, 45. pp. 23-47.
- Hopple, J.S.Jr., & Vilgalys, R. 1999. Phylogenetic Relationships In The Mushroom Genus *Coprinus* And Dark-Spored Allies Based On Sequence Data From The Nuclear Gene Coding For The Large Ribosomal Subunit Rna: Divergent Domains, Outgroups, and Monophyly. *Molecular Phylogenetics and Evolution*, 13(1). pp. 1-19.
- JinShan, Z., LiuJie, H., JianFei, L., Yan, L., Duan, Y., LianJie, M., MuYe, F., & DunXiu, L. 2015. Characteristics Of Pb Enrichment In Pig Manure by

- Coprinopsis Atramentaria*. *Southwest China Journal of Agricultural Sciences*, 28(3). pp. 1197-1200.
- Keirle, M.R., Hemmes, D.E., & Desjardin, D.E. 2004. Agaricales of the Hawaiian Islands.8. Agaricaceae: Coprinus and Podaxis, Psathyrellaceae: *Coprinopsis*, *Coprinellus* and *Parasola*. *Fungal Diversity*, 15. pp. 33-124.
- Knudsen, H., & Vesterholt, J. 2008. Funga nordica. *Agaricoid*, boletoid and cyphelloid genera. *Nordsvamp*, 965. pp. 626-645.
- Kumar, R.N, Pasricha, R., Singh, N., & Mukherjee, K.G. 1995. Taxo-ecological studies of coprophilous fungi- a review. In: *Advances in Ecology and Environmental Sciences* (eds PC Mishra, N 245 Behera, BK Senapatik, BC Guru). *Ashish Publishing House New Delhi*, pp. 65.
- Largent, D.L. 1973. *How To Identify Mushrooms To Genus I: Macroscopic Features*. Eureka, California.
- Largent, D. L. 1977. *How yo Identify Mushroom to Genus I*. California: Mad Rivers Press, Inc.
- Lee, J.C.I., Michael, C., & Adrian, L. 2000. Identification of members of the genera *Panaeolus* and *Psilocybe* by a DNA test A preliminary test for hallucinogenic fungi. *Forensic Science International*, 112. pp. 123-133.
- Lincoff, G., & Mitchel, M.D. 1977. *Toxic and Hallucinogenic Mushroom Poisoning, A Handbook For Physicians and Mushroom Hunters*. Botanical Gardens, New York.
- Liu, D., & Paterson, R.R.M. 2011. Coprinopsis/Hormographiella. *Molecular Detection of Human Fungal Pathogens*, pp. 617-620.
- Mungai, P.G., Njogu, J.G., Chukeatirote, E., & Hyde, K.D. 2012. Studies of coprophilous Ascomycetes in Kenya. Coprophilous Schizothecium from wildlife dung. *Current Research in Environmental & Applied Mycology*, 2(2). pp. 84-97.
- Ola'h, G.M. 1969. *Le Genre Panaeolus*. Mus Nat d'Hist Nat. Paris.
- O'Reilly, P. 1995. *Fascianed by Fungi*. New York.
- Pacioni, G. 1981. *Guide To Mushrooms*. Ed. Gary H. Lincoff. *Simon & Schuster's*, Inc. New York.
- Petersen, J.H., Gabba, A., & Laessoe, T. 2016. *The Morphing Mushroom Identifier (MMI) software-mycology.org*.
- Piontelli, E., Cruz, L.R., & Toto, A.S.M. 2006. Coprophilous fungal community of wild rabbit in a park of a hospital (Chile): A taxonomic approach. *Buletin Micologico*, 21. pp. 1-17.
- Piovano, M., Clericuzio, M., Tabasso, S., Chamy, M.C., Garbarino, J.A., Vidari, G., & Finzi, P.V. 2005. Studies on Chilean Fungi III. Free and Bound Sterols from *Mycena Chlorinella* (Basidiomycetes). *Journal Of The Chilean Chemical Society*, 50(1).

- Proborini, M.W. 2012. Eksplorasi dan Identifikasi Jenis-Jenis Jamur Klas Basidiomycetes di Kawasan Bukit Jimbaran Bali. *Jurnal Biologi*, 16(2). pp. 45-47.
- Raut, J. K., Suzuki, A., Fukiharu, T., Shimizu, K., Kawamoto, S., & Tanaka, C. 2011. *Coprinopsis neophlyctidospora* sp. nov., A New Ammonia Fungus From Boreal Forests in Canada. *Mycotaxon*, 115. pp. 227-238.
- Redhead, S.A., Moncalvo, J.M., Vilgays, R., Matheny, P.B., Guzman, D.L., & Guzman, G. 2007. Proposal to conserve *Psilocybe* (Basidiomycota) with a conserved type. *Taxon*, 56(1). pp. 255-257.
- Reid, D. 1980. *Mushrooms and Toadstools*. Kingfisher Guides. London.
- Robich, G. 2003. *Mycena* d'Europa. A.M.B. *Fondazione Centro Studi Micologici*, 728 pp.
- Santiago, A.L.C.M.D.A., Sandra, F.B.T., Elaine, M., Paulo, J., Parreira, D.S., Maria, A.D.Q.C.V. 2011. Zygomycetes From Herbivore Dung In The Ecological Reserve Of Dois Irmãos, Northeast Brazil. *Brazilian Journal Of Microbiology*, 42. pp. 89-95.
- Segedin, B.P. 1991. Studies in the agaricales of New Zealand: Some *Mycena* species in sections Longisetae, Polyadelpha, Rubromarginatae, Galactopoda, Lactipedes, and Calodontes. *New Zealand Journal of Botany*, 29(1). pp. 43-62.
- Shaffer, R.L. 1968. *Keys to Genera of Higher Fungi*. 2nd ed. University of Michigan. Ann Arbor.
- Silva, P.S.D., Cortez, V.G., & Silveira, R.M.B.D. 2006. The Mycobiota Of Itapuã Park, Rio Grande Do Sul, Brazil. I. Species Of Strophariaceae (Agaricales). *Mycotaxon*, 97. Pp. 219-229.
- Singer, R. 1975. *The Agaricales in Modern Taxonomy*. 3rd reved. Cramer, Lehre. Germany.
- Singer, R. 2015. Mycological Investigations On Teonanacatl, The Mexican Hallucinogenic Mushroom. Part I. The History Of Teonanacatl, Field Work And Culture Work. *Mycologia*, 50(2). pp. 239-261.
- Smith, A.H., & Solheim, W.G. 1953. New and unusual fleshy fungi from Wyoming. *Madrono* 12(4). pp. 103-9.
- Stamets, P. 1996. *Psilocybin Mushroom of the World*. Ten Speed Press. Berkeley, USA.
- Tampubolon, S.D.B.M., Utomo, B., & Yunasfi. 2015. *Keanekaragaman Jamur Makroskopis di Hutan Pendidikan Universitas Sumatera Utara Desa Tongkoh Kabupaten Karo Sumatera Utara*. Program Studi Kehutanan, Fakultas Pertanian, Universitas Sumatera Utara.
- Tsujikawa, K., Tatsuyuki, K., Yuko, I., Yoshihito, O., Ritsuko, S., Hiroyuki, I., & Tohru, K. 2003. Morphological and chemical analysis of magic mushrooms in Japan. *Forensic Science International*, 138. pp. 85-90.
- Verhagen, F.J.M., Van Assema, F.B.J., Boekema, B.K.H.L., Swarts, H.J., Wijnberg, J.B.P.A., Field, J.A. 1998. Dynamics of organohalogen production by the

- ecologically important fungus *Hypholoma fasciculare*. *FEMS Microbiology Letters*, 158. pp. 167-178.
- Watling, R. 1971. Chapter XXI Chemical Tests in Agaricology. *Elsevier Methods in Microbiology*, 4. pp. 567-597.
- Watling, R. 1973. *Identification of the Larger Fungi*. Hulton Educational Publications Ltd. Amersha.
- Webster, J. 1970. Coprophilous Fungi: Presidential Address. *Transactions of the British Mycological Society*, 54. pp. 161-180.
- Yeh, K.W., & Chen, Z.C. 1991. Mushroom Flofa Of Lan-Yu Island (1). *Taiwania*, 36(3). pp. 265-271.
- Zuber, A., Kowalczyk, M., Sekula, A., Mleczko, P., & Kupiec, T. 2011. Methods in species identification of hallucinogenic and other poisonous mushrooms in forensic investigation. *Problems of Forensic Sciences*, LXXXVI. pp. 151-161.