

DAFTAR PUSTAKA

- Adikusuma, W., Perwitasari, D. A., dan Supadmi, W., 2016, Pengukuran Kualitas Hidup Pasien Diabetes Melitus Tipe 2 yang Mendapat Antidiabetik Oral di Rumah Sakit PKU Muhammadiyah Bantul Yogyakarta, *Jurnal Ilmiah Ibnu Sina (JIIS): Ilmu Farmasi dan Kesehatan*, **1** (1) : 1-8.
- Al-Shehri, A., Taha, A., Bahnassy, A., dan Salah, M., 2008, Health-related quality of life in type 2 diabetic patients, *Annals of Saudi medicine*, **28** (5) : 352.
- American Diabetes Association (ADA), 2015, Diagnosis and Classification of Diabetes Mellitus, *Diabetes Care*, **33** (Supplement 1).
- Andayani, T. M., 2013, *Farmakoekonomi: Prinsip dan Metodologi*, Bursa Ilmu, Yogyakarta.
- Andayani, T. M., dan Oetari, R. A., 2017, Direct medical cost and utility analysis of diabetics outpatient at Karanganyar public hospital. *IOP Conference Series: Materials Science and Engineering*, **259** (1) : 012013.
- Anani, S. (2012). Hubungan Antara Perilaku Pengendalian Diabetes dan Kadar Glukosa Darah Pasien Rawat Jalan Diabetes Melitus (Studi Kasus di RSUD Arjawinangun Kabupaten Cirebon). *Jurnal Kesehatan Masyarakat Universitas Diponegoro*, *1*(2).
- Armaganijan, L., Staico, R., Moraes, A., Abizaid, A., Moreira, D., Amodeo, C., dan Sousa, J. E., 2013, Renal sympathetic denervation and quality of life. *Revista Brasileira de Cardiologia Invasiva*, **21** (1), 13-17.
- Ascef, B. D. O., Haddad, J. P. A., Álvares, J., Guerra Junior, A. A., Costa, E. A., Acurcio, F. D. A., dan Leite, S. N., 2017, Health-related quality of life of patients of Brazilian primary health care, *Revista de saude publica*, **51** : 22.
- Augustovski, F., Rey-Ares, L., Irazola, V., Garay, O. U., Gianneo, O., Fernández, G, dan Ramos-Goni, J. M., 2016, An EQ-5D-5L value set based on Uruguayan population preferences, *Quality of life research*, **25** (2) : 323-333.
- Balestroni, G., dan Bertolotti, G., 2015, EuroQol-5D (EQ-5D): an instrument for measuring quality of life, *Monaldi Archives for Chest Disease*, **78** (3).
- Boledovičová, M., Hendl, J., Lišková, L., Slamková, A., Matoulek, M., Stránská, Z. dan Velemínský, M., 2013, Blood pressure relation to body composition and age: analysis of a nurse-led investigation and consultation program, *Medical science monitor: international medical journal of experimental and clinical research*, **19** : 612.

- BPJS Kesehatan, 2014, *Panduan Praktis Prolanis (Program Pengelolaan Penyakit Kronis)*, BPJS Kesehatan, Jakarta.
- Brommelhoff, J. A., Conway, K., Merikangas, K., dan Levy, B. R., 2004, Higher rates of depression in women: Role of gender bias within the family, *Journal of Women's Health*, **13** (1) : 69-76.
- Carvalho, M. V. D., Siqueira, L. B., Sousa, A. L. L., dan Jardim, P. C. B. V., 2013, The influence of hypertension on quality of life, *Arquivos brasileiros de cardiologia*, **100** (2) : 164-174.
- Chandra, B., 1995, *Pengantar Statistik Kesehatan*, Penerbit Buku Kedokteran EGC, Jakarta.
- Chang, A. M., dan Halter, J. B., 2003, Aging and insulin secretion, *American Journal of Physiology-Endocrinology And Metabolism*, **284** (1) : E7-E12.
- Chen, J., Wong, C. K., McGhee, S. M., Pang, P. K., dan Yu, W. C., 2014, A comparison between the EQ-5D and the SF-6D in patients with chronic obstructive pulmonary disease (COPD), *PloS one*, **9** (11) : e112389.
- Chin, Y. R., Lee, I. S., dan Lee, H. Y., 2014. Effects of hypertension, diabetes, and/or cardiovascular disease on health-related quality of life in elderly Korean individuals: a population-based cross-sectional survey. *Asian Nursing Research*, **8**(4), 267-273.
- Chevreur, K., Brigham, K. B., Michel, M., Rault, G., & Network, B. R. R. 2015. Costs and health-related quality of life of patients with cystic fibrosis and their carers in France. *Journal of Cystic Fibrosis*, **14**(3), 384-391.
- Collins, M. M., Corcoran, P., dan Perry, I. J., 2009, Anxiety and depression symptoms in patients with diabetes, *Diabetic Medicine*, **26** (2) :153-161.
- Coons, S. J., 2008, Health Outcomes and Quality of Life, Dalam J. T. DiPiro, R. L. Talbert, G. C. Yee, G. R. Matzke, B. G. Wells, dan L. M. Posey, *Pharmacotherapy: A Pathophysiologic Approach, 8th Edition*, McGraw-Hill Education, New York, 15-23.
- Cramer, J. A., dan Spilker, B., 1998, *Quality of Life and Pharmacoeconomics An Introduction*, Lippincott-Raven Publishers, Philadelphia.
- Dahlan, M. S., 2014, *Statistik Untuk Kedokteran dan Kesehatan*, Epidemiologi Indonesia, Jakarta.
- Depkes R.I., 2013, *Riset Kesehatan Dasar (RISKESDAS) Dalam Laporan Nasional, Badan Penelitian dan Pengembangan Kesehatan*, Departemen Kesehatan Republik Indonesia, Jakarta.

- Desroziars, K., Aballéa, S., Maman, K., Nazir, J., Odeyemi, I., dan Hakimi, Z. 2013. Estimating EQ-5D and OAB-5D health state utilities for patients with overactive bladder. *Health and quality of life outcomes*, 11(1), 200.
- Euroqol group, 2018, *EuroQol Research Foundation*, <https://euroqol.org/research/>. diakses 22 Mei 2018.
- Fritschi, C., Quinn, L., 2010, Fatigue in Patients with Diabetes : A Review, *J Psychosom Res*, **69** (1) : 33-41.
- Gama, I Ketut, I Wayan Sarmidi, Iga Harini, 2014, Faktor Penyebab Ketidapatuhan Kontrol Penderita Hipertensi, *Skripsi*, Jurusan Keperawatan Politeknik Kesehatan, Denpasar.
- Garnita, D., 2012, Faktor Resiko Diabetes Melitus Di Indonesia (Analisis Data Sakerti 2007), *Skripsi*, Fakultas Kesehatan Masyarakat Universitas Indonesia, Depok.
- Ghimire, S., Pradhananga, P., Baral, B. K., & Shrestha, N., 2017, Factors associated With health-related Quality of life among hypertensive Patients in Kathmandu, Nepal, *Frontiers in cardiovascular medicine*, **4** : 69.
- Gencer, B., Rodondi, N., Auer, R., Nanchen, D., Räber, L., Klingenberg, R., & Lüscher, T. F. 2016. Health utility indexes in patients with acute coronary syndromes. *Open heart*, 3(1), e000419.
- Grandy, S., & Fox, K. M. 2008. EQ-5D visual analog scale and utility index values in individuals with diabetes and at risk for diabetes: Findings from the Study to Help Improve Early evaluation and management of risk factors Leading to Diabetes (SHIELD). *Health and quality of life outcomes*, 6(1), 18.
- Ha, T.N., Hoa Thi Duy, Ninh Hoang Le, Vishnu Khanal, dan Rachel Moorin, 2014, Quality of Life Among People with Hypertension in Rural Vietnam Community, *BMC Public Health*, **14** (833): 1-9.
- Halaweh, H., Willen, C., Grimby-Ekman, A., dan Svantesson, U., 2015, Physical activity and health-related quality of life among community dwelling elderly, *Journal of clinical medicine research*, **7** (11) : 845.
- Hariyanto, F., 2013, Pengaruh Aktivitas Fisik Dengan Kadar Gula Darah Puasa Pada Pasien Diabetes Melitus Tipe 2 Di Rumah Sakit Umum Daerah Kota Cilegon Tahun 2013, *Skripsi*, Fakultas Kedokteran dan Ilmu Kesehatan Universitas Islam Negeri Syarif Hidayatullah, Jakarta.
- Hermawati, L., 2015, Analisis Faktor-Faktor Yang Mempengaruhi Kepuasan Pasien Rawat Jalan Terhadap Pelayanan Farmasi di Instalasi Farmasi Rumah Sakit Medika Permata Hijau Jakarta Barat, *Skripsi*, Program Studi Kesehatan Masyarakat Universitas Esa Unggul, Jakarta.

- Hitimana, R., Lindholm, L., Krantz, G., Nzayirambaho, M., Condo, J., Sengoma, J. P. S., dan Pulkki-Brännström, A. M., 2018, Health-related quality of life determinants among Rwandan women after delivery: does antenatal care utilization matter? A cross-sectional study, *Journal of Health, Population and Nutrition*, **37** (1) : 12.
- International Diabetes Federation, 2011, *IDF Diabetes Atlas*, Fifth Edition, International Diabetes Federation, USA.
- Irawan, D., 2010, Prevalensi dan Faktor Risiko Kejadian Diabetes Mellitus Tipe 2 Di Daerah Urban Indonesia (Analisa Data Sekunder Riskesdas 2007), *Tesis*, Fakultas Kesehatan Masyarakat Universitas Indonesia, Depok.
- Irvine, Tawanda, Mushunje, 2012, Patients' WTP for Pharmacist-Provide Services Towards Reducing Risks of Medicine-Related Problems, in SA. *Dissertation*, Faculty of Health Sciences, Nelson Mandel Metropolitan University, South Africa.
- Isa, B.A, dan Baiyewu, O., 2006, Quality Of Life Patient With Diabetis Mellitus In A Nigerian Teaching Hospital, *Hongkong Journal Psychiatry*, **16** : 27 -33.
- Jonas, B. S., Franks, P., dan Ingram, D. D., 2009, Are symptoms of anxiety and depression risk factors for hypertension? Longitudinal evidence from the National Health and Nutrition Examination Survey I Epidemiologic Follow-up Study, *Archives Of Family Medicine*, **6** (1) : 43.
- Kemenkes RI, 2014, *Infodatin Hipertensi*, Kemenkes RI, Jakarta, 3-4.
- Keban, S. A., Purnomo L. B., Mustofa., 2013, Evaluasi hasil edukasi farmasis pada pasien diabetes melitus tipe 2 di rumah sakit Dr. Sardjito Yogyakarta. *Jurnal Ilmu Kefarmasian Indonesia*, **11** (1), 45-52.
- Kheir, N. M., van Mil, J. F., Shaw, J. P., dan Sheridan, J. L., 2004, Health-related quality of life measurement in pharmaceutical care Targeting an outcome that matters, *Pharmacy World and Science*, **26** (3), 125-128.
- Kurniawan, I., 2010, Diabetes Mellitus Tipe 2 Pada Usia Lanjut, *Majalah Kedokteran Indonesia*; **60** : 576 – 584.
- Luo, N., Wang, P., Thumboo, J., Lim, Y. W., dan Vrijhoef, H. J. 2014. Valuation of EQ-5D-3L health states in Singapore: modeling of time trade-off values for 80 empirically observed health states. *Pharmacoeconomics*, **32**(5), 495-507.
- Machado, M., Bajcar, J., Guzzo, G. C., dan Einarson, T. R, 2007, Hypertenion: Sensitivity of Patient Outcomes to Pharmacist Interventions, Part II: Systematic Review and Meta-Analysis in Hypertension Management, *Annals of Pharmacotherapy*, **41**(11), 1770-1781.

- Matalqah, L. M., dan Radaideh, K., 2018, Health-Related Quality of Life among Atrial fibrillation Patients Undergoing Anticoagulation Therapy, *Epidemiology, Biostatistics and Public Health*, **15** (1).
- Malamtiga, R. D., Kandou, G. D., dan Asrifuddin, A. 2017. Hubungan antara diabetes mellitus dan tingkat pendidikan dengan kualitas hidup pada lansia di Kelurahan Kinilow Kecamatan Tomohon Utara. *Media Kesehatan*, **9** (3).
- Marliani, Lili., 2007, 100 Question & Answers Hipertensi. Jakarta: Elex Media Komputindo.
- Martí-Pastor, M., Pont, A., Ávila, M., Garin, O., Vilagut, G., Forero, C. G., & Cabasés, J. 2018. Head-to-head comparison between the EQ-5D-5L and the EQ-5D-3L in general population health surveys. *Population health metrics*, *16*(1), 14.
- Mayou, R., Bryant, B., dan Turner, R., 1990, Quality of life in non-insulin-dependent diabetes and a comparison with insulin-dependent diabetes, *Journal of psychosomatic research*, **34** (1) : 1-11.
- Mertkan T, Mesut S, Sule AR, Mehmet H, Fikret VI, 2009, Improvement of Diabetes Indices of Care by a Short Pharmaceutical Care program, *Pharm World Sci*, (31) : 689-95.
- Megari, K., 2013, Quality of life in chronic disease patients. *Health psychology research*, *1* (3).
- Misda, M., Hariyanto, T., dan Ardiyani, V. M. 2017. PENURUNAN TEKANAN DARAH PENDERITA HIPERTENSI SETELAH PENERAPAN POLA NUTRISI DIET RENDAH NATRIUM III DI KELURAHAN TLOGOMAS KOTA MALANG. *Nursing News: Jurnal Ilmiah Mahasiswa Keperawatan*, *2*(3).
- Mubarak, W. I., 2009, Sosiologi untuk keperawatan, Salemba Medika, Jakarta.
- Monz, B., Chartier-Kastler, E., Hampel, C., Samsioe, G., Hunskar, S., Espuna-Pons, M., dan Chinn, C. 2007, Patient characteristics associated with quality of life in European women seeking treatment for urinary incontinence: results from PURE. *European urology*, **51** (4), 1073-1082.
- Nacita, S., 2017, Pengaruh Pemberian Home Pharmacy Care Terhadap Kepuasan Pengobatan Pasien Diabetes Mellitus Tipe 2 Di Kabupaten Banyumas, *Skripsi*, Jurusan Farmasi, Universitas Jenderal Soedirman, Purwokerto.
- Ndraha, S., 2014, Diabetes Melitus Tipe 2 Dan Tatalaksana Terkini, *Leading Artikel: MEDICINUS*, **27** (2) : 9 – 11.
- Nguyen, L. H., Tran, B. X., Le, Q. N. H., Tran, T. T., dan Latkin, C. A., 2017, Quality of life profile of general Vietnamese population using EQ-5D-5L, *Health and quality of life outcomes*, **15** (1) : 199.

- Nolan, C. M., Longworth, L., Lord, J., Canavan, J. L., Jones, S. E., Kon, S. S., dan Man, W. D., 2016, The EQ-5D-5L health status questionnaire in COPD: validity, responsiveness and minimum important difference, *Thorax*, thoraxjnl-2015.
- Novian A, 2013, Faktor Yang Berhubungan Dengan Kepatuhan Diit Pasien Hipertensi, Skripsi, Universitas Negeri Semarang, Semarang.
- Nugraha, A. E., 2017, Perbandingan *Psychometric Properties* Kuesioner Kualitas Hidup EQ-5D-5L dan EQ-5D-3L Pada Pasien Diabetes Mellitus di Kota Yogyakarta dan Kabupaten Sleman, *Skripsi*, Jurusan Farmasi Universitas Gadjah Mada, Yogyakarta.
- Nurpiati, Dyah. A. P., 2015, Perbandingan Kualitas Hidup Pasien Hipertensi Menggunakan Kuesioner EQ-5D dan SF-6D di Rumah Sakit X Yogyakarta, *Farmasains*, 2 (6) ; 253-258
- Nursalam. 2008. Konsep dan penerapan metodologi penelitian keperawatan. *Info medika*. Jakarta.
- Perkeni, 2011, *Konsensus Pengelolaan dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia*, PB. PERKENI, Jakarta.
- PERKI, 2015, *Pedoman Tatalaksana Hipertensi Pada Penyakit Kardiovaskular*, Perki, Jakarta, 4-8.
- Perwitasari, D.A., dan Muttaqien A., 2012, Potensi Peran Farmasis Dalam Meningkatkan Kualitas Hidup Pasien Lanjut Usia: Perspektif Rawat Rumah, *Jurnal Ilmiah Kefarmasian*, 2 (1) : 89 – 95
- Plotnikoff, R. C., 2006, Physical Activity in the Management of Diabetes: Population-based Perspectives and Strategies, *Canadian Journal of Diabetes*, 30 : 52-62.
- Polonsky, W.H., 2008, Understanding And Assessing Diabetes Specific Quality Of Life, *Diabetes Spectrum*, 13 : 1-36.
- Prasetyorini, D.A., 2015, Pengaruh Latihan Senam Diabetes Mellitus Terhadap Resiko Terjadinya Ulkus Diabetik Pada Pasien Diabetes Mellitus Tipe 2 Di Desa Rambipuji Kecamatan Rambipuji Kabupaten Jember, *Skripsi*, Program Studi Ilmu Keperawatan Universitas Jember, Jember.
- Price, S.A., Wilson, L.M., 2005, *Patofisiologi, Konsep Klinis dan Proses-Proses Penyakit*, Edisi 6, EGC, Jakarta.
- Purba, F. D., Hunfeld, J. A. M., Iskandarsyah, A., Fitriana, T. S., Sadarjoen, S. S., Gon, J. M. R., Passchier, J., Busschbach J. J. V., 2017, The Indonesian EQ-5D-5L Value Set, *PharmacoEconomics*.

- Putra, C.R., 2016, Pengaruh Home Care Apoteker Terhadap Kualitas Hidup Pasien Diabetes Melitus Tipe 2 Di Kabupaten Banyumas, *Skripsi*, Jurusan Farmasi, Universitas Jenderal Soedirman, Purwokerto.
- Quah, J. H., Luo, N., Ng, W. Y., How, C. H., dan Tay, E. G., 2011, Health-related quality of life is associated with diabetic complications, but not with short-term diabetic control in primary care, *Annals of the Academy of Medicine-Singapore*, **40** (6) : 276.
- Rahmat, W.P., 2010, Pengaruh Konseling Terhadap Kecemasan Dan Kualitas Hidup Pasien Diabetes Mellitus Di Kecamatan Kebakkramat, *Tesis*, UNS, Surakarta.
- Rezaei, S., Hajizadeh, M., Kazemi, A., Khosravipour, M., Khosravi, F., dan Rezaeian, S., 2017, Determinants of health-related quality of life in Iranian adults: evidence from a cross-sectional study, *Epidemiology and health*, **39**.
- Roifah, I., 2017, Analisis Hubungan Lama Menderita Diabetes Mellitus Dengan Kualitas Hidup Penderita Diabetes Mellitus, *Jurnal Ilmu Kesehatan*, **4** (2) :7-13.
- Ridwan, M. 2011. Mengenal, mencegah, mengatasi silent killer hipertensi. Semarang: Pustaka Widyamara.
- Sacerdote, C., Ricceri, F., Rolandsson, O., Baldi, I., Chirlaque, M. D., Feskens, E., ... dan Bergmann, M., 2012, Lower educational level is a predictor of incident type 2 diabetes in European countries: the EPIC-InterAct study, *International journal of epidemiology*, **41**(4) : 1162-1173.
- Sakthong, P., dan Kasemsup, V., 2012, Health utility measured with EQ-5D in Thai patients undergoing peritoneal dialysis, *Value in Health*, **15** (1) : S79-S84.
- Saleh, F., Ara, F., Mumu, S. J., dan Hafez, M. A., 2015, Assessment of health-related quality of life of Bangladeshi patients with type 2 diabetes using the EQ-5D: a cross-sectional study, *BMC research notes*, **8**(1) : 497.
- Sari, A. , Lolita., dan Fauzia. 2017, Pengukuran Kualitas Hidup Pasien Hipertensi di Mergangsan Yogyakarta Menggunakan European Quality Of Life Dimensions (EQ5D) Questionnaire dan Visual Analog Scale (VAS), *Jurnal Ilmiah Ibnu Sina*, **2** (1) : 1-12.
- Sari, A., Lestari, N.Y., Perwitasari, D.A., 2015, Validasi St *European Quality Of Life-5 Dimensions* (Eq-5d) Versi Indonesia Pada Pasien Hipertensi Di Puskesmas Kotagede II Yogyakarta, *Jurnal Ilmiah Ibnu Sina*, **5** (2): 131-138.
- Siddiqui, F., Lindblad, U., dan Bennet, L. 2014, Physical inactivity is strongly associated with anxiety and depression in Iraqi immigrants to Sweden: a cross-sectional study. *BMC Public Health*, **14** (1), 502.

- Shafrin, J., Sullivan, J., Goldman, D. P., dan Gill, T. M., 2017, The association between observed mobility and quality of life in the near elderly, *PloS one*, **12**(8) : e0182920.
- Shah, B., dan Deshpande, S., 2014, Assessment of effect of diabetes on health-related quality of life in patients with coronary artery disease using the EQ-5D Questionnaire. *Value in Health Regional Issues*, **3** : 67-72.
- Sharoh, S. M., dan Salmiyati, S., 2017, Pengaruh Senam Diabetes Terhadap Kadar Gula Darah Pada Penderita Diabetes Mellitus Tipe II Di Wilayah Kerja Puskesmas Gamping 1 Sleman Yogyakarta, *Doctoral dissertation Universitas' Aisyiyah Yogyakarta*, Yogyakarta.
- Shen, W., Kotsanos, J.G., Huster, W., Mathias, S.D., Andrejasich, C.M., Patrick, D.L., 1999, Development and Validation of Diabetic Quality Of Life Clinical Trial Questionnaire, *Medical Care*, **37** (4) : AS45 – AS66.
- Shim, Y. T., Lee, J., Toh, M. P. H. S., Tang, W. E., dan Ko, Y., 2012, Health-related quality of life and glycaemic control in patients with Type 2 diabetes mellitus in Singapore, *Diabetic Medicine*, **29**(8) : e241-e248.
- Smantummkul Chayanee, 2014, Tingkat Kepatuhan Penggunaan Obat Antihipertensi pada Pasien Hipertensi di Instalasi Rawat Jalan Rumah Sakit X pada tahun 2014, *Tesis*, UMS, Surakarta.
- Sobocki, P., Ekman, M., Ågren, H., Krakau, I., Runeson, B., Mårtensson, B., dan Jönsson, B., 2007, Health-related quality of life measured with EQ-5D in patients treated for depression in primary care, *Value in Health*, **10** (2) : 153-160.
- Solli, O., Stavem, K., dan Kristiansen, I. S.. 2010, Health-related quality of life in diabetes: The associations of complications with EQ-5D scores, *Health and quality of life outcomes*, **8**(1): 1.
- Steigelman, L., Kimble, L. P., Dunbar, S., Sowell, R. L., dan Bairan, A., 2006, Religion, relationships and mental health in midlife women following acute myocardial infarction, *Issues in mental health nursing*, **27**(2): 141-159.
- Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S, 2014, *Buku Ajar Ilmu Penyakit Dalam*, Jilid II edisi VI, Interna Publishing, Jakarta.
- Sugiyono, 2009, *Metode Penelitian Kuantitatif, Kualitatif dan R&D*, Alfabeta, Jakarta.
- Sultana, M., Sarker, A. R., Mahumud, R. A., Ahmed, S., Ahmed, W., Chakrovorty, S. dan Khan, J. A., 2016, Inequalities in health status from EQ-5D findings: a cross-sectional study in low-income communities of Bangladesh, *International journal of health policy and management*, **5**(5): 301.

- Shishavan, M. K., Jafarabadi, M. A., Aminisani, N., Shahbazi, M., dan Alizadeh, M, 2018. The association between self-care and quality of life in hypertensive patients: findings from the Azar cohort study in the North West of Iran. *Health promotion perspectives*, **8** (2), 139.
- Suhadi., 2011, Analisis Faktor – Faktor Yang Mempengaruhi Kepatuhan Lansia Dalam Perawatan Hipertensi di Wilayah Puskesmas Srandol Kota Semarang. Fakultas Ilmu Keperawatan Universitas Indonesia.
- Tan, Z., Liang, Y., Liu, S., Cao, W., Tu, H., Guo, L., dan Xu, Y., 2013, Health-related quality of life as measured with EQ-5D among populations with and without specific chronic conditions: a population-based survey in Shaanxi Province, China, *PLoS One*, **8**(7) : e65958.
- Tellechea A, Leal E, Veves A, Carvalho E, 2010, Inflammatory and Angiogenic Abnormalities in Diabetic Wound Healing: Role of Neuropeptides and Therapeutic Perspective, *The Open Circulation and Vascular*, **3** :43-55.
- Theodorou, M., Kaitelidou, D., Galanis, P., Middleton, N., Theodorou, P., Stafylas, P., dan Maniadakis, N., 2011, Quality of life measurement in patients with hypertension in Cyprus, *Hellenic J Cardiol*, **52**(5) : 407-15.
- Timar, R., Velea, I., Timar, B., Lungeanu, D., Oancea, C., Roman, D., dan Mazilu, O., 2016, Factors influencing the quality of life perception in patients with type 2 diabetes mellitus, *Patient preference and adherence*, **10** : 2471.
- Torrance, G.W., Boyle, M.H., Horward,S.P., 1986, Application of health state utilities for economic appraisal, A review, *J Health Econ*, **5** :1-30.
- Utami, D.T., Karim, D., Agrina, 2014, Faktor- Faktor Yang Mempengaruhi Kualitas Hidup Pasien Diabetes Mellitus Dengan Ulkus Diabetikum, *Jom psik.*, 1-7
- Venturini, C.D., Engroff, P., Ely, L.S., Zago, L.F., Schroeter, G., Gomes, I., De Carli, G.A., Morrone, F.B., 2011, Gender differences, polypharmacy, and potential pharmacological interactions in the elderly, *Clinics Sao Paulo*, **66** (11) : 1867-72
- Vrijens, B., Antoniou, S., Burnier, M., de la Sierra, A., dan Volpe, M., 2017, Current situation of medication adherence in hypertension. *Frontiers in pharmacology*, **8** (100).
- Wahl, A. K., Rustøen, T., Hanestad, B. R., Lerdal, A., dan Moum, T., 2004, Quality of life in the general Norwegian population, measured by the Quality of Life Scale (QOLS-N), *Quality of life research*, **13**(5), 1001-1009.
- Wahyuni dan Eksanoto, D., 2013, Hubungan tingkat pendidikan dan jenis kelamin dengan kejadian hipertensi di Kelurahan Jagalan di Wilayah Kerja Puskesmas Pucang Sawit Surakarta, *Jurnal Ilmu Keperawatan Indonesia*, **1**(1): 79-85.

- Wahyuni, Y., Nursiswati, N., dan Anna, A., 2014, Kualitas Hidup berdasarkan Karakteristik Pasien Diabetes Melitus Tipe 2, *Jurnal Keperawatan Padjadjaran*, **2** (1).
- Wang, H. M., Beyer, M., Gensichen, J., dan Gerlach, F. M., 2008, Health-related quality of life among general practice patients with differing chronic diseases in Germany: cross sectional survey, *BMC Public Health*, **8**(1) : 246.
- Wen, L. K., Parchman, M. L., dan Shepherd, M. D., 2004, Family support and diet barriers among older Hispanic adults with type 2 diabetes, *Family Medicine-Kansas City*, **36** : 423-430.
- Xu, R. H., Cheung, A. W. L., dan Wong, E. L. Y. 2017. Examining the health-related quality of life using EQ-5D-5L in patients with four kinds of chronic diseases from specialist outpatient clinics in Hong Kong SAR, China. *Patient preference and adherence*, **11**, 1565.
- Yanita, B., Kurniawaty, E., 2016, Faktor-Faktor yang Berhubungan dengan Kejadian Diabetes Melitus Tipe II, *Majority*, **5**, Lampung.
- Yuanita, A., 2013, Pengaruh *Diabetes Self Management Education (DSME)* Terhadap Resiko Terjadinya Ulkus Diabetik Pada Pasien Rawat Jalan Dengan Diabetes Mellitus (DM) Tipe 2 Di RSD Dr. Soebandi Jember, *Skripsi*, Program Studi Ilmu Keperawatan Universitas Jember, Jember.
- Yusra, T. A., 2011, Hubungan Antara Dukungan Keluarga Dengan Kualitas Hidup Pasien Diabetes Mellitus Tipe 2 Di Poliklinik Penyakit Dalam Rumah Sakit Umum Pusat Fatmawati Jakarta, *Tesis*, Universitas Indonesia, Jakarta.
- Zhang, D., Yang, Y., Wu, M., Zhao, X., Sun, Y., Xie, H., dan Jia, J., 2018, The moderating effect of social support on the relationship between physical health and suicidal thoughts among Chinese rural elderly: A nursing home sample, *International journal of mental health nursing*.
- Zhang, L., Guo, X., Zhang, J., Chen, X., Zhou, C., Ge, D., dan Qian, Y., 2017, Health-related quality of life among adults with and without hypertension: A population-based survey using EQ-5D in Shandong, China, *Scientific reports*, **7**(1) : 14960.
- Zhang, Y., Zhou, Z., Gao, J., Wang, D., Zhang, Q., Zhou, Z., dan Li, D., 2016, Health-related quality of life and its influencing factors for patients with hypertension: evidence from the urban and rural areas of Shaanxi Province, China, *BMC health services research*, **16**(1): 277.
- Zoungas, S., Woodward M., Li, Q., dan Cooper, M.E., 2014, Impact of Age, Age at Diagnosis and Duration of Diabetes on the Risk of Macrovascular and Microvascular Complication and Death in Typer 2 Diabetes, *Diabetologia*, **1** : 1-10.

