

## DAFTAR PUSTAKA

- Astuti. (2016). Karakterisasi Material. *ResearchGate*.
- Baruah, S., & Dutta, J. (2009). Hydrothermal growth of ZnO Nanostructure. *Science and Technology of Advanced Material*.
- Budi, E. (2011). Kaidah Difraksi Sinar-X dalam Analisis Struktur Kristal KBr. *Jurnal Fisika dan Aplikasinya*.
- Callister, W. D., & et al. (1994). *Fundamental materials science and engineering*. New York: Jhon Wiley and Son, Inc.
- Calton. (2009). Metal Powder Processing manufacturing Proceses and Angineering. *Gorgia Institute of Technology*.
- Chiang, H. Y., Lee, Y. C., & Gaik, T. L. (2013). Effect of microwave sintering on the microstructure and piezoelectric properties of ZnO-doped Bi<sub>0.5</sub>Na<sub>0.5</sub>TiO<sub>3</sub> ceramics. *Journal of the Ceramic Society of Japan*.
- Dahiya, R. S., & Valle, M. (2013). *Robotic Tactile Sensing Tecnology and System: Fundamental of Piezoelectric*. New York: Springer Science.
- Damjanovic, D., Klein, N., Li, J., & Porokhonskyy, V. (2010). What Can Be Expected From Lead-Free Piezoelectric Material? *World Scientific Publishing*.
- Delfia, U., Mahyudin, A., & Ahda, S. (2014). Pengaruh Penambahan SrTiO<sub>3</sub> Pada Struktur Sifat Listrik Bahan PiezoelektrikBNT-BT. *Jurnal Fisika Unand*, Vol. 3 No.1.
- Donnelly, N. J., Shrout, T. R., & Randall, C. A. (2007). Addition of a Sr, K, Nb (SKN) Combination to PZT(53/47) for High Strain Applications. *Journal of American Ceramic Society*, 90.
- Dunmin, L., & Kwok, K. W. (2010). Effect of Li-Substitution on Piezoelectric and Ferroelectric Properties of (Bi<sub>0.92</sub>Na<sub>0.92-x</sub>Lix)<sub>0.5</sub>Ba<sub>0.06</sub>Sr<sub>0.02</sub>TiO<sub>3</sub> Lead-Free Ceramics. *Current Applied Physics*, 10.
- Gautschi, G. (2002). *Piezoelectrics Sensorics : Force, Strain, Pressure, Acceleration and Acoustic Emission Sensors, Materials and Amplifiers*. Berlin: Springer.
- Halliday, D., & Resnick, R. (1984). *Fisika Jilid 1*. Jakarta: Erlangga.

- Hang, L., Jiang, Y., Li, S., Su, H., Lan, X., Qin, K., Yu, D. (2011). High temperature thermoelectric properties and energy transfer devices of. *Journal of Alloy and Compounds*.
- Haprido, K., Mahyudin, A., & Mardiyanto. (2015). Pengaruh Penambahan PVDF (POLYVINYLIDINE FLOURIDE) Pada Pemoltingan Bahan Piezoelektrik PbZr(0,52)Ti(0,48)O<sub>3</sub> (PZT) Yang di Lengkapi Alat Pemutus Poling. *Jurnal Fisika Unand vol. 4 No. 1.*
- Hastuti, E. (2011). Analisa Difraksi Sinar-X TiO<sub>2</sub> dalam Penyiapan Bahan Sel Surya Terensitas Perwarna. *Jurnal Neutrino*.
- He, H., Lu, X., Li, M., Wang, Y., Li, Z., Lu, Z., & Lu, L. (2020). Thermal and Compositional Driven Relaxor Ferroelectric Behaviours of Lead-Free Bi0.5Na0.5TiO<sub>3</sub>-SrTiO<sub>3</sub> Ceramics. *Journal of Materials Chemistry C*.
- Hong, C., Pill Kim, H., Yul Choi, B., Sun Han, H., Son, J., Ahn, C., & Jo, W. (2015). Lead-Free Piezoceramics - Where to Move on? . *Journal of Materiomics*.
- Hongliang, D., & dkk. (2007). Influence of Sintering Temperature On Piezoelectric Properties of K0,5Na0,5NbO<sub>3</sub>-LiNbO<sub>3</sub>. *Material Research Bulletin Vol.42*.
- Jatmiko, & Asy'ari, H. (2007). Aplikasi Kapasitor untuk Perbaikan Faktor Daya Listrik pada Motor Induksi Satu Phase. *Jurnal Penelitian Sains & Teknologi*.
- Ji, W., Fang, B., Zhao, X., Zhang, Lu, X., & Ding, J. (2019). Enhancing Electrical Properties of High-Curie Temperature Piezoelectric Ceramics BNT-PZT and Their Mechanism. *Elsevier*, 1.
- Jiang, Z., Wang, P., Xing, J., Jiang, X., & Zhao, J. (2018). Screening and Design of Novel 2D Ferromagnetic Material with High Curie Temperature above Room Temperature. *ACS Apply Matter Interfaces*.
- Jones, G. O., & Thomas, P. A. (2002). Investigation of The Structure and Phase Transition in The Novel A-Site Substituted Distorted Perovskite Compound Na<sub>1/2</sub>Bi<sub>1/2</sub>TiO<sub>3</sub>. *Acta Crystallographica Section B. Structural Science*.
- Juansah, J., Dahlan, K., & Seminar, K. (2012). The Prospect of Electrical Impedance Spectroscopy as Nondestructive Evaluation of Citrus Fruits Acidity. *IJTAE*, 58-64.

- Kawashima, T., & Suzuki, Y. (2016). Reactive sintering and piezoelectric properties of 0.94Bi0.5Na0.5TiO<sub>3</sub>–0.06BaTiO<sub>3</sub> ceramics with ZnO additive. *Journal of the Ceramic Society of Japan*.
- Kim, S. (2002). Low Power Energy Harvesting with Piezoelectric Generator'. Doctoral Dissertation. *University of Pittsburgh. Pennsylvania*.
- Krauss, W., Schutz, D., Mautner, F. A., Feterira, A., & Reichmann, K. (2009). Piezoelectric Properties and Phase Transition Temperatures of The Solid. *Elsevier*.
- Krisdianto, A. N. (2011). Studi Karakterisasi Energi yang Dihasilkan Mekanisme Vibration Energi Harvesting dengan Metode Piezoelektrik Untuk Pembebatan Frontal dan Lateral. *Skripsi-ITS:Surabaya*.
- Kuzenko, D. V. (2021). Critical temperature below the Curie temperature of ferroelectric ceramics PZT. *Journal Of Advanced Dielectrics*, 2-3.
- Lee, W. C., Huang, C. Y., Tsao, L. K., & Wu, Y. C. (2008). Chemical composition and tolerance factor at the morphotropic phase boundary in (Bi0.5Na0.5)TiO<sub>3</sub>-based piezoelectric ceramics. *Journal of the European Ceramic Society*.
- Lin, D., Kwok, K. W., & Chan, H. L. (2009). Ferroelectric and piezoelectric properties of Bi0.5Na0.5TiO<sub>3</sub>–SrTiO<sub>3</sub>–Bi0.5Li0.5TiO<sub>3</sub> lead-free ceramics. *Journal Alloy and Compounds*.
- Lvovich, V. F. (2012). Impedance Spectroscopy with Application to Electrochemical and Dielectric Phenomena. *Wiley*.
- Maeda, T., P, H., & Morita, T. (2012). Piezoelectric Application of Hydrothermal Lead-Free K0,48Na0,52NbO<sub>3</sub> Ceramics. *Ultrasonics, IEEE Symposium*.
- Mahyudi, A., Fahyuan, H. D., & Ahda, S. (2011). Pengaruh Penambahan Bkt Pada Piezoelektrik Ramah Lingkungan Bi0,5na0,5tio3-Batio3-Bi0,5k0,5tio3 (Bnt-Bt-Bkt. *Jurnal Ilmu Fisika (JIF)*, 1.
- Mardiyanto, & Ahda, S. (2012). Strukturmikro Bahan Piezoelektrik Bebas Timbal Bismuth Natrium Titanat-Barium Titanat-Kalium Natrium Niobate Hasil Sintesis Dengan Metode Reaksi Padat. *Indonesia Journal of Material Sciente*, 2.

- McLaughlin, B. J. (2008). Study and Development of High Frequency Thermoacoustic Prime Movers with Piezoelectric Transducers'. Dissertation Thesis. *University of Utah. Salt Lake.*
- Muliansyah, A. (2014). Pemanfaatan Teknologi Piezoelektrik Sebagai Transduser Energi Listrik Terbarukan Dan Ramah Lingkungan. *UPTA Asrama ITB, ITB.*
- Nugraha, A., Ardin, M. B., & Rezani, R. (2017). Studi Fase Dan Koefesien Piezoelektrik Pada Pvdf Yang Diringankan. *Industri Research Workshop and National Seminar Politeknik Negeri Bandung .*
- Ozgur, U., Teke, Y., Dogan, M., & Morkoc, V. (2005). A Comprehensive Review of ZnO Materials and Devices. *Journal of Applied Physics.*
- Parija, B., Rout, S., Cavalcante, L., Simoes, A., Panigrahi, S., & Batista, N. (2012). Structure, Microstructure and Dielectric Properties of  $100-x(Bi0.5Na0.5)TiO_3 -x[SrTiO_3]$  Composites Ceramics. *Applied Physics A: Material Science & Processing.*
- Ramlan. (2001). Pengaruh MgO dan Suhu Sintering terhadap Mikrostruktur dan Sifat Fisik Keramik Beta Alumina ( $\beta$ -Alumina). *Thesis. UI-Depok.*
- Richerson, D. W. (1988). *Modern Ceramic Engineering : Properties, Procecing, and Use in Design.* New York: Marcel Dekker.
- Rini, P. N. (2019). Pembuatan Piezoelektrik  $Bi0.5Na0.5TiO_3-SrTiO_3$  Doping  $Fe_2O_3$  Dengan Metode Solid State Reaction dan Karakterisasinya. *Skripsi. FMIPA Universitas Jenderal Soedirman.*
- Roedel , J., & Li, J. F. (2018). Lead-free piezoceramics: status and perspectives. *MRS Bulletin.*
- Rohaeti, E. (2009). Karakterisasi Biodegradasi Polimer. . *Diseminarkan pada Seminar Nasional Penelitian, Pendidikan dan Penerapan MIPA-UNY.*
- Sentosa, H. E. (2021). Pembuatan Material Piezoelektrik BIsmuth Natrium Titanate-Strontium Titanate (BNT-ST) doping  $Mn_2O_3$  dengan Metode Solid State Reaction dan Karakterisasinya. *Skripsi FMIPA Unsoed.*
- Setiabudi, A., Rifan, H., & Ahmad, M. (2013). *Karakterisasi Material : Prinsip dan Aplikasi Dalam Penelitian Kimia.* Bandung: UPI Press.
- Shallman, R. E., & Bishop, R. J. (2000). *Modern Physical Metallurgy and Materials Engineering.* New York: Hill International Book Company.

- Sharma, M. (2006). Studies On Structural, Dielectric and Piezoelectric Properties of Doped PCT Ceramics. *School of Physics Material Science, Deemed University.*
- Skoog, D. A., & Leary, J. J. (1998). Fundamental of Analysis. *Saunders College Publishing-United State of Amerika.*
- Sobirin, M., Rosita, N., Fitriawan, M., Usriyah, F., Faizal, R., & Yulianto, A. (2016). Sintesis Nanokomposit Strontium Ferit-keramik Porselin Alumina sebagai. *Journal of Creative Students.*
- Sukesha, R., & Kumar, N. (2014). Variation of Piezoelectric Coefficient and Dielectric Constant with Electric Field and Temperature. *UIET Panjab University Chandigarh.*
- Sulistyono, T. (2014). Sintesis dan Karakterisasi Material Piezoelektrik PZT dengan Bahan Dopan La<sub>2</sub>O<sub>3</sub> Menggunakan Metode Solid State Reaction. *Skripsi. UNS-Surakarta.*
- Triwahyuni. (2008). Sintesis dan Karakterisasi Bahan Piezoelektrik ‘Sintesis dan Karakterisasi Bahan Piezoelektrik Bi<sub>0,5</sub>Na<sub>0,5</sub>TiO<sub>3</sub> (BNT) dengan Metoda Molten Sal. *Universitas Andalas.*
- Ulya, H. N., Subadra, U. I., & Taufiq, A. (2017). Pengaruh Variasi Pemanasan Terhadap Struktur Kristal Nanopartikel Zno. *Seminar Nasional Fisika dan Pembelajarannya.*
- Wangfeng, B., Peng , Z., Fei, W., Jingji , Z., Daqin, C., Jiwei, Z., & Zhenguo, J. (2017). Lead-free BNT-based composite materials: enhanced depolarization temperature and electromechanical behavior. *Dalton Transactions.*
- Xinyou, H., Chunhua, C., Zhigang, C., & Huiping, L. (2006). Influence of Composition on Properties of BNT-BT Lead-Free Piezoceramics . *School of Materials Science and Engineering, Jiangsu University, Zhenjiang.*