

DAFTAR PUSTAKA

- Abadi, H., Parhan, P., Winata, H.S. and Nidawah, N. (2022) ‘Formulasi Sediaan Lip Cream Dari Ekstrak Etanol Daun Bayam Merah (*Amaranthus tricolor L.*)’, *Majalah Farmasetika*, 7(3), pp. 206-215. doi: <https://doi.org/10.24198/mfarmasetika.v7i3.38429>.
- Abubakar, A.R. and Haque, M. (2020) ‘Preparation of Medicinal Plants: Basic Extraction and Fractionation Procedures for Experimental Purposes’, *Journal of Pharmacy and Bioallied Sciences*, 12(1), pp. 1–10. doi: https://doi.org/10.4103/jpbs.JPBS_175_19.
- Al-Suwayeh, S.A., Taha, E.I., Al-Qahtani, F.M., Ahmed, M.O. and Badran, M.M. (2014) ‘Evaluation of Skin Permeation and Analgesic Activity Effects of Carbopol Lornoxicam Topical Gels Containing Penetration Enhancer’, *Scientific World Journal*, PP. 1-9. doi: <https://doi.org/10.1155/2014/127495>.
- Alappat, B. and Alappat, J. (2020) ‘Anthocyanin Pigments: Beyond Aesthetics’, *Molecules*, 25(23), pp. 1-17. doi: <https://doi.org/10.3390/molecules25235500>.
- Alhassan, A. M. and Ahmed, Q. U. (2016) ‘*Averrhoa bilimbi* Linn.: A review of its ethnomedicinal uses, phytochemistry, and pharmacology’. *Journal Of Pharmacy & Bioallied Sciences*, 8(4), pp. 265–271. doi: [10.4103/0975-7406.199342](https://doi.org/10.4103/0975-7406.199342).
- Amalia, N., Safitri, M. and Kuncoro, B. (2017) ‘Pengembangan Formulasi dan Evaluasi Sediaan Lip cream Ekstrak Kulit Buah Rambutan (*Nephelium lappaceum* Linn) Sebagai Pewarna Bibir’, *Jurnal Farmagazine*, 4(1), pp. 26-34. doi: <http://dx.doi.org/10.47653/farm.v4i1.70>.
- Ansel, H. C., Propovich, N. G. and Allen, L. V. (2011) *Ansel’s Pharmaceutical Dosage Forms and Drug Delivery Systems Ninth Edition*. Philadelphia: Lippincott Williams & Wilkins.
- Badaring, D. R., Sari, S. P. M., Nurhabiba, S., Wulan, W. and Lembang, S. A. R. (2020) ‘Uji Ekstrak Daun Maja (*Aegle marmelos* L.) Terhadap Pertumbuhan Bakteri *Escherichia coli* dan *Staphylococcus aureus*’, *Indonesian Journal of Fundamental Sciences*, 6(1), pp. 17-26. doi: <https://doi.org/10.26858/ijfs.v6i1.13941>.
- Belali, N. (2017) ‘Mekanisme Lipstik Dalam Mewarnai dan Melembabkan Bibir’, *Majalah Farmasetika*, 2(2), pp. 9-11. doi: <https://doi.org/10.24198/farmasetika.v2i2.15887>.
- Benson, H.A.E., Roberts, M.S., Leite-Silva, V.R., and Walters, K.A. (2019) *Cosmetic Formulation Principles and Practice*. New York.
- Bielfeldt, S., Blaak, J., Laing, S., Schleißinger, M., Theiss, C., Wilhelm, K.P. and Staib, P. (2019) ‘Deposition of plant lipids after single application of a lip care product determined by confocal raman spectroscopy, corneometry and transepidermal water-loss’, *International Journal of Cosmetic Science*, 41(3), pp. 281–291. doi: <https://doi.org/10.1111/ics.12533>.
- BPOM RI (2009) *Public Warning/Peringatan Nomor:KH.00.01.43.2503 Tentang Kosmetik Mengandung Bahan Berbahaya/Bahan Dilarang*. Jakarta: BPOM RI.

- BPOM RI (2019) *Peraturan Badan Pengawas Obat dan Makanan Nomor 23 Tahun 2019 Tentang Persyaratan Teknis Bahan Kosmetika*. Jakarta: BPOM RI.
- BPOM RI (2022) *Lampiran 3 Penjelasan Publik No. PW.02.04.1.4.10.22.168 Tanggal 4 Oktober 2022 Tentang Kosmetika Mengandung Bahan Dilarang/Bahan Berbahaya Hasil Pengawasan Badan POM*. Jakarta: BPOM RI.
- Dalming, T., Sari, I. W. and Agus, F. A. (2019) ‘Formulasi Lip Cream Ekstrak Daun Teh Hijau (*Camelia sinensis* L.)’, *Media Farmasi*, 15(2), pp. 121-124. doi: <https://doi.org/10.32382/mf.v15i2.1121>.
- Dayan, N. (2017) ‘Handbook of Formulating Dermal Applications: A Definitive Practical Guide’, USA: Scrivener Publishing.
- Dina, A., Pramono, S. and Sugihartini, N. (2017) ‘Optimasi Komposisi Emulgator dalam Formulasi Krim Fraksi Etil Asetat Ekstrak Kulit Batang Nangka (*Artocarpus heterophyllus* Lank)’, *Jurnal Ilmu Kefarmasian Indonesia*, 15(2), pp. 134-139.
- Diningsih, A. and Antoni, A. (2020) ‘Isolasi Senyawa Flavonoid Bunga Belimbing Wuluh (*Averrhoa Bilimbi* L.) Serta Uji Aktivitas Antibakteri Terhadap Bakteri *Ataphylococcus aureus* dan *Kebiella pneumoniae*’, *Jurnal Education and Development*, 8(4), pp. 518-522.
- Fahraint, I. (2013) ‘Formulasi Sediaan Pewarna Pipi Dalam Bentuk Padat Dengan Menggunakan Ekstrak Bunga Belimbing Wuluh (*Averrhoa bilimbi* L.)’. Skripsi. Medan: Jurusan Farmasi Universitas Sumatera Utara.
- Garg, A., Aggarwal, D., Garg, S. and Singla, A. K. (2002) ‘Spreading of Semisolid Formulations’, *Pharmaceutical Technology*.
- Gfeller, C.F., Wanser, R., Mahalingam, H., Moore, D.J., Wang, X., Lin, C.B., Shanga, G., Grove, G. and Rawlings, A. V. (2019) ‘A series of in vitro and human studies of a novel lip cream formulation for protecting against environmental triggers of recurrent *Herpes labialis*’, *Clinical, Cosmetic and Investigational Dermatology*, 12(1), pp. 193–208. doi: <https://doi.org/10.2147/CCID.S179430>.
- Handayani, P.A. and Nurcahyanti, H. (2015) ‘Ekstraksi Minyak Atsiri Daun Zodia (Evodia Suaveolens) Dengan Metode Maserasi dan Distilasi Air’, *Jurnal Bahan Alam Terbarukan*, 4(1), pp. 1–7. doi: <https://doi.org/10.15294/jbat.v3i1.3095>.
- Haslina and Wahjuningsih, S. B. (2014) ‘Pengaruh pH, Lama Pemanasan, Suhu Pemanasan, Kadar Garam dan Kadar Gula Terhadap Stabilitas Ekstrak Bunga Belimbing Wuluh (*Averrhoa bilimbi* L.)’, *Jurnal Litbang Provinsi Jawa Tengah*, 12(2), pp. 109-116. doi: <https://doi.org/10.36762/jurnaljateng.v12i2.350>.
- Indriaty, S., Hidayati, N. R., Sulastri, L., Rizikiyan, Y., Karlina, N. And Sulistiani (2021) ‘Formulasi Lip Cream Ekstrak Etanol Kayu Secang (*Caesalpinia sappan* L.) Sebagai Pewarna’, *Journal Medical Sains*, 6(2), pp. 1-10. doi: <https://doi.org/10.37874/ms.v6i2.264>.
- Jessica, Rijai, L. and Arifian, H. (2018) ‘Optimalisasi Basis Untuk Formulasi Sediaan Lip Cream’, *Proceeding of Mulawarman Pharmaceuticals Conference*, pp. 260–266. doi: <https://doi.org/10.25026/mpc.v8i1.332>.

- Kumar, K.A., Gousia, S.K., Anupama, M. and Latha, J.N.L. (2013) ‘A Review On Phytochemical Constituents and Biological Assays of *Averrhoa bilimbi*’, *International Journal of Pharmacy and Pharmaceutical Science Research*, 3(4), pp. 136-139. doi: <http://www.urpjournals.com>.
- Lestario, L. N. (2017) *Antosianin : Sifat Kimia, Perannya dalam Kesehatan, dan Prospeknya sebagai Pewarna Makanan*. Yogyakarta: UGM Press.
- Lismayanti, L. and Diputra, A. A. (2020) ‘Formulasi Sediaan Lip cream Dari Sari Buah Jamb Biji Merah (*Psidium guajava* L.) Sebagai Pewarna Alami Kosmetik’, *Jurnal Farmaku (Farmasi Muhammadiyah Kuningan)*, 5(2), pp. 51-58. doi: <https://doi.org/10.55093/jurnalfarmaku.v5i2.138>.
- Lova, N. (2013) ‘Penggunaan Ekstrak Bunga Belimbing Wuluh (*Averrhoa bilimbi* L.) Sebagai Pewarna Dalam Sediaan Lipstik’. *Skripsi*. Medan: Jurusan Farmasi Universitas Sumatera Utara.
- Lwin, T., Myint, C. Y., Win, H. H., Oo, W. W. and Chit, K. (2020) ‘Formulation and Evaluation of Lipstick with Betacyanin Pigment of *Hylocereus polyrhizus* (Red Dragon Fruit)’, *Journal of Cosmetics, Dermatological Sciences and Applications*, 10(4), pp. 212-224. doi: <https://doi.org/10.4236/jcdsa.2020.104022>.
- Mailana, D., Nuryanti, Harwoko. (2016) ‘Formulasi Sediaan Krim Antioksidan Ekstrak Etanolik Daun Alpukat (*Persea americana* Mill.)’, *Acta Pharmaciae Indonesia*, 4(2), pp. 7-15.
- Mawazi, S.M., Redzal, N.A.B.A., Othman, N. and Alolayan, S.O. (2022) ‘Lipsticks History, Formulations, and Production: A Narrative Review’, *Cosmetics*, 9(25), pp. 1-19. doi: <https://doi.org/10.3390/cosmetics9010025>.
- Nisbet, S.J., Targett, D., Rawlings, A. V., Qian, K., Wang, X., Lin, C.B., Thompson, M.A., Bulsara, P.A. and Moore, D.J. (2019) ‘Clinical and In Vitro Evaluation of New Anti-redness Cosmetic Products in Subjects With Winter Xerosis and Sensitive Skin’, *International Journal of Cosmetic Science*, 41(6), pp. 534–547. doi: <https://doi.org/10.1111/ics.12559>.
- Noviardi, H., Ratnasari, D. and Fermadianto, M. (2019) ‘Formulasi Sediaan Krim Tabir Surya dari Ekstrak Etanol Buah Bisbul (*Diospyros blancoi*)’, *Jurnal Ilmu Kefarmasian Indonesia*, 17(2), pp. 262–271. doi: <https://doi.org/10.35814/jifi.v17i2.771>.
- Peraturan Menteri Kesehatan RI No. 445/MenKes/Permenkes/1998 Tentang Bahan, Zat Warna, Substratum, Zat Pengawet dan Tabir Surya Pada Kosmetik. Jakarta: BPOM RI.
- Priani, S. E., Darijanto, S. T., Suciati, T. and Iwo, M. I. (2013), ‘Formulasi Sediaan Emulgel Untuk Penghantaran Transdermal Ketoprofen’, *Jurnal Acta Pharmaceutica Indonesia*, 38(1), pp. 37-42. doi: <https://doi.org/10.5614/api.v38i1.5203>.
- Priska, M., Peni, N., Carvallo, L. and Ngapa Y. D. (2018) ‘Review: Antosianin dan Pemanfaatannya’, *Cakra Kimia (Indonesian E-Journal of Applied Chemistry)*, 6(2), pp. 79-97. doi: <https://ojs.unud.ac.id/index.php/cakra/article/view/46629>.

- Pudyastuti, B., Marchaban and Kuswahyuning, R. (2015) ‘Pengaruh Konsentrasi Xanthan Gum Terhadap Stabilitas Fisik Krim Virgin Coconut Oil (VCO)’, 12(1), pp. 6–14. doi: <https://doi.org/10.24071/jpsc.00108>.
- Purwaniani., Arif, A. R. and Yuliantini, A. (2020) ‘Analisis Kadar Antosianin Total Pada Sediaan Bunga Telang (*Clitoria ternatea*) Dengan Metode pH Diferensial Menggunakan Spektrofotometri Visible’, *Jurnal Farmagazine*, 7(1), pp.18-23. doi: <http://dx.doi.org/10.47653/farm.v7i1.157>.
- Rodina, A. F., Sobri, I., Kurniawan, D. W. (2016) ‘Krim Antioksidan Ekstrak Etanol Kelopak Bunga Rosella (*Hibiscus sabdariffa L.*)’, *Acta Pharmaciae Indonesia*, 4(1), pp. 15-20.
- Roosevelt, A., Lau, S. H. and Syawal, H. (2017) ‘Formulasi dan Uji Stabilitas Krim Ekstrak Methanol Daun Beluntas (*Pluchea indica L.*)’ *Jurnal Farmasi Sandi Karsa*, 5(1), pp 19-25.
- Sarah, E.K., Hollowood, T. and Hort, J. (2009) *Sensory Evaluation A practical handbook*. UK: Wiley-Blackwell Publication.
- Sheskey, P. J., Cook, W. G. and Cable, C. G. (2017) *Handbook of Pharmaceutical Excipients Eighth Edition*. UK: Pharmaceutical Press.
- Sipahli, S., Mohanlall, V. and Mellem, J.J. (2017) ‘Stability and degradation kinetics of crude anthocyanin extracts from *H. sabdariffa*’, *Food Science and Technology (Brazil)*, 37(2), pp. 209–215. doi: <https://doi.org/10.1590/1678-457X.14216>.
- Standar Nasional Indonesia (1996) *Sediaan Krim Tabir Surya*. Jakarta: Badan Standardisasi Nasional.
- Standar Nasional Indonesia (2006) *Petunjuk Pengujian Organoleptik dan atau Sensori*. Jakarta: Badan Standardisasi Nasional.
- Senduk, T. W., Montolalu, L. A. D. Y. and Dotulong, V. (2020) ‘Rendemen Ekstrak Air Rebusan Daun Tua Mangrove *Sonneratia alba*’, *Jurnal Perikanan dan Kelautan Tropis*, 11(1), pp. 9-15.
- Suhery, W. N., Fernando, A. and Has, N. (2016) ‘Uji Aktivitas Antioksidan Dari Ekstrak Bekatul Padi Ketan Merah dan Hitam (*Oryza sativa L. var. glutinosa*) dan Formulasinya Dalam Sediaan Krim’, *Pharmacy*, 13(1), pp. 101-115.
- Suluvoy, J.K. and Berlin Grace, V.M. (2017) ‘Phytochemical Profile and Free Radical Nitric Oxide (NO) Scavenging Activity of *Averrhoa bilimbi* L. Fruit Extract’, *3 Biotech*, 7(85), pp. 1-11. doi: <https://doi.org/10.1007/s13205-017-0678-9>.
- Wijaya, R. A., Latifah. And Pratjojo, W. (2013) ‘Formulasi Krim Ekstrak Lidah Buaya (*Aloe vera*) Sebagai Alternatif Penyembuh Luka Bakar’, *Indonesian Journal of Chemical Science*, 2(3), pp. 212-217.