

DAFTAR REFERENSI

- Azizah, E. 2015. Analisis Kekerabatan Beberapa Kultivar Ubi Jalar (*Ipomoea batatas* L.) berdasarkan Penanda RAPD. Skripsi. Purwokerto: Universitas Jenderal Soedirman.
- Berita Negara Republik Indonesia Nomor 51 2008. Peraturan Menteri Kehutanan Nomor: P. 57/Menhut-II/2008 Tentang Arahan Strategis Konservasi Species Nasional 2008-2018. 74 h.
- Cheek, M. & M. Jebb. 2001. Flora Malesiana, Seri I-Seed Plants, Volume 15, Nepenthaceae. The Nationaal Herbarium Nederland, Universiteit Leiden branch. The Netherlands.
- Clarke, C. 1997. *Nepenthes of Borneo*. Natural History Publications (Borneo), Kota Kinabalu.
- Clarke, C. 2001. *Nepenthes of Sumatra and Peninsular Malaysia*. Natural History Publications (Borneo), Kota Kinabalu.
- Dinas Kehutanan Jateng, 2003. Kebun Raya Baturraden; potensi flora. Dinas Kehutanan Provinsi Jawa Tengah. [Online] Available at: www.dinashut-jateng.go.id [Accessed 10 November 2016].
- Direktorat Budidaya Tanaman Hias. 2006. Profil Tanaman Hias: Zingiberaceae - Phalaenopsis - Cordyline. Direktorat Jenderal Hortikultura. Departemen Pertanian Republik Indonesia, Jakarta. 163 h.
- Doyle, J.J. & Doyle, J.L., 1987. Isolation of plant DNA from fresh tissue. *Focus*, 12, pp. 13-15.
- Dualembang, E., Musa, Y., & Azrai, M. 2011. Karakterisasi genetik koleksi plasma nutfah sorgum (*Sorghum bicolor* L. Moench) berbasis marka SSR (*Simple Sequence Repeats*). *Jurnal Agrobiogen*, pp.1-15.
- Eilenberg, H., Cohen, S.P., Rahamin, Y., Sionov, E., Segal, E., Carmeli, S., & Zilberstein, A., 2010. Induced production of antifungal naphthoquinones in the pitchers of the carnivorous plant *Nepenthes khasiana*. *Journal of Experimental Botany*, 61, pp. 911-922.
- Gull, I., Muhammad, S.A., Roohi, M., & Muhammad, A.A. 2016. Use of *Moringa oleifera* flower pod extract as natural preservative and development of SCAR marker for its DNA based identification. *BioMed Research International*, pp. 1-12.
- Gusmiaty, R., & Pongtuluran, M. 2012. Seleksi primer untuk analisis keragaman genetik jenis bitti (*Vitex coffassus*). *Jurnal Perennial*, 8 (1), pp. 25-29.

- Grosberg, R.K., Leviton, D.R. & Comeron, B.B. 1996. Characterization of Genetik Structure and Genealogies RAPD-PCR Marker. Strategies and Protocols. John Willey and Sons Inc. Publication, New York
- Handayani, T., 2006. Perbanyakkan Tanaman Kantung Semar (*Nepenthes spp.*). [Online] Available at: www.lipi.go.id [Accessed 10 November 2016].
- Handoyo, F. dan Sitanggang, M., 2006. *Petunjuk Praktis Perawatan Nepenthes*. Agromedi Pustaka. Jakarta.
- Harkingto. 2007. Keragaman Genetik Lima Populasi Ulin Kalimantan Timur Berdasarkan Penanda RAPD. Skripsi Fakultas Biologi. Universitas Gajah Mada. Yogyakarta.
- Innis, M.A., Gelfand, D.H., Sninsky, J.J. & White, T.J., 1990. Optimazation of PCRs. In *PCR Protocols A Guide to Methods and applications*. London: Academic Press, pp. 5-6.
- Jebb, M.H.P. & M. Cheek. 1997. A skeletal revision of *Nepenthes* (Nepenthaceae). *Blumea* 42 (1)
- Julisaniah, N.I., Sulistyowati, L., & Sugiharto, A.N. 2008. Analisis kekerabatan mentimun (*Cucumis sativus* L.) menggunakan metode RAPD-PCR dan isozim. *Biodiversitas*, 9(2), pp. 99-102.
- Kalima, T., 2007. Keragaman jenis dan populasi flora pohon di hutan lindung Gunung Slamet, Baturraden, Jawa Tengah. *Jurnal Pusat Litbang Hutan dan Konservasi Alam* 4(2), pp. 151-160.
- Karsinah, Sudarsono, Setyobudi, L. & Aswidinnoor, H. 2001. Keragaman genetik plasma nutfah jeruk berdasarkan analisis penanda RAPD. *Jurnal Bioteknologi Pertanian*, 7(1), pp. 8-16.
- Mansur. 2000. Koleksi *Nepenthes* di Herbarium Bogoriense: Prospeknya sebagai Tanaman Hias. s.l., Seminar Hari Cinta Puspa dan Satwa Liar. Hal 244-253.
- Mansur, M. 2002. *Nepenthes gymnamphora* Nees. di Taman Nasional Gunung Halimun dan Penyebarannya di Indonesia. *Berita Biologi*. 6(1), pp. 107-114.
- Mansur, M. 2006. *Nepenthes*, Kantung Semar yang Unik. Penebar Swadaya. Jakarta.
- Mansur, M. 2007. *Nepenthes*, Kantung Semar yang Unik. Edisi ketiga. Penebar Swadaya. Jakarta.
- Mansur M. 2012a. Laju penyerapan CO₂ pada Kantong Semar (*Nepenthes gymnamphora* Nees) di Taman Nasional Gunung Halimun-Salak, Jawa Barat. *J. Tek. Ling* 13(1),pp. 59-65.

- Mardhiana., Parto, Y., Hayati, R., dan Priadi, D.P., 2012. Karakteristik dan kelimpahan *Nepenthes* di habitat miskin unsur hara. *Jurnal Lahan Suboptimal* 1(1), pp. 50-56.
- Mayol, M & Josep, A. Rossello. 2001. RAPD differentiation between *Borderea pyrenaica* and *B. chouardii* (Dioscoreaceae), two relict endangered taxa. *Israel Journal of Plant Sciences*. 49, pp. 259-268.
- Nandariyah. 2010. Morphology and RAPS (*Random Amplified Polymorphic DNA*) based classification of genetika variability of Java salacca (*Salacca zalacca* Gaertner. Voss). *Journal of Biotechnology and Biodiversity*, 1(1), pp. 8-13.
- Neha, M. & Dinesh, Y. 2010. RAPD Analysis among pigeon pea (*Cajanus cajan* (L.) Mill sp.) cultivars for their genetika diversity. *Genetik Engineering and Biotechnology Journal*, pp.1-9.
- Nei, M. & Li, W. 1987. Estimation of average heterozygosity and genetika distance from a small number of individual. *Genetik*, 89, pp. 583-590.
- Newton, C.R. & Graham, A. 1994. *PCR*. Oxford: BIOS Scientific Publishers Limited.
- Nurhidayati, R,W. 2016. Keragaman Genetik Kultivar Duku (*Lansium parasiticum* K.C. Sahni & Bennet) Di Purbalingga Berdasarkan Penanda RAPD. *Skripsi*. Purwokerto: Universitas Jenderal Soedirman.
- Peraturan Menteri Kehutanan Nomor: P. 57/Menhut-II/2008 Tentang Arahan Strategis Konservasi Species Nasional 2008-2018. 74 h.
- Pharmawati, M. 2009. Optimalisasi ekstraksi DNA dan PCR-RAPD pada *Gravillea* spp. *Jurnal Biologi*, XIII (1), pp. 12-16.
- Philips, A. and Lamb, A. 1996. Pitcher Plant of Borneo. United Selangor Press Sdn. Bhd., Kuala Lumpur, R.L.M. 1987. In Vitro Culture of Higher Plant. *Martinus Nijhoff Publisher Dardrecht*. 344p.
- Poerba, Y. S. & Martanti, D. 2008. Keragaman genetika berdasarkan marka Random Amplified Polymorphic DNA pada *Amorphopallus muelleri* Blume di Jawa. *Jurnal Biodiversitas*, 9(4), pp. 245-249.
- Prana, T.K. & Hartati, D. 2003. Identifikasi sidik jari DNA talas (*Colocasia esculenta* L. Scott) Indonesia dengan teknik RAPD (*Random Amplified Polymorphic DNA*): skrining primer dan optimalisasi kondisi PCR. *Jurnal Natur Indonesia* 5(2), pp. 107-112.
- Puspitaningtyas, D.M. & Wawangningrum, H. 2007. Keragaman *Nepenthes* di suaka alam Sulasih Talang-Sumatera Barat. *Biodiversitas* 8(2), pp. 152-156.

- Rao, N.M. 2004. Plant genetik resources: Advancing conservation and use through biotechnology. *African Journal of Biotechnology*, 3(2), pp. 136-145.
- Rout, G R., Bhattacharya, D., Nanda, R M., Nayak, S., & Das, P. 2003. Evaluation of genetik relationship in *Dalbergia* species using RAPD markers. *Bioconservation*, 12, pp. 197-206.
- Song, B.K., Clyde, M.M., Wickneswari, R, & Normah, M.N. 2000. Genetik relatedness among *Lansium domesticum* accessions using RAPD markers. *Annals of Botany*, 8, pp. 299-307.
- Sulistiyaningsih. 2008. Identifikasi Isolat Bakteri Penghasil Zat Antibakteri dari Cairan Kantung Semar (*N. ampularia* Jack.). Laporan Penelitian. Fakultas Farmasi Universitas Padjajaran. Bandung.
- Trujillo, I., Rallo, L., and Arus, P., 1995. Identifying olive cultivars by isozyme analysis. *Journal of Horticultural Science*, 120, pp. 318-324.
- Waugh, R, and W, Powell, 1992. Using RAPD markers for crop improvement. *Tibtech*, 10, pp. 186-191.
- Weeden, N.F., Timmerman, G. M., Hemmat, M., Kneen, B.E. & Lodhi, M.A. 1992. Inheritance and reliability of RAPD markers *in* applications of RAPD technology to plant breeding, Symposium Proceedings. 1992. Crop Science Society of America, Madison.
- Williams, J.G.K., Kubelik, A.R., Livak, K.J., Rafalski, J.A., & Tingey, S.V.1990. DNA polymorphisms amplified by arbitrary primers are useful as genetik markers, *Nucleid Acids Research*, 18, pp. 125-130.
- Yelli, F. 2013. Induksi pembentukan kantung dan pertumbuhan dua spesies tanaman kantung semar (*Nepenthes spp.*) pada berbagai konsentrasi media MS secara *in vitro*. *Jurnal Agrotropika*, 18(2), pp. 56-62.
- Yulita, K.S. 2014. Genetik variation of *Lansium domesticum* Corr. acsesions from Java, Sumatra and Ceram based on Random Amplified Polymorphic DNA fingerprint. *Biodiv.* 12(3), pp. 125-130.